

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use

ULTRADENT
PRODUCTS, INC.

Date Issued : 08/04/2006

SDS No : 55-001.7

Date Revised : 05/01/2015

Revision No : 7

PermaFlo®**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : JA/94705, JB/94608, JC/94617, JD/94621, JE/94625, JF/94630,
JG/94636, JV/76377, JW/76387

Product name : PermaFlo®

Product description : Light cure luting and flowable composite

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Restorative Material

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
505 W. 10200 S.
South Jordan, UT 84095

Distributor

Ultradent Products GmbH
Am Westhover Berg 30
51149 Cologne Germany
Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R36/38,R43

Classification according to Regulation (EC) No 1272/2008 [CLP]

Health : Eye Irritation
Skin Sensitization

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36/38: Irritating to eyes and skin.
R43: May cause sensitization by skin contact.

SAFETY DATA SHEET
according to Regulation (EC) No. 453/2010
Dental Use

ULTRADENT
PRODUCTS, INC.

Date Issued : 08/04/2006
SDS No : 55-001.7
Date Revised : 05/01/2015
Revision No : 7

PermaFlo®

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictogram(s)

:



Exclamation
mark

Signal Word

: WARNING

Hazard statement(s)

: H319: Causes serious eye irritation.
H317: May cause an allergic skin reaction.

Precautionary statement(s)

Prevention

: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P305: IF IN EYES:
P351: Rinse cautiously with water for several minutes.
P313: Get medical advice/attention.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P332+P313: If skin irritation occurs: Get medical advice/attention.

Storage

: P273: Avoid release to the environment.

Disposal

: P501: Dispose of in compliance with governmental regulation.
(EC1975L0442-20/11/2003)

2.3. Other hazards

Immediate concerns

: None

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No 1272/2008 [CLP]
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 25	Xi; R43	H317
Bis GMA	1565-94-2	216-367-7	< 10	Xi; R36/37/38; R22	H302; H315; H317; H318; H335; H412
Sodium Monofluorophosphate	10163-15-2	233-433-0	0.3	T; R22; R38	H315; H318; H301

For full text of H-statements and R-phrases: see SECTION 16.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 08/04/2006
SDS No : 55-001.7
Date Revised : 05/01/2015
Revision No : 7

PermaFlo®

SECTION 4: First aid measures

4.1. Description of first aid measures

- Following eyes** : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : If swallowed in small quantity the product is harmless, otherwise consult a doctor.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : May cause mild irritation.
- Skin** : May cause sensitization to skin.
- Ingestion** : May be harmful if swallowed in large quantities.
- Inhalation** : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

- Explosion hazards** : Not Determined
- Fire explosion** : Not Determined
- Sensitive to static discharge** : Not Determined
- Sensitivity to impact** : Not Determined

5.3. Advice for firefighters

- Fire fighting procedures** : As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.
- Fire fighting equipment** : Water spray, fog, or mist, foam, dry chemical, carbon dioxide(CO₂)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/04/2006

SDS No : 55-001.7

Date Revised : 05/01/2015

Revision No : 7

PermaFlo®

Water spill : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Wipe up small amounts with chemical resistant or damp rag which is washed with large amounts of water after each use. After cleaning, flush away traces with water.

Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Handling : Keep away from heat sources and direct sunlight.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Restorative Material

SECTION 8: Exposure controls / personal protection**8.1. Control parameters**

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection : Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state : Viscous substance

Colour : Shade dependent.

Odour : Acrylic

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity : Stable

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 08/04/2006
SDS No : 55-001.7
Date Revised : 05/01/2015
Revision No : 7

PermaFlo®**10.2. Chemical stability**

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

Conditions to avoid : Not Determined

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute**

Notes : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

SECTION 12: Ecological information**12.1. Toxicity**

Aquatic toxicity (acute) : Do not allow to enter sewers or drains that may lead to waterways.

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : No data available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 08/04/2006
 SDS No : 55-001.7
 Date Revised : 05/01/2015
 Revision No : 7

PermaFlo®

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
 R36/37/38: Irritating to eyes, respiratory system and skin.
 R38: Irritating to skin.
 R43: May cause sensitization by skin contact.
 H301: Toxic if swallowed.
 H302: Harmful if swallowed.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H318: Causes serious eye damage.
 H335: May cause respiratory irritation.
 H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET
according to Regulation (EC) No. 453/2010
Dental Use

ULTRADENT
PRODUCTS, INC.

Date Issued : 08/04/2006
SDS No : 55-001.7
Date Revised : 05/01/2015
Revision No : 7

PermaFlo®

Prepared by : Anu Kattoju

Revision summary : This SDS replaces the 09/02/2014 SDS. Revised: **Section 1:** Date-Revised.

General statements : N/A= Not Applicable

Manufacturer disclaimer : FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.