SAFETY DATA SHEET

Issuing Date No data available Revision Date 14-Feb-2015 Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name CVS Sore Throat Spray Menthol

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Medicinal Liquids (cough medicine, eye drops, ear drops, nasal spray and inhalers)

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NamePL DevelopmentsSupplier Address11865 S Alameda Street

Lynwood CA 90262 US

Supplier Phone Number Phone:3235672482

Contact Phone864-923-3390

Supplier Email HARRY.FISHER@AARONINDUSTRIESINC.COM

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4 |
|--|---------------------------|
| Acute toxicity - Inhalation (Gases) | Category 4 |
| Acute toxicity - Inhalation (Vapors) | Category 4 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Germ cell mutagenicity | Category 2 |
| Specific target organ toxicity (single exposure) | Category 2 |



Specific target organ toxicity (repeated exposure)

Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard Statements

Harmful if swallowed Harmful if inhaled

Causes severe skin burns and eye damage

Suspected of causing genetic defects

May cause damage to organs

May cause damage to organs through prolonged or repeated exposure



Appearance Green

Physical State Liquid

Odor Menthol

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting



Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

32% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful in contact with skin Harmful to aquatic life with long lasting effects INHALATION MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

.

| Chemical Name | CAS No | Weight-% | Trade Secret |
|---|-----------|----------|--------------|
| Water, distilled, conductivity or of similar purity | 7732-18-5 | 30 - 60 | * |
| Phenol | 108-95-2 | 10 - 30 | * |
| Glycerin | 56-81-5 | 3 - 7 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

<u>General Advice</u> Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate

medical attention/advice.

Skin Contact Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Seek immediate medical attention/advice.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get

medical attention immediately. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary

edema may occur. Get medical attention immediately if symptoms occur.

(II)

Page 3/13

Ingestion Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or

poison control center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. **Effects**

Indication of any immediate medical attention and special treatment needed

Notes to Physician Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy

sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

Avoid generation of dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so. Should not be released into the environment. Do not allow to enter into

soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory

equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Incompatible Products Acids. Bases. Oxidizing agent. Halogens.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-----------|----------|------------|
| | | | |



| Phenol 108-95-2 | TWA: 5 ppm S* | TWA: 5 ppm TWA: 19 mg/m³ (vacated) TWA: 5 ppm (vacated) TWA: 19 mg/m³ (vacated) S* S* | IDLH: 250 ppm Ceiling: 15.6 ppm 15 min Ceiling: 60 mg/m³ 15 min TWA: 5 ppm TWA: 19 mg/m³ |
|---------------------|--------------------|---|--|
| Glycerin 56-81-5 | TWA: 10 mg/m³ mist | TWA: 15 mg/m³ mist, total particulate TWA: 5 mg/m³ mist, respirable fraction (vacated) TWA: 10 mg/m³ mist, total particulate (vacated) TWA: 5 mg/m³ mist, respirable fraction | |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Face protection shield.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all

contaminated protective equipment before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Liquid Appearance Green

AppearanceGreenOdorMentholColorNo information availableOdor ThresholdNo information available

Property Values Remarks Method

рΗ None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known No data available Flammability (solid, gas) None known



Page 6/13

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known **Water Solubility** Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available Autoignition temperature None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known No data available **Explosive properties**

No data available

Other Information

Oxidizing Properties

Softening Point

VOC Content (%)

Particle Size

No data available

No data available

No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials

Acids. Bases. Oxidizing agent. Halogens.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information



Page 7/13

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

Eve Contact Specific test data for the substance or mixture is not available. Causes burns, (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin Contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. May be harmful if swallowed.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------------|-------------------|----------------------|-----------------------|
| Water, distilled, conductivity or of | > 90 mL/kg (Rat) | - | - |
| similar purity | | | |
| 7732-18-5 | | | |
| Phenol | = 317 mg/kg (Rat) | = 630 mg/kg (Rabbit) | = 316 mg/m³ (Rat) 4 h |
| 108-95-2 | | | |
| Glycerin | - | > 10 g/kg (Rabbit) | - |
| 56-81-5 | | | |

Information on toxicological effects

Symptoms Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects Contains a known or suspected mutagen.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-----|------|
| Phenol | | Group 3 | | |
| 108-95-2 | | • | | |

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity No information available.



STOT - single exposure

Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. May cause damage to organs if swallowed. May cause damage to organs if inhaled.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).

Chronic Toxicity

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Contains a known or suspected mutagen. Possible risk of irreversible effects. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse liver effects.

Target Organ Effects

Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). May affect the genetic material in germ cells (sperm and eggs). Kidney. Liver. Blood. Cardiovascular system. Digestive System. Spleen. Thymus. Central Nervous System (CNS).

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
453.00 mg/kg
ATEmix (dermal)
2,856.00 mg/kg (ATE)
ATEmix (inhalation-gas)
3,173.00 ppm (4 hr)
ATEmix (inhalation-dust/mist)
2.27 mg/l
ATEmix (inhalation-vapor)
13.60 ATEmix



12. ECOLOGICAL INFORMATION

EcotoxicityHarmful to aquatic life with long lasting effects.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---------------------|--|--|--|--|
| Phenol 108-95-2 | 96h EC50: = 46.42 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.0188 - 0.1044 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 187 - 279 mg/L (Desmodesmus subspicatus) | 96h LC50: 11.9 - 50.5 mg/L (Pimephales promelas) 96h LC50: 20.5 - 25.6 mg/L (Pimephales promelas) 96h LC50: = 32 mg/L (Pimephales promelas) 96h LC50: 5.449 - 6.789 mg/L (Oncorhynchus mykiss) 96h LC50: 7.5 - 14 mg/L (Oncorhynchus mykiss) 96h LC50: 4.23 - 7.49 mg/L (Oncorhynchus mykiss) 96h LC50: 5.0 - 12.0 mg/L (Oncorhynchus mykiss) 96h LC50: 5.0 - 12.0 mg/L (Lepomis macrochirus) 96h LC50: = 13.5 mg/L (Lepomis macrochirus) 96h LC50: = 11.5 mg/L (Lepomis macrochirus) 96h LC50: 34.09 - 47.64 mg/L (Poecilia reticulata) 96h LC50: = 27.8 mg/L (Brachydanio rerio) 96h LC50: = 27.8 mg/L (Cyprinus carpio) 96h LC50: 33.9 - 43.3 mg/L (Oryzias latipes) 96h LC50: 23.4 - 36.6 mg/L (Oryzias latipes) | EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min | 48h EC50: 4.24 - 10.7 mg/L 48h EC50: 10.2 - 15.5 mg/L |
| Glycerin 56-81-5 | | 96h LC50: 51 - 57 mL/L (Oncorhynchus mykiss) | | 24h EC50: > 500 mg/L |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|---------------------|---------|
| Phenol 108-95-2 | 1.47 |
| Glycerin 56-81-5 | -1.76 |

Other adverse effects

No information available.



Page 10/13

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 **Disposal methods**

> CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Dispose of contents/containers in accordance with local regulations. **Contaminated Packaging**

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|----------------------------|------------------------|------------------------|
| Phenol | U188 | Included in waste streams: | | U188 |
| 108-95-2 | | F039, K001, K022, K087 | | |
| | | Included in waste stream: | | |
| | | K060 | | |

California Hazardous Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|---------------|----------------------------|
| Phenol | Toxic |
| 108-95-2 | Corrosive |

14. TRANSPORT INFORMATION

DOT NOT REGULATED NON REGULATED

Proper Shipping Name

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.



TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------|----------|----------|----------------------------------|
| Phenol - 108-95-2 | 108-95-2 | 10 - 30 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Phenol 108-95-2 | 1000 lb | X | X | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|--------------------|--------------------------|------------------------------------|---|
| Phenol 108-95-2 | 1000 lb | 1000 lb | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|------------------|------------|---------------|--------------|--------------|----------|
| Sodium Saccharin | | X | X | | |
| 128-44-9 | | | | | |
| Phenol | X | X | X | X | X |
| 108-95-2 | | | | | |
| Glycerin | Х | X | X | X | |
| 56-81-5 | | | | | |

International Regulations

Mexico

National occupational exposure limits

| reacional occupational expectate innite | | | | | | | |
|---|-------------------|-----------------|--|--|--|--|--|
| Component | Carcinogen Status | Exposure Limits | | | | | |



| Phenol 108-95-2 (10 - 30) | | Mexico: TWA 5 ppm Mexico: TWA 19 mg/m³ Mexico: STEL 10 ppm Mexico: STEL 38 mg/m³ |
|--------------------------------|---|---|
| Glycerin 56-81-5 (3 - 7) | - | 10mg/m³ (mist) TWA |

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

E - Corrosive material D2A - Very toxic materials



HMIS

16. OTHER INFORMATION

NFPA Health Hazards 3 Flammability 0 Instability 0 Physical and

Flammability 0

Chemical Hazards - Physical Hazard 0 Personal Protection

Х

Chronic Hazard Star Legend * = Chronic Health Hazard

Health Hazards 3*

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 14-Feb-2015

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

