

Creating Value Through Innovative Solution

Material Safety Data Sheet Purshade

MSDS Number 5817 Date: 3/25/2013

Section 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

1.1 Product Name Purshade
Chemical Family calcium carbonate suspension, inorganic solution
Synonyms calcium carbonate, limestone
Formula NA Blend

1.2 Manufacturer Tessenderlo Kerley Inc.
2255 N. 44th Street, Suite 300
Phoenix, Arizona 85008-3279
Information (602) 889-8300

1.3 Emergency Contact (866) 374-1975 (Tessenderlo Kerley)
(800) 424-9300 (CHEMTREC)

Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

2.1 Chemical Ingredients (% by wt.)

Calcium carbonate 1317-65-3 62.5	Component	CAS #:	<u> </u>
Crystalline silica, quartz (impurity) 14808-60-7 0.06 – 1.2 Proprietary Ingredients 36.250	Crystalline silica, quartz (impurity)		0.06 – 1.25

(See Section 8 for exposure guidelines)

Section 3: HAZARDS IDENTIFICATION

NFPA: Health - 0 Flammability - 0 Reactivity - 0

EMERGENCY OVERVIEW

Inhalation for prolonged and continuous periods may irritate upper respiratory system. Product contains silica a respiratory carcinogen.

Section 3: HAZARDS IDENTIFICATION Cont.

3.1 POTENTIAL HEALTH EFFECTS

EYE: Contact with the eyes should be avoided. Calcium carbonate is a minimal eye irritant

SKIN CONTACT: Contact with product may dry skin and mucous membranes.

SKIN ABSORPTION: Absorption is unlikely to occur.

INGESTION: Ingestion of product may upset the gastrointestinal tract.

INHALATION: Inhalation of product dust in excessive quantities for prolonged or continuous period of time may aggravate existing asthmatic or respiratory conditions.

CHRONIC EFFECTS/CARCINOGENICITY:

Crystalline silica

NTP: Listed as a known human carcinogen IARC: Carcinogenic to humans, Group 1.

OSHA: Listed as Hazardous Respirable dust.

ACGIH Suspected human carcinogen NIOS: Possible human carcinogen.

. See Section 11, Toxicological Information

Section 4: FIRST AID MEASURES

- **4.1 EYES:** Immediately flush with large quantities of water for 15 minutes. Hold eyelids apart during irrigation to insure thorough flushing of the entire area of the eye and lids. Do not attempt to neutralize with chemical agents or use oils or ointments. Obtain medical attention if irritation persists..
- **4.2 SKIN:** Immediately flush with large quantities of water for 15 minutes. Remove contaminated clothing under a safety shower. Do not neutralize with chemical agents. Obtain medical attention if irritation occurs.
- **4.3 INGESTION:** DO NOT INDUCE VOMITING. Give 1 or 2 glasses of water. If vomiting does occur, repeat fluid administration. If unconscious or convulsing, do not give fluids. Obtain immediate medical attention.
- **4.4 INHALATION:** Remove victim from contaminated atmosphere. If breathing is labored, administer oxygen. If breathing has ceased, clear airway and start mouth to mouth resuscitation. If heart has stopped beating, external heart massage should be applied. Obtain immediate medical attention.

Section 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

FLASH POINT: NA METHOD USED: NA

5.2 FLAMMABLE LIMITS NA

5.3 EXTINGUISHING MEDIA: As appropriate for combustibles involved in fire.

5.4 FIRE & EXPLOSIVE HAZARDS: None

Keep containers/storage vessels in fire area cooled with water spray.

5.5 FIRE FIGHTING EQUIPMENT: Firefighters should wear protective clothing and use equipment that is suitable for the materials involved in the fire..

Section 6: ACCIDENTAL RELEASE MEASURES

- **6.1 Small releases:** Confine and absorb small releases on earth, sand, or other inert absorbent. Dispose of absorbed material as non-hazardous chemical waste.
- **6.2 Large releases:** . Shut off release if safe to do so. Dike spill area with earth, sand or other inert absorbent to prevent runoff into surface waterways (potential aquatic toxicity). Recover as much of the released solution as possible. Treat remaining material as a small release. Dispose of absorbed material as non-hazardous chemical waste.

Section 7: HANDLING and STORAGE

- **7.1 Handling:** Avoid contact with eyes and skin. Use only in a well ventilated area. Wash thoroughly after handling. Avoid prolonged or repeated contact with the eyes and skin.
- 7.2 Storage: Store in cool, dry, well ventilated areas.

Section 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

- 8.1 RESPIRATORY PROTECTION: Wear common dust mask if considerable dust present
- **8.2 SKIN PROTECTION:** Wear light weight protective clothing (Tyvek) and gloves.
- **8.3 EYE PROTECTION:** Wear safety glasses with side shields. Wear protective goggles if considerable dust present.
- **8.4 EXPOSURE GUIDELINES:**

OSHA PEL ACGIH TLV

Calcium carbonate 5 mg/m³ Respirable Fraction 10 mg/m³ Total Dust

15 mg/m³ Total dust

Crystalline Silica 10 mg/³ Respirable fraction 0.025 mg/m³ Respirable fraction

30 mg/m³ Total Dust

8.5 ENGINEERING CONTROLS: Use adequate exhaust ventilation to prevent inhalation of product dust/vapors.

Section 9: PHYSICAL and CHEMICAL PROPERTIES.

9.1 APPEARANCE: White liquid suspension

9.2 ODOR: earth like
9.2.1 ODOR THRESHOLD: Not Applicable
9.3 BOILING POINT: Not Determined

9.4 **VAPOR PRESSURE:** Not Determined 9.5 **VAPOR DENSITY:** Not Determined **SOLUBILITY IN WATER:** 1.3 mg/L (20°C) 9.6 9.7 **SPECIFIC GRAVITY:** 1.67 g/mL (14 lbs/gal) Not Determined 9.8 FREEZING POINT: 9.9 8.4 - 10.2pH: 9.10 **VOLATILE:** Not Determined **VISCOSITY:** 9.11 Not Determined

Section 10: STABILITY and REACTIVITY

10.1 STABILITY: This is a stable material, however if separation occurs, suspension can be mixed,

10.2 HAZARDOUS POLYMERIZATION: Will not occur

10.3 HAZARDOUS DECOMPOSITION PRODUCTS: None

10.4 INCOMPATIBILITY:. Do not mix with materials that will lower the pH of suspension (acids). Do not freeze. Silica is incompatible with HF solutions. (SEE Section 7.2, Storage)

Section 11: TOXICOLOGICAL INFORMATION

11.1 ORAL: Oral-Rat LD₅₀: 6,450 mg/kg (Calcium carbonate)

Oral Rat LD₅₀: 500 mg/kg bw (quartz, 10-200 um)

11.2 DERMAL: Draize test, Rabbit, Skin: LD₅₀ 500 mg/24 hr Moderate (calcium carbonate)

Draize test, Rabbit, eye: LD₅₀: 750 ug/24 hr/Severe (calcium carbonate)

Primary Skin Irritation Test in Rabbits, Oct 2-5, 2012 - Results: non-irritating to skin

(test on finished product).

Primary Eye Irritation Test on Rabbits, Feb 20-23, 2012 - Draize Score 4.0, minimally

irritating to the eye.

11.3 INHALATION: Data not available

11.4 CHRONIC/CARCINOGENICITY: See Section 3.1.

11.5 TERATOLOGY: Data not available

11.6 REPRODUCTION: Data not available

11.7 MUTAGENICITY: Data not available

Section 12: ECOLOGICAL INFORMATION

Mobility – inert material. Persistence/degradability – Non-degradable. Bio-accumulative potential – None.

Section 13: DISPOSAL CONSIDERATIONS

If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under RCRA, in 40 CFR 261. Consult state and local regulations for different or more restrictive disposal regulations.

Section 14: TRANSPORT INFORMATION

14.1 DOT Shipping Name: Calcium carbonate suspension (non-regulated)

14.2 DOT Hazard Class: NA

14.3 UN/NA Number: NA

14.4 Packing Group: NA

14.5 DOT Placard: NA 14.6 DOT Label(s): NA

14.7 IMO Shipping Name: NA

14.8 RQ (Reportable Quantity): NA

14.9 RR STCC Number: 3265956

14.10 DOT/IMO Mark NA

0 11	4 =	DECLU ATORY INFORMATION	
Section	15:	REGULATORY INFORMATION	

15.1 OSHA: This product is listed as a hazardous material under criteria of the Federal

OSHA Hazard Communication Standard, 29 CFR 1910.1200.

15.2 SARA TITLE III: a. **EHS** (Extremely Hazardous Substance) List: No

b. Section 311/312, (Tier I,II) Categories: Immediate (acute)

Fire No
Sudden release No
Reactivity No
Delayed (chronic) No

c. Section 313 (Toxic Release Reporting-Form R): No

d. TPQ (Threshold Planning Quantity): NA

15.3 CERCLA/SUPERFUND: RQ (Reportable Quantity) NA

15.4 TSCA (Toxic Substance Control Act) Inventory List:

15.5 RCRA (Resource Conservation and Recovery Act) Status: NA

15.6 WHMIS (Canada) Hazard Classification: D-2A, Carcinogenicity

"This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR."

15.7 DOT Hazardous Material: (See Section 14)

15.8 CAA Hazardous Air Pollutant (HAP) No

No

15.10 Prop 65 (CA) Yes (Silica)

Section 16: OTHER INFORMATION

REVISIONS: The entire MSDS was reformatted to comply to ANSI Standard Z400.1-

1993, by Technical Services-Tessenderlo Kerley, Inc.

Revised Section 3 and 4 for eye irritation, 3/22/2012.

Revised Sections 3, 3.1, 8, 9, 10, 11, and 15 to comply with Canadian CPR.

Removed comments regarding skin irritation following skin irritation tests, 3/25/2013.

THE INFORMATION PUBLISHED IN THIS MATERIAL SAFETY DATA SHEET HAS BEEN COMPILED FROM OUR EXPERIENCE AND OSHA, ANSI, NFPA, DOT, ERG, AND CHRIS. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUITABILITY OF THIS INFORMATION FOR THE ADOPTION OF NECESSARY SAFETY PRECAUTIONS. WE RESERVE THE RIGHT TO REVISE MATERIAL SAFETY DATA SHEETS PERIODICALLY AS NEW INFORMATION BECOMES AVAILABLE.