

SAFETY DATA SHEET

According to 29 CFR 1910.1200(g)



Date Issued : 03/26/2012 MSDS No : SIM5

Quick Cleaner Polish

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Quick Cleaner Polish

GENERAL USE: Automotive reconditioning product

PRODUCT CODE: Q0510HF

PRODUCT FORMULATION NAME: Quick Wax

DISTRIBUTOR

SIMONIZ USA, INC.

201 Boston Turnpike

Bolton, CT 06043

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Harmful if swallowed.

POTENTIAL HEALTH EFFECTS EYES: Moderately irritating to the eyes. SKIN: Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

INGESTION: Harmful if swallowed.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE EYES: Eye contact may cause redness, tearing and a burning sensation. SKIN: Repeated or prolonged skin contact may cause redness and irritation.

INGESTION: Ingestion may cause nausea and irritation. **ACUTE TOXICITY:** May cause headaches and dizziness.

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

ROUTES OF ENTRY: include skin contact, eye contact and ingestion **TARGET ORGAN STATEMENT:**

not established **CANCER STATEMENT:** not established **HEALTH HAZARDS:** Moderately irritating to the eyes. **PHYSICAL HAZARDS:** combustible liquid

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS	EINECS	Classification
Mineral Spirits	~ 3 - 8	64475-85-0		
Odorless Mineral Spirits	~ 3 - 8	64742-48-9	265-150-3	Xn; R10-65-66-67
Distillates (petroleum) hydrotreated light	~ 5 - 10	64742-47-8	265-149-8	Xn; R65

(Full text of R Phrases can be found under heading 16)

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: ~ 43°C (109°F) **TCC FLAMMABLE LIMITS:** not available **AUTOIGNITION TEMPERATURE:** not established

GENERAL HAZARD: Combustible liquid. Keep away from heat and open flame. **EXTINGUISHING MEDIA:** use foam, dry chemical or

carbon dioxide extinguisher **HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide **EXPLOSION HAZARDS:** not

established **FIRE FIGHTING PROCEDURES:** not established **SENSITIVE TO STATIC DISCHARGE:** not established **SENSITIVITY TO**

IMPACT: not established

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: **LARGE SPILLS:** Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

ENVIRONMENTAL PRECAUTIONS WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children. **STORAGE TEMPERATURE:** 4°C (40°F) Minimum to 35°C (95°F) Maximum

SHELF LIFE: one year

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Mineral Spirits	TWA	100 ppm		100 ppm		200 ppm	
Odorless Mineral Spirits	TWA					300 ppm	1900 mg/m ³
Distillates (petroleum) hydrotreated light	TWA					300 ppm	2300 mg/m ³

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT EYES AND FACE: Wear safety glasses with side shields or goggles. **SKIN:** Use Nitrile/ Vinyl gloves **RESPIRATORY:** NIOSH respirator (organic vapor) in absence of proper environmental control. **PROTECTIVE CLOTHING:** Clean, bodycovering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid **ODOR:** Typical **APPEARANCE:** Blue Liquid **COLOR:** Blue **pH:** Not applicable

VAPOR PRESSURE: Not Available **FREEZING POINT:** ~ (32°F) **FLASHPOINT AND METHOD:** ~ 43°C (109°F) TCC

SPECIFIC GRAVITY: ~ 0.979 to 1.0 gm/ml **VISCOSITY #1:** ~ 90 to 110 KU (VOC): ~ 13.000 % by weight

10. STABILITY AND REACTIVITY

STABLE: Yes HAZARDOUS POLYMERIZATION: No

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit

CARCINOGENICITY IARC: Listed by IARC NO NTP: Listed by NTP NO OSHA: Listed by OSHA NO

SENSITIZATION: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

OTHER SHIPPING INFORMATION: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15. REGULATORY INFORMATION

UNITED STATES TSCA (TOXIC SUBSTANCE CONTROL ACT) TSCA
REGULATORY: All Ingredients are on the TSCA Inventory or are not
required to be listed on the TSCA Inventory

CANADA WHMIS HAZARD SYMBOL AND CLASSIFICATION

Combustible Liquid



Toxic


16. OTHER INFORMATION

RELEVANT R PHRASES:

R65 Harmful: may cause lung damage if swallowed.

HMIS RATING NFPA CODES

HEALTH	-	1
FLAMMABILITY		2
PHYSICAL HAZARD		0
PERSONAL PROTECTION		



MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.