



MATERIAL SAFETY DATA SHEET

REVISION DATE:
DATE PRINTED:

10/28/2008
11/11/2008

REVISION NUMBER:
PREPARED BY:

2

Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: **RC-4692, Low Hardness Indicator**

PRODUCT CODE: 10061

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:	1/1	Fire:	0/0
Reactivity:	0/0	Special/Protective Equipment:	None/B

NAME OF THE MANUFACTURER:	Rochester Midland Corporation 333 Hollenbeck Street Rochester, New York 14621	Information: 585-336-2200 Emergency Phone: INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500
---------------------------	-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION:	Irritation of the mouth, throat, and stomach.
SKIN CONTACT:	May cause mild skin irritation.
INHALATION:	Causes mild respiratory irritation.
EYE CONTACT:	May cause mild eye irritation.
CHRONIC EFFECTS:	None known.
EFFEOTS/CARCINOGENICITY:	None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY:	Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Calmagite 3147-14-6	0.5	NA	NA
Potassium Chloride 7447-14-5	99.5	NA	NA

4. FIRST AID MEASURES

INGESTION:	If swallowed, induce vomiting immediately by giving two glasses of water and sticking fingers down throat; never give anything to an unconscious person. Get medical attention.
SKIN:	Remove contaminated clothing. Wash skin with water, using soap if available.
INHALATION:	Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.
EYES:	Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.
NOTES TO PHYSICIAN:	None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): Nonflammable (C): NA
METHOD: TCC

RC-4692, Low Hardness Indicator

FLAMMABLE LIMITS IN AIR

- LOWER (%): NE
- UPPER (%): NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Dry chemical.

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Pick up with absorbant material.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep container closed when not in use. Store in a cool, dry location away from incompatible materials. Wash thoroughly after handling. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container.

OTHER PRECAUTIONS:

No other spill procedures necessary.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS:

Exhaust ventilation.

RESPIRATORY PROTECTION:

If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following respiratory protection: Wear self-contained breathing apparatus.

PROTECTIVE GLOVES:

Rubber gloves.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION EQUIPMENT:

None known.

VENTILATION:

Use local exhaust ventilation as needed if spill occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Purple. Powder.

BOILING POINT (F):

NA

(C) NA

VAPOR PRESSURE:

NA

VAPOR DENSITY (AIR=1):

N/A

SOLUBILITY IN WATER:

NA

SPECIFIC GRAVITY:

N/A

VOC Content (%):

NE

VOV Content (%):

NE

EVAPORATION RATE:

NE

PH:

NE

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

RC-4692, Low Hardness Indicator

10. STABILITY AND REACTIVITY

POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Oxides of Carbon. Chloride compounds.
INCOMPATIBILITY (MATERIALS TO AVOID): None known.
CONDITIONS/HAZARDS TO AVOID: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Calmagite 3147-14-6	0.5	Listed	Listed	Listed	Not Listed
Potassium Chloride 7447-14-5	99.5	Not Listed	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Calmagite 3147-14-6	0.5	Not Listed	Not Listed	Not Listed
Potassium Chloride 7447-14-5	99.5	Not Listed	Not Listed	Not Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

RC-4692, Low Hardness Indicator

*** END OF MSDS ***