



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2
DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: **RC-6197, Iron Rgt. #1**
PRODUCT CODE: 10069

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 2/2 Fire: 0/0
Reactivity: 1/1 Special/Protective Equipment: Acid/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Harmful if swallowed.
SKIN CONTACT: Causes severe burns.
INHALATION: Harmful if inhaled. May cause damage to nasal and respiratory passages.
EYE CONTACT: May cause permanent eye damage.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Sulfuric acid 7664-93-9	5	0.2 mg/m ³	1 mg/m ³

4. FIRST AID MEASURES

INGESTION: Get immediate medical attention. Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

SKIN: Remove contaminated clothing. Wash skin with water, using soap if available.

INHALATION: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): Nonflammable (C): NA
METHOD: TCC

FLAMMABLE LIMITS IN AIR

RC-6197, Iron Rgt. #1

- LOWER (%): NE
- UPPER (%): NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO
SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA: Dry chemical.
FIRE FIGHTING PROCEDURES: Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Pick up with absorbant material.
LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS: NA
ENVIRONMENTAL PRECAUTIONS: NA
METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed. Store in a cool, dry location away from incompatible materials. Wash thoroughly after handling. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container.
OTHER PRECAUTIONS: No other spill procedures necessary.
SPECIFIC USE(S): NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS: Exhaust ventilation.
RESPIRATORY PROTECTION: Use in a well ventilated area. If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following respiratory protection: Wear self-contained breathing apparatus.
PROTECTIVE GLOVES: Rubber gloves.
EYE PROTECTION: Goggles.
OTHER PERSONAL PROTECTION EQUIPMENT: None known.
VENTILATION: Use local exhaust ventilation as needed if spill occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, colorless liquid.
BOILING POINT (F): NA (C) NA
VAPOR PRESSURE: NA
VAPOR DENSITY (AIR=1): NA
SOLUBILITY IN WATER: NA
SPECIFIC GRAVITY: 1.03
VOC Content (%): NE
VOV Content (%): NE
EVAPORATION RATE: NE
PH: NA

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE

RC-6197, Iron Rgt. #1

10. STABILITY AND REACTIVITY

POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Oxides of Sulfur.
INCOMPATIBILITY (MATERIALS TO AVOID): Contact with oxidizing agents. Bases, such as caustic soda, bleach, ammonia, etc. Metals.
CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame. Strong oxidizers. Contact with certain metals produces hydrogen gas.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sulfuric acid 7664-93-9	5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sulfuric acid 7664-93-9	5	1000 lb 454 kg	1000 lb RQ Listed	Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Sulfuric acid 7664-93-9	5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Sulfuric acid 7664-93-9	5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

RC-6197, Iron Rgt. #1

PRODUCT COMPOSITION CAS#	%	NJRTK:
Sulfuric acid 7664-93-9	5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Sulfuric acid 7664-93-9	5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***