



## MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2  
DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

### 1. CHEMICAL PRODUCT

PRODUCT NAME: **RC-6260, Silica Rgt. 3**  
PRODUCT CODE: 10079

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0  
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation  
333 Hollenbeck Street  
Rochester, New York 14621  
Information: 585-336-2200  
Emergency Phone:  
INFOTRAC: 1-800-535-5053  
OUTSIDE US: 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

#### EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Toxic by oral exposure.  
SKIN CONTACT: Causes severe burns.  
INHALATION: May be harmful if inhaled.  
EYE CONTACT: Causes severe eye burns.  
CHRONIC EFFECTS: None known.  
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.  
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Oxalic Acid 6153-56-6	10	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>

### 4. FIRST AID MEASURES

INGESTION: Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.  
SKIN: Remove contaminated clothing. Wash skin with water, using soap if available.  
INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.  
EYES: Immediately flush eyes with large amounts of water. Get immediate medical attention.  
NOTES TO PHYSICIAN: None.

### 5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F):  
METHOD: NONFLAMMABLE (C): NA  
TCC

#### FLAMMABLE LIMITS IN AIR

- LOWER (%): NA

## RC-6260, Silica Rgt. 3

- UPPER (%): NA

**SENSITIVITY TO MECHANICAL IMPACT(Y/N):** NO  
**SENSITIVITY TO STATIC DISCHARGE:** Sensitivity to static discharge is not expected.  
**SUITABLE EXTINGUISHING MEDIA:** Dry chemical.  
**FIRE FIGHTING PROCEDURES:** Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

### 6. ACCIDENTAL RELEASE MEASURES

#### SPILL PROCEDURES:

**SMALL SPILLS:** Pick up with absorbant material.  
**LARGE SPILLS:** Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

**PERSONAL PRECAUTIONS:** NA  
**ENVIRONMENTAL PRECAUTIONS:** NA  
**METHODS FOR CLEANING UP:** NA

### 7. HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Keep container closed. Store in a well ventilated area. Store in a cool, dry location away from incompatible materials. Wash thoroughly after handling. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container.  
**OTHER PRECAUTIONS:** No other spill procedures necessary.  
**SPECIFIC USE(S):** NA

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### PROTECTIVE EQUIPMENT:

**EXPOSURE CONTROLS:** Use in a well ventilated area.  
**RESPIRATORY PROTECTION:** Use in a well ventilated area. If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following respiratory protection: Wear self-contained breathing apparatus.  
**PROTECTIVE GLOVES:** Rubber gloves.  
**EYE PROTECTION:** Goggles.  
**OTHER PERSONAL PROTECTION EQUIPMENT:** None known.  
**VENTILATION:** Use only in well ventilated area.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE AND ODOR:** Clear, colorless liquid.  
**BOILING POINT (F):** NA (C) NA  
**VAPOR PRESSURE:** NA  
**VAPOR DENSITY (AIR=1):** NA  
**SOLUBILITY IN WATER:** NA  
**SPECIFIC GRAVITY:** NA  
**VOC Content (%):** NA  
**VOV Content (%):** NE  
**EVAPORATION RATE:** NA  
**PH:** NA

### 10. STABILITY AND REACTIVITY

**STABILITY DATA:** STABLE  
**POLYMERIZATION:** Will Not Occur.  
**HAZARDOUS DECOMPOSITION:** Toxic fumes.

**10. STABILITY AND REACTIVITY**

**INCOMPATIBILITY (MATERIALS TO AVOID):** Oxidizing materials.

**CONDITIONS/HAZARDS TO AVOID:** High temperatures may cause decomposition.

**11. TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY:** NE  
**EFFECTS OF CHRONIC EXPOSURE:** NE  
**OTHER TOXIC EFFECTS:** NE

**12. ECOLOGICAL INFORMATION**

**ECOTOXICOLOGICAL INFORMATION:** No data at this time  
**CHEMICAL FATE INFORMATION:** No data at this time.  
**MOBILITY:** NA  
**PERSISTENCE/DEGRADABILITY:** NA  
**BIOACCUMULATIVE POTENTIAL:** NA  
**OTHER ADVERSE EFFECTS:** NA

**13. DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHODS:** Dispose in accordance with Federal, State and Local regulations.

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

**15. REGULATORY INFORMATION**

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Oxalic Acid 6153-56-6	10	Not Listed	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Oxalic Acid 6153-56-6	10	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Oxalic Acid 6153-56-6	10	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Oxalic Acid 6153-56-6	10	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Oxalic Acid 6153-56-6	10	Listed

### RC-6260, Silica Rgt. 3

---

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

<b>PRODUCT COMPOSITION CAS#</b>	<b>%</b>	<b>PARTK:</b>
Oxalic Acid 6153-56-6	10	Listed

#### 16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

**\*\*\* END OF MSDS \*\*\***