Product name: **REVIVE**

Last revised date: 5 December 2013 Print date: 18 December 2013

1. SUBSTANCE AND SUPPLIER IDENTIFICATION

PRODUCT NAME: Revive

MANUFACTURER: Germiphene Corporation

ADDRESS: 1379 Colborne Street East, Brantford, Ontario N3T 5M1, Canada

PHONE: 519-759-7100 **FAX:** 519-759-1625

EMERGENCY PHONE: CANUTEC 613-996-6666

PRODUCT USE: Medical, dental, aesthetic instruments rust removal.

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT:Isopropyl alcohol

CAS No 67-63-0 % **wt** 5-15

HAZARDOUS: yes

INGREDIENT: Proprietary mixture of alpha hydroxy acids

CAS No n/a % wt 60-80

HAZARDOUS: mild hazard

3. HAZARD IDENTIFICATION

EYES: Corrosive. Risk of serious damage to eyes.

SKIN: Corrosive. Irritating to skin.

INGESTION: Corrosive. Swallowing may cause severe burns of mouth, throat, and

stomach.

INHALATION: Corrosive. Causes burns of the upper digestive and respirationy

tracts.

CHRONIC EXPOSURE: Prolonged contact has a destructive effect upon tissue.

AGGRAVATION OF PRE-EXISTING CONDITIONS: Persons with pre-existing skin disorders or

eye problems or impaired respiratory function may be more susceptible to the

effects of the substance.

4. FIRST AID MEASURES

Germiphene Corporation Page 1 of 4

Product name: **REVIVE**

Last revised date: 5 December 2013
Print date: 18 December 2013

EYES: Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. If eye irritation persists, consult a

specialist.

SKIN CONTACT: Wash off immediately with soap and plenty of water removing all

contaminated clothes and shoes.

INGESTION: Immediate medical attention is required. Drink plenty of water. Do

not induce vomiting. Call a physician immediately.

INHALATION: Move to fresh air.

5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, foam, water.

SPECIAL FIREFIGHTING PROCEDURES: Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment. Neutralize with soda or sodium carbonate and flush with plenty of water. Soak up with inert absorbent material (e.g. sand, silica gel, universal binder, sawdust). Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities. Do not store with aluminum or magnesium. Do not mix with acids or organic materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION: Ensure adequate ventilation, especially in confined areas.

RESPIRATORY PROTECTION: Use respirator when performing operations involving

potential exposure to vapour of the product.

EYE PROTECTION: Goggles are recommended.

SKIN PROTECTION: Rubber gloves are recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use lightweight protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Slightly yellowish, translucent liquid

ODOUR: Specific PHYSICAL STATE: Liquid pH AS SUPPLIED: 4-6 SPECIFIC GRAVITY @ 23°C: 1.272 SOLUBILITY IN WATER: Infinite VISCOSITY: Viscous

10. STABILITY AND REACTIVITY

Germiphene Corporation Page 2 of 4

Product name: **REVIVE**

Last revised date: 5 December 2013
Print date: 18 December 2013

STABILITY: Stable at normal conditions.

Conditions to avoid: Avoid temperatures above 200°C.

INCOPATIBILITY (MATERIALS TO AVOID): Oxidizing agents. Sodium hydroxide in

contact with acids and organic halogen compounds, especially trichloroethylene, may causes violent reactions. Contact with nitromethane and other similar nitro compounds causes formation of shocksensitive salts. Sodium hydroxide, even in

fairly dilute solution, reacts readily with various sugars to produce carbon monoxide.

Hazardous decomposition products: Thermal decomposition can lead to release of

irritating gases and vapours.

Hazardous polymerization: Does not occur.

11. TOXICOLOGICAL INFORMATION

ISOPROPYL ALCOHOL Oral rat LD50 5045 mg/kg

Inhalation LD50 16000 ppm / 8hr Dermal rabbit LD50 12800 mg/kg

SODIUM HYDROXIDE: Oral rabbit LD50 500 mg/kg

12. ECOLOGICAL INFORMATION

N/Av

13. DISPOSAL CONSIDERATIONS

Waste disposal method: According to state, federal, provincial, and local

regulations.

14. TRANSPORT INFORMATION

Transport hazard class: N/A

15. REGULATORY INFORMATION

N/Av

16. OTHER INFORMATION

Germiphene Corporation Page 3 of 4

Product name: **REVIVE**

Last revised date: 5 December 2013 Print date: 18 December 2013

Prepared by: Germiphene Technical Department

Disclaimer

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product or information contained in this Material Safety Data Sheet. All information contained herein is presented in good faith and is believed to be appropriate and accurate. However, neither the above named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All meaterials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The buyer or user assimes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state, provincial, or local regulations concerning the use, misuse, or disposal of these products.

Germiphene Corporation Page 4 of 4