

**Ribavirin Solid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/28/2017  
2.3                06/12/2017                402657-00005            Date of first issue: 12/11/2015

---

**SECTION 1. IDENTIFICATION**

Product name                                : Ribavirin Solid Formulation

**Manufacturer or supplier's details**

Company name of supplier                : Merck & Co., Inc  
Address                                        : 2000 Galloping Hill Road  
Kenilworth - New Jersey - USA 1685  
Telephone                                    : 908-740-4000  
Telefax                                        : 908-735-1496  
Emergency telephone                      : 1-908-423-6000  
E-mail address                               : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                          : Pharmaceutical

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Combustible dust

Germ cell mutagenicity                    : Category 2  
Reproductive toxicity                      : Category 1B  
Specific target organ  
systemic toxicity - single  
exposure                                      : Category 3  
Specific target organ  
systemic toxicity - repeated  
exposure (Oral)                              : Category 1 (Blood)

**GHS label elements**

Hazard pictograms                         :



Signal Word                                 : Danger

Hazard Statements                         : If small particles are generated during further processing,  
handling or by other means, may form combustible dust  
concentrations in air.  
H335 May cause respiratory irritation.

## Ribavirin Solid Formulation

Version 2.3      Revision Date: 06/12/2017      SDS Number: 402657-00005      Date of last issue: 04/28/2017  
 Date of first issue: 12/11/2015

H341 Suspected of causing genetic defects.  
 H360Df May damage the unborn child. Suspected of damaging fertility.  
 H372 Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Ribavirin	36791-04-5	>= 50 - < 70
Cellulose	9004-34-6	>= 10 - < 20
Magnesium stearate	557-04-0	>= 1 - < 5

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

## Ribavirin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

- |   |   |  |
|---|---|--|
| If inhaled  | : | If inhaled, remove to fresh air.<br>Get medical attention.   |
| In case of skin contact                                     | : | In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.  |
| In case of eye contact                                      | : | If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.   |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.  |
| Most important symptoms and effects, both acute and delayed | : | Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br>May cause respiratory irritation.<br>Suspected of causing genetic defects.<br>May damage the unborn child. Suspected of damaging fertility.<br>Causes damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.  |
| Notes to physician  | : | Treat symptomatically and supportively.  |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |   |
|---------------------------------------|---|---|
| Suitable extinguishing media          | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media        | : | None known.   |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products         | : | Carbon oxides<br>Metal oxides   |
| Specific extinguishing methods        | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so. |

## Ribavirin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.

## Ribavirin Solid Formulation

Version 2.3      Revision Date: 06/12/2017      SDS Number: 402657-00005      Date of last issue: 04/28/2017  
 Date of first issue: 12/11/2015

Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ribavirin	36791-04-5	TWA	100 µg/m <sup>3</sup>	Merck
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
 Use with local exhaust ventilation.  
 Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

## Ribavirin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

- Hand protection  
Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
Safety goggles
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Color : white
- Odor : No information available.
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available

**Ribavirin Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Dust can form an explosive mixture in air. Can react with strong oxidizing agents.

**Ribavirin Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 2,249 mg/kg  
Method: Calculation method

**Ingredients:****Ribavirin:**

Acute oral toxicity : LD50 (Rat): 4,116 - 5,584 mg/kg  
Target Organs: Gastrointestinal tract  
  
LD50 (Mouse): > 10,000 mg/kg  
Target Organs: Gastrointestinal tract  
  
LD50 (Dog): >= 1,500 mg/kg  
Target Organs: Gastrointestinal tract

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,554 - 1,758 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 1,268 mg/kg  
Application Route: Intraperitoneal

**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Ribavirin Solid Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 04/28/2017  
2.3          06/12/2017          402657-00005      Date of first issue: 12/11/2015

---

**Magnesium stearate:**

Acute oral toxicity      :    LD50 (Rat): > 2,500 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Ingredients:****Ribavirin:**

Remarks: No data available  
May irritate skin.

**Cellulose:**

Result: No skin irritation  
Remarks: Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Ingredients:****Ribavirin:**

Remarks: No data available  
May irritate eyes.

**Cellulose:**

Result: No eye irritation  
Remarks: Based on data from similar materials

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Ingredients:****Ribavirin:**

Remarks: No data available

**Cellulose:**

Test Type: Local lymph node assay (LLNA)  
Routes of exposure: Skin contact  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: negative





## Ribavirin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

Test Type: Fertility  
 Species: Rat, females  
 Application Route: Oral  
 Fertility: NOAEL: 10 mg/kg body weight  
 Result: Animal testing did not show any effects on fertility.

Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: NOAEL: 160 mg/kg body weight  
 Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development  
 Species: Rat, female  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: <= 1 mg/kg body weight  
 Symptoms: Reduced body weight, Reduced number of viable fetuses., Skeletal malformations.  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development  
 Species: Rabbit, female  
 Application Route: Oral  
 General Toxicity Maternal: LOAEL: 1 mg/kg body weight  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Symptoms: Reduced body weight, Skeletal malformations.  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development  
 Species: Hamster  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 2.5 mg/kg body weight  
 Symptoms: Skeletal and visceral variations ., Total Resorptions / resorption rate.  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 0.3 mg/kg body weight  
 Embryo-fetal toxicity.: LOAEL: 1 mg/kg body weight  
 Symptoms: Skeletal malformations.  
 Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

May cause respiratory irritation.

**Ribavirin Solid Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 04/28/2017  
2.3            06/12/2017            402657-00005      Date of first issue: 12/11/2015

---

**Ingredients:****Ribavirin:**

Assessment: May cause respiratory irritation.

**STOT-repeated exposure**

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

**Ingredients:****Ribavirin:**

Routes of exposure: Oral

Target Organs: Blood

Assessment: Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Ingredients:****Ribavirin:**

Species: Monkey

LOAEL: 30 mg/kg

Exposure time: 10 d

Target Organs: Blood, Gastrointestinal tract

Species: Rat

NOAEL: 7.6 mg/kg

Application Route: Inhalation

Exposure time: 90 d

Target Organs: Blood, Lungs

Species: Dog

NOAEL: 5 mg/kg

Application Route: Oral

Exposure time: 1 y

Target Organs: Blood, Gastrointestinal tract

Species: Mouse

NOAEL: 20 mg/kg

Application Route: Oral

Exposure time: 18 Months

Target Organs: Blood, Cardio-vascular system

**Cellulose:**

Species: Rat

NOAEL: > 5,000 mg/kg

Application Route: Ingestion

Exposure time: 90 Days

Remarks: Based on data from similar materials

**Magnesium stearate:**

Species: Rat

NOAEL: 5,000 mg/kg

**Ribavirin Solid Formulation**

Version 2.3      Revision Date: 06/12/2017      SDS Number: 402657-00005      Date of last issue: 04/28/2017  
Date of first issue: 12/11/2015

---

Application Route: Ingestion  
Exposure time: 3 Months

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Ingredients:****Ribavirin:**

Inhalation : Symptoms: Headache, Dizziness  
Remarks: Based on Human Evidence

Skin contact : Remarks: May cause eye irritation.  
Based on Human Evidence

Eye contact : Remarks: May cause eye irritation.  
Based on Human Evidence

Ingestion : Symptoms: blood effects, immune system effects, anorexia,  
Dizziness, insomnia, Fatigue, Headache, Itching, Rash, liver  
function change, Gastrointestinal disturbance

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Ingredients:****Ribavirin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 119 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 117 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 119 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.9 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Ribavirin Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

**Cellulose:**

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

**Persistence and degradability****Ingredients:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable.

**Bioaccumulative potential****Ingredients:****Ribavirin:**

Partition coefficient: n-octanol/water : log Pow: 0.971

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## Ribavirin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Fire Hazard  
Chronic Health Hazard  
Acute Health Hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Pennsylvania Right To Know

Ribavirin	36791-04-5
Cellulose	9004-34-6
D-Glucose, 4-O-.beta.-D-galactopyranosyl-, monohydrate	64044-51-5

##### California Prop. 65

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ribavirin	36791-04-5
-----------	------------

##### California List of Hazardous Substances

Ribavirin	36791-04-5
-----------	------------

## Ribavirin Solid Formulation

Version 2.3      Revision Date: 06/12/2017      SDS Number: 402657-00005      Date of last issue: 04/28/2017  
 Date of first issue: 12/11/2015

### California Permissible Exposure Limits for Chemical Contaminants

Cellulose      9004-34-6  
 Magnesium stearate      557-04-0


### The ingredients of this product are reported in the following inventories:

AICS : not determined  
 DSL : not determined  
 IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



#### HMIS® IV:

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>3</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

**Ribavirin Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
2.3	06/12/2017	402657-00005	Date of first issue: 12/11/2015

---

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/12/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8