

# **MATERIAL SAFETY DATA SHEET**

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Roundit 2000 NX Manufacturer:

Federal-Mogul Corporation 26555 Northwestern Highway

Southfield, MI 48033

MSDS# BH-086 24hr Emerg # (Infotrac): 1-800-535-5053

International: 001-352-323-3500 Non-Emerg #: 248-354-984

#### SECTION 2: COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Bentley-Harris Roundit 2000 is a lightweight, self-wrapping, oversleeve designed to provide mechanical protection from chafing, cutting, and abrading. Its design allows flexibility for quick and easy bundling of wire and cable assemblies without disturbing connectors or fittings. It is a flat woven construction of Nomex and PPS yarns which gives the product a rugged yet smooth texture and appearance for high temperature bundling and abrasion resistance. It is ideal for rail and air transportation applications due to its halogen free qualities and excellent abrasion resistance.

Although several of the ingredients used to formulate this product may be hazardous in the raw state, the manufacturing process results in a solid, infusible form, binding and otherwise, rendering the product inert. The constituents identified below may be present in quantities greater than 1% (0.1% for carcinogens) that may be released from the product by operations such as overheating, burning, machining, abrading, or riveting.

This information provides the minimum criteria for safe usage and handling of this product. Companies using this product should develop their own occupational health program to protect employees from injury or adverse health effects.

Ingredient	CAS No.	% Weight	OSHA PEL	ACGIH TLV
Poly (isophthaloyl-chloride-m- phenylenediamine) coating mixture	25765-47-3	~50	None Established	None Established
Polyphenylene sulfide (PPS)	26125-40-6	~50	None Established	None Established

#### **SECTION 3: HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This product is not considered hazardous, but operations (e.g., overheating, burning, machining, abrading, or riveting) that can create airborne dust should be avoided.

## **POTENTIAL HEALTH EFFECTS**

**Inhalation:** Dust created from abrasion may cause respiratory irritation.

Skin: Hot materials can cause thermal burns.

Eye: Dust particles may cause irritation.

**Ingestion:** Not a probable route of entry.

Revised: 07/05/2005 Page 1 of 5

# **POTENTIAL HEALTH EFFECTS (continued)**

**Carcinogenicity:** 

COMPONENT

NTP IARC OSHA

Poly (isophthaloyl-chloride-m-phenylenediamine)

No No No

Polyphenylene sulfide (PPS)

No No No

## Symptoms and Effects of Exposure to Selected Individual Components

#### Poly(isophthaloyl-chloride-m-phenylenediamine)

May cause mild skin, eye, and nasal passage irritation. Inhalation of respirable fibers may cause mild irritation to the upper respiratory tract with discomfort and cough. Chronic exposure to fiber dust may cause permanent lung injury.

#### Polyphenylene sulfide

Toxic effects are not known to be associated with inhalation of dust or vapors of this material. If product handled in accordance with good industrial hygiene practices, it should not present a hazard in the workplace.

#### **SECTION 4: FIRST AID MEASURES**

**Inhalation:** Move to fresh air. If irritation persists, seek medical attention.

**Eye Contact:** Rinse thoroughly with ample amounts of water. If irritation persists, seek medical

attention.

**Skin Contact:** Wash with soap and water. If irritation persists, seek medical attention.

**Ingestion:** Not a probable route of entry.

#### **SECTION 5: FIRE FIGHTING MEASURES**

This product is inherently flame resistant but may ignite at temperatures exceeding 600°C in an oxygenenriched atmosphere.

Flashpoint: N/A LEL: N/A UEL: N/A Autoignition Temperature: N/A

**Extinguishing Media:** Use media type for surrounding fire.

Unusual Fire and Explosion Hazards: None

Special Fire-Fighting Procedure: Wear self-contained breathing apparatus when extinguishing a

fire.

Revised: 07/05/2005 Page 2 of 5

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Scrap monofilament may present a slipping hazard. If dust is generated, remove the dust by vacuuming or wetmopping. Vacuums used for this purpose should be equipped with HEPA filters. Do not use compressed air to blow dust from surfaces.

#### **SECTION 7: HANDLING AND STORAGE**

If dust is generated during shipping, remove the dust from the container by vacuuming or wet-mopping. Vacuums used for this purpose should be equipped with HEPA filters. Do not use compressed air to blow dust from surfaces.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ventilation Protection:** Any operation which may produce dust, including machining, grinding, riveting, or

abrading this product, should be adequately exhausted to prevent inhalation of dust.

Respiratory Protection: Use a NIOSH-approved respirator if there is a potential for exposure to exceed

applicable PELs or TLVs. (See 29 CFR 1910.134, OSHA Respiratory Protection

Standard.)

**Skin Protection:** If skin irritation occurs, gloves and other protective garments may be worn.

**Eyes:** Wear safety glasses or goggles when cutting the material.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Boiling Point:** N/A N/A Vapor Pressure: 285°C N/A **Melting Point:** Vapor Density (air = 1): pH: N/A % Volatile: N/A Specific Gravity: 1.38 - 1.8**Evaporation Rate:** N/A

Water Solubility: Insoluble Form, Color, and Odor: Solid, green, none

#### **SECTION 10: STABILITY AND REACTIVITY**

**Stability:** Stable at normal temperatures and storage conditions.

**Incompatibility** None known.

(Materials/Conditions to Avoid):

Hazardous Polymerization: Will not polymerize

**Decomposition Products:** Thermal decomposition will start at temperatures greater than 370°C

producing such by-products as carbon monoxide, carbon dioxide, oxides

of nitrogen, sulfur dioxide, cabonyl sulfide, and a small amount of

hydrogen cyanide.

Revised: 07/05/2005 Page 3 of 5

**SECTION 11: TOXICOLOGICAL INFORMATION** 

**Inhalation:** Refer to Section 3

**Skin**: Refer to Section 3

Eye: Refer to Section 3

**Ingestion:** Refer to Section 3

**Acute:** None known

Chronic: None known

## **SECTION 12: ECOLOGICAL INFORMATION**

Not available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Federal and state law regulates disposal of scrap material or dust as solid waste; disposal must be in accordance with federal and state laws. Contact local regulatory agencies for guidance.

#### **SECTION 14: TRANSPORTATION INFORMATION**

Proper Shipping Name: Not regulated

Hazard Class:N/AIdentification Number:N/APacking Group:N/AShipping Label:NoneAdditional Marking Requirement:None

**SECTION 15: REGULATORY INFORMATION** 

**U.S. TSCA:** All chemicals used in the manufacture of this product are listed on the

U.S. Toxic Substances Control Act (TSCA) Inventory

**California Proposition 65:** This product does not contain ingredients known to the State of California

to cause cancer, birth defects or other reproductive effects.

SARA Title III – Section 313

**Supplier Notification:** 

This product does not contain chemicals subject to SARA Title III/CERCLA "reportable quantities" (RQs) and/or "threshold planning

quantities" (TPQs) and/or are classified as "Toxic Chemicals" under the Emergency Planning and Community Right-To-Know Act (EPCRA) of

1986 and 40 CFR 372.

RCRA Hazardous Waste Code: Not Available

**CERCLA Hazardous Substances:** Not Available

**OSHA:** PELs have not been established for either ingredient or the product.

WHMIS Classification: Not Available

Revised: 07/05/2005 Page 4 of 5

## **SECTION 16: OTHER INFORMATION**

Abbreviations:

CAS No.: Chemical Abstract Services Number

OSHA PEL: U.S. Occupational Safety and Health Administration Permissible Exposure Limit

ACGIH TLV: American Conference of Governmental Industrial Hygienists Threshold Limit Value (2004)

N/A: Not Applicable

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program HEPA: High efficiency particulate air

NIOSH: National Institute of Occupational Safety and Health

The information and recommendations stated above are taken from sources believed to be accurate as of the date of this revision. Federal-Mogul makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability, including direct, incidental or consequential damages for any reliance thereof.

This MSDS should not be used as a complete or accurate summary of the content of this product. For specific information on brand names, manufacturers, or quantities, please refer to product specification documents, wherever available.

Revised: 07/05/2005 Page 5 of 5