according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR FINISH

Version 1.0 Print Date 05/22/2013

Revision Date 06/22/2010 MSDS Number 350000015535

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Trade name : SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR

**FINISH** 

Use of the : Floor Polish/Cleaner

Substance/Mixture

Company : S.C. Johnson & Son, Inc.

1525 Howe Street Racine WI 53403-2236

Emergency telephone : 24 Hour Medical Emergency Phone: (866)231-5406

24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Appearance / Odor : off-whitetranslucent / liquid / ammoniacal

Immediate Concerns : Caution

MAY CAUSE IRRITATION.

Avoid contact with skin, eyes and clothing.

**Potential Health Effects** 

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : May cause:

Mild eye irritation

Skin : Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : None known.

Ingestion : None known.

Aggravated Medical

Condition

: None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Diethylene glycol monoethyl	111-90-0	1.00 - 5.00

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR FINISH

Version 1.0 Print Date 05/22/2013

Revision Date 06/22/2010 MSDS Number 350000015535

ether

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

### 4. FIRST AID MEASURES

Eye contact : Immediately flush eye(s) with plenty of water. Get medical

attention if irritation develops and persists.

Skin contact : Rinse with plenty of water. Get medical attention immediately if

irritation develops and persists.

Inhalation : Remove to fresh air.

Ingestion : Rinse mouth with water.

### 5. FIRE-FIGHTING MEASURES

Specific hazards during fire

fighting

Container may melt and leak in heat of fire.

Further information : Standard procedure for chemical fires. Fight fire with normal

precautions from a reasonable distance.

Flash point : > 93.4 °C

Flash point : > 200 °F

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

#### 6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up : Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Dike large spills.

Flush away traces with water.

#### 7. HANDLING AND STORAGE

### Handling

Advice on safe handling : Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR FINISH

Version 1.0 Print Date 05/22/2013

Revision Date 06/22/2010 MSDS Number 350000015535

Storage

Requirements for storage

areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated

place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

### Personal protective equipment

#### Respiratory protection

Industrial setting : No personal respiratory protective equipment normally

required.

Household setting : No personal respiratory protective equipment normally

required.

Hand protection

Industrial setting : not required under normal use

Household setting : not required under normal use

Eye protection

Industrial setting : No special requirements.

Household setting : No special requirements.

**Hygiene measures** : Wash thoroughly after handling. Avoid contact with skin, eyes

and clothing. Use only with adequate ventilation.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : off-white

Color : translucent

Odor : ammoniacal

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR FINISH

Version 1.0 Print Date 05/22/2013

Revision Date 06/22/2010 MSDS Number 350000015535

pH : 9.0

Boiling point : no data available

Freezing point : no data available

Flash point : > 93.4 °C

Flash point : > 200 °F

Autoignition temperature : not applicable

Lower explosion limit : no data available

Upper explosion limit : no data available

Density : 1.03 g/cm3

Water solubility : dispersible

Volatile Organic Compounds :

(California Air Resource

Board – CARB) Total VOC (wt. %) 0.9 % - does not include any applicable regulatory

exemptions

#### 10. STABILITY AND REACTIVITY

Conditions to avoid : None known.

Materials to avoid : Strong acids

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

Hazardous reactions : Stable

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50

estimated > 5,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : LD50

estimated > 2,000 mg/kg

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR FINISH

Version 1.0 Print Date 05/22/2013

Revision Date 06/22/2010 MSDS Number 350000015535

**Chronic effects** 

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : no data available

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** : no data available

### 13. DISPOSAL CONSIDERATIONS

Industrial setting : Observe all applicable Federal, Provincial and State

regulations and Local/Municipal ordinances regarding

disposal.

Household setting : Dispose of in accordance with local regulations.

### 14. TRANSPORT INFORMATION

#### Land transport

U.S. DOT and Canadian TDG Surface Transportation:

UN-Number None.

Proper shipping name not regulated None.

Packaging group None.

### Sea transport

IMDG:

UN-Number: None.
Packaging group: None.
Proper shipping name not regulated None.

### Air transport

ICAO/IATA:

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL™ HIGH GLOSS FLOOR FINISH

Print Date 05/22/2013 Version 1.0

Revision Date 06/22/2010 MSDS Number 350000015535

Class: None. Packaging group: None. Proper shipping name

not regulated

UN/ID No.:

None.

#### 15. REGULATORY INFORMATION

Notification status All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 This product is not subject to the reporting requirements under

California's Proposition 65.

#### 16. OTHER INFORMATION

# HMIS Ratings

niviis kalings	
Health	1
Flammability	0
Reactivity	0

### NFPA Ratings

Health	1	
Fire	0	
Reactivity	0	
Special		

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	