

---

**SAFETY DATA SHEET**

---

**SECTION 1 Identification of the substance or preparation and of the company/undertaking**

## 1.1 Product identifier

- Product Name: SCALECLEAN DL
- Product Part Number: 719088 (25 ltr)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/preparation: Acid Cleaner

## 1.3 Details of the supplier of the safety data sheet

Name of Supplier:

Head Office:

Wilhelmsen Ships Service AS  
Strandveien 20, N1324 Lysaker,  
Norway Tel: (47) 6349 440 35

Supplier:

Wilhelmsen Ships Service AS  
Willem Barentszstraat 50  
3165AB Rotterdam  
Telephone: +31 4877 777  
Fax: +31 4877 888  
The Netherlands

Other suppliers SEE SECTION 16!!!

For quotations contact your local Customer Services

- 
- Responsible Person: Product HSE Manager,
- Email: Email: WSS.GLOBAL.SDSINFO@wilhelmsen.com
- Telephone: Tel.: +31 10 4877775

## 1.4 Emergency telephone number

Emergency Telephone: -ONLY TO BE USED IN CASE OF AN INCIDENTNCEC:+  
44 1865 407333, CHEMTREC (800) 424 9300  
American Chemistry Council +1 703 527 3887,  
Greece +30 210 7793777Australia: +61 3 9630 0998  
Giftinformasjonsentralen in Norway Tel.: +47 22591300  
Wilhelmsen Ships Service, Melbourne, AUSTRALIA Emergency 24hrs: +61 3 9630 0998  
\*\*FOR QUOTATIONS PLEASE CONTACT YOUR LOCAL CUSTOMER SERVICES\*\*

**SECTION 2 Hazards identification**

## 2.1 Classification of the substance or mixture

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)
- Symbols: C
- Causes burns (R34)
- Irritating to respiratory system (R37)
- 
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- Signal Word: Danger

## SECTION 2 Hazards identification (....)

- Symbols: GHS07, GHS05
- Skin Corr. 1B
- STOT SE 3
- Met. Corr. 1
- Causes severe skin burns and eye damage (H314).
- May cause respiratory irritation (H335).
- May be corrosive to metals (H290).

### 2.2 Label elements



- Signal Word: Danger
- Skin Corr. 1B
- STOT SE 3
- Met. Corr. 1
- 
- Contains:
- Hydrochloric acid 33-35%
- 
- Hazard phrases
  - Causes severe skin burns and eye damage (H314).
  - May cause respiratory irritation (H335).
  - May be corrosive to metals (H290).
- Precautionary Phrases
  - Do not breathe dust/fume/gas/mist/vapours/spray (P260).
  - Wear protective gloves/protective clothing/eye protection/face protection (P280).
  - Get immediate medical advice/attention (P315).
  - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower (P303+P361+P353).
  - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
  - Store in a well-ventilated place. Keep container tightly closed (P403+P233).

### 2.3 Other hazards

- Not applicable
- Not a PBT according to REACH Annex XIII
- Odour: Strong smell of hydrogen chloride
- Appearance: Liquid, pale yellow, soluble in water

## SECTION 3 Composition/information on ingredients

### 3.1 Mixtures

- hydrochloric acid ... %
  - Concentration: 33-35%
  - CAS Number: 7647-01-0
  - EC Number: 231-595-7
  - R/H Phrases: R34,R37 - H314,H335,H290
  - Symbols: C - GHS05,GHS07
  - Categories: Skin Corr. 1B, STOT SE 3, Met. Corr. 1

## SECTION 4 First aid measures

**SECTION 4 First aid measures (....)**

## 4.1 Description of first aid measures

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower (P303+P361+P353).
- Seek medical advice if necessary
- Contaminated clothing should be laundered before reuse
- 
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
- Irrigate eyes thoroughly whilst lifting eyelids
- Obtain immediate medical attention
- 
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301+P330+P331).
- Never give anything by mouth to an unconscious person
- Give plenty of water to drink
- Obtain immediate medical attention
- 
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P341).
- Seek medical attention if irritation persists

## 4.2 Most important symptoms and effects, both acute and delayed

- Can cause damage to the eyes, skin and mucous membranes

## 4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically
- 

**SECTION 5 Fire-fighting measures**

## 5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

## 5.2 Special hazards arising from the substance or mixture

- Smoke from fires is corrosive. Take precautions to protect personnel from exposure
- Keep container(s) exposed to fire cool, by spraying with water
- See Section 10

## 5.3 Advice for firefighters

- Substance evolves toxic fumes, wear self-contained breathing apparatus
- 

**SECTION 6 Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8

## 6.2 Environmental Precautions

- Avoid release to the environment (P273).

## 6.3 Methods and material for containment and cleaning up

- Absorb spillage in inert material and shovel up
- Ventilate the area and wash spill site after material pick-up is complete

## 6.4 Reference to other sections

- See Section 13
- 

**SECTION 7 Handling and storage**

## 7.1 Precautions for safe handling

- Wear protective clothing as per section 8
-

---

## SECTION 7 Handling and storage (....)

- Avoid breathing dust/fume/gas/mist/vapours/spray (P261).
- Do not get in eyes, on skin, or on clothing (P262).
- Keep away from heat/sparks/open flames/hot surfaces. – No smoking (P210).
- Eyewash bottles should be available
- Ensure adequate ventilation

### 7.2 Conditions for safe storage, including any incompatibilities

- Store in a dry place. Store in a closed container (P402+P404).
- Keep container tightly closed (P233).
- Keep in acid store

### 7.3 Specific end use(s)

- Contact supplier for further information
- 

## SECTION 8 Exposure controls/personal protection

### 8.1 Control parameters

- hydrochloric acid
  - TLV (TWA) 7 mg/m<sup>3</sup> (Danish, Norwegian)
  - TLV (TWA) 2 mg/m<sup>3</sup> (UK)
  - TLV (TWA) 8 mg/m<sup>3</sup> (EU, Netherlands)

### 8.2 Exposure controls

- The undiluted product must not be used in a confined space without good ventilation

### 8.3 Occupational exposure controls



- Ensure adequate ventilation
  - Wear suitable protective clothing, including eye/face protection and gloves (plastic or rubber are recommended)
  - Penetration time of glove material:  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
  - Respiratory protection may be required under exceptional circumstances when excessive air contamination exists
  - Wear suitable respiratory protection. Gas cartridge (acid gases).
  - Eyewash bottles should be available
- 

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Odour: Strong smell of hydrogen chloride
- Appearance: Liquid, pale yellow, soluble in water
- pH 1
- Boiling point ~ 100 °C to 760 °C
- Vapour density (air = 1) 1.26
- Completely soluble in water
- Density 1,16 g/cm<sup>3</sup> at 20 deg C

### 9.2 Other information

- No information available
- 

## SECTION 10 Stability and reactivity

**SECTION 10 Stability and reactivity (....)**

## 10.1 Reactivity

- This article is considered stable under normal conditions

## 10.2 Chemical stability

- This article is considered stable under normal conditions

## 10.3 Possibility of hazardous reactions

- Reaction products may include hydrogen

## 10.4 Conditions to avoid

- Avoid overheating
- Avoid contact with alkalis (strong bases)
- Avoid contact with metal

## 10.5 Incompatible materials

- Contact with metals liberates explosive gas
- Incompatible with alkalis (strong bases)

## 10.6 Hazardous Decomposition Products

- In case of fire: (P370)
  - Chlorine
- 

**SECTION 11 Toxicological information**

## 11.1 Information on toxicological effects

- Acute toxicity. Oral. Rat. 1300 ppm

## 11.2 Contact with eyes

- Causes redness and irritation
- Prolonged skin or eye contact may cause chemical burns

## 11.3 Contact with skin

- Prolonged skin or eye contact may cause chemical burns

## 11.4 Ingestion

- Can cause damage to the digestive system

## 11.5 Inhalation

- Can cause damage to the respiratory system
- 

**SECTION 12 Ecological information**

## 12.1 Toxicity

- LC50 (fish) 100-1000 mg/l (96 hr)
- This product contain an acidic component which may cause a low pH-value. Effect depends on waterquality and the organisms tolerance due to pH-value
- This product does not contain ingredients which are classified in the EU as dangerous for the environment.

## 12.2 Persistence and degradability

- Readily biodegradable

## 12.3 Bioaccumulation Potential

- Bioaccumulation of the components in this product is insignificant.

## 12.4 Mobility in soil

- Completely soluble in water

## 12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII
-

---

**SECTION 12 Ecological information (....)**

## 12.6 Other Adverse Effects

- No information available
- 

**SECTION 13 Disposal considerations**

## 13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation

## 13.2 Classification

- EU Waste class: 06.01.02
  - This material and/or its container must be disposed of as hazardous waste
- 

**SECTION 14 Transport information**

## 14.1 UN

- UN No.: UN1789
- Proper Shipping Name: Hydrochloric acid
- Hazard Class: 8
- Packing Group: II

## 14.2 Environmental hazards

- On available data, substance is not harmful to the environment

## 14.3 Special precautions for user

- No special precautions are required for this product

## 14.4 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

## 14.5 Road/Rail (ADR/RID)

- ADR UN No.: UN1789
- Proper Shipping Name: Hydrochloric acid
- ADR Hazard Class: 8
- ADR Packing Group: II
- ADR subrisk: N/A
- ADR Flashpoint: N/A

## 14.6 Sea (IMDG)

- IMDG UN No.: UN1789
- Proper Shipping Name: Hydrochloric acid
- IMDG Hazard Class: 8
- IMDG Pack Group.: II
- IMDG EmS: F-A, S-B
- IMDG subrisk: N/A
- IMDG Flashpoint: N/A

## 14.7 Air (ICAO/IATA)

- ICAO Un No.: UN1789
- Proper Shipping Name: Hydrochloric acid
- ICAO Hazard Class: 8
- ICAO Packing Group: II
- ICAO subrisk: N/A
- ICAO Flashpoint: N/A

**SECTION 14 Transport information (....)**

## 14.8 DOT / CFR (US Department of Transportation)

- Identification Number: UN1789
  - DOT Proper Shipping Name: Hydrochloric acid
  - DOT Labels:
  - Product RQ (lbs): N/A
  - Hazardous Material: Hydrochloric acid
  - Hazard Class: 8
  - DOT subrisk: N/A
  - DOT Flashpoint: N/A
- 

**SECTION 15 Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet has been prepared in accordance with article 31 and annex II in REACH and Directive 453/2010/EU.
- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Refer to The Dangerous Substances Directive (67/548/EEC)
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- HOCNF is available in CHEMS database.
- Components in this product are tested due to PARCOM's directions of Offshore chemicals.

## 15.2 Chemical Safety Assessment

- None
- 

**SECTION 16 Other information**

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. H335: May cause respiratory irritation. R34: Causes burns. R37: Irritating to respiratory system.

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

---

**SECTION 16 Other information (....)**

The most up-to-date version of this MSDS can be found on [www.wilhelmsen.com/shipsservice](http://www.wilhelmsen.com/shipsservice)

**OTHER CONTACT INFORMATION MAJOR CHEMICAL OFFICES**

Wilhelmsen Ships Service Level 17, 636 St Kilda Road Melbourne Vic 3004 AUSTRALIA  
Tel: +61 3 9630 0900 Emergency 24hrs: +61 3 9630 0998  
Wilhelmsen Ships Service INC 210 Edgewater Street US-10305 Staten Island New York United States  
Telephone daytime: (+1) 718 815 1310 Fax: (+1) 718 233 3268  
Wilhelmsen Ships Service INC 2200 W. Pacific Coast Highway US-90810 Long Beach California,  
United States Tel (+1) 562 624 8888 Fax (+1) 562 624 1011  
Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft  
Pennsylvania United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646  
Wilhelmsen Ships Service INC. 9400 New Century Drive US-77507 Pasadena Texas United States  
Telephone daytime: (+1) 281 867 2000 Fax: (+1) 281 867 2800  
Wilhelmsen Ships Service Ltd. Unit 3A NewtonsCourt Crossways DA2 6QL Dartford, Kent United  
Kingdom Tel (+44) 1322 282 412 Fax (+44) 1322 284 774  
Wilhelmsen Ships Service Ltda Rua Bispo Lacerda nos.61/67 Del Catilho BR 21051120 Rio de Janeiro  
Brazil Tel (+55) 21 25 82 8000 Fax (+55) 21 25 82 8001  
Wilhelmsen Ships Service (S) Pte Ltd 186 Pandan Loop Singapore 128376 Tel (+65) 6395 4545  
Wilhelmsen Ships Service Co., Ltd 12-31 Torihama-cho Kanazawa-ku Yokohama-shi JP-236 0002,  
Japan Tel (+81) 45 775 0012 Fax (+81) 45 775 0070  
Wilhelmsen Ships Service Hellas SA 100, D. Moutsopoulou & Serifou str GR-185 41 Piraeus Greece  
Tel (+ 30) 210 4239100 Fax (+ 30) 210 4212480  
Wilhelmsen Ships Service AS U.A.E . FI 24 Executive Heights, Tecom C Sheikh Zayed Road (East)  
Dubai United Arab Emirates Tel (+971) 4 382 3888  
Wilhelmsen Ships Service AS, Willem Barentszstraat 50 3165 AB Rotterdam-Albrandswaard,  
the Netherlands. Tel (+31) 10 4877 777

