

SECTION 4: First aid measures

General information Get medical attention if any discomfort develops.

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.
Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

4.2. Most important symptoms and effects, both acute and delayed Under normal conditions of intended use, this material does not pose a risk to health.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards This product is not flammable.

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture None.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting procedures Move containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid contact with skin and eyes. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions Environmental manager must be informed of all major spillages.

6.3. Methods and material for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal.

6.4. Reference to other sections For personal protection, see Section 8 of the SDS.
For waste disposal, see Section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Provide adequate ventilation. Avoid inhalation of dust and contact with skin and eyes. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section 8).

7.2. Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

7.3. Specific end use(s) Electrical insulation and heat conduction.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAK	5 mg/m ³	Respirable fraction.
		5 mg/m ³	Respirable fume.
		10 mg/m ³	Inhalable fraction.
	STEL	20 mg/m ³	Inhalable fraction.
		10 mg/m ³	Respirable fume.

Austria. MAK List

Components	Type	Value	Form
		10 mg/m3	Respirable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Fiberglass (CAS 65997-17-3)	TWA	1000000 fibers/m3	Fiber.
		100000 fibers/m3	Respirable fibers.
		10 mg/m3	Fiber or dust.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	Dust.
Fiberglass (CAS 65997-17-3)	TWA	1,5 mg/m3 1 fibers/cm3	Respirable fraction. Respirable fraction.
		6 mg/m3	Inhalable fraction.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	10 mg/m3	Fiber or dust.

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm3	Respirable fibers.
		5 mg/m3	Dust.
		4 mg/m3	

Denmark. Exposure Limit Values

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TLV	5 mg/m3	Total
Fiberglass (CAS 65997-17-3)	TLV	2 mg/m3 1 fibers/cm3	Respirable. Fiber.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
Fiberglass (CAS 65997-17-3)	TWA	10 mg/m3 1 fibers/mL	Total dust.

Finland. Workplace Exposure Limits

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm3	Respirable.
		5 mg/m3	Inhalable dust.

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	VME	10 mg/m ³

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Inhalable dust.
		1,5 mg/m ³	Respirable dust.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	AGW	10 mg/m ³	Inhalable fraction.
		1,25 mg/m ³	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Inhalable
		10 mg/m ³	Respirable.

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m ³	Respirable.
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm ³	Fiber.

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³	
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm ³	Fiber.
		1 fibers/cm ³	

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total inhalable dust.
Fiberglass (CAS 65997-17-3)	TWA	2 fibers/cm ³	
		5 mg/m ³	

Italy. OELs

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m ³	Respirable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m ³	Decomposition aerosol.
		4 mg/m ³	
Fiberglass (CAS 65997-17-3)	TWA	2 mg/m ³	

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	0,2 fibers/cm ³	Fiber.

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Inhalable fraction.
		2 mg/m ³	Respirable fraction.

Netherlands. OELs (binding)

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	0,5 fibers/cc	Respirable fibers.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TLV	10 mg/m ³	
Fiberglass (CAS 65997-17-3)	TLV	0,1 fibers/cm ³	Fiber.
		5 mg/m ³	Total dust.

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	2,5 mg/m ³	Inhalable fraction.
		1,2 mg/m ³	Respirable fraction.
Fiberglass (CAS 65997-17-3)	TWA	0,5 fibers/cm ³	Respirable fibers.
		1 mg/m ³	Inhalable fraction.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³	
Fiberglass (CAS 65997-17-3)	TWA	0,2 fibers/cm ³	Fiber.
		5 mg/m ³	Inhalable fraction.

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	STEL	5 mg/m ³	Aerosol
		1,2 ppm	Aerosol
		2 mg/m ³	Aerosol
	TWA	0,5 ppm	Aerosol

Romania. OELs/CMRs. Protection of workers from exposure to carcinogen and mutagen agents. Hotarâre Nr. 1093 din 16 august 2006, Annex 3

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm ³	Respirable fibers.

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.
		0,1 mg/m ³	

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value
Fiberglass (CAS 65997-17-3)	TWA	2 fibers/cm ³

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	500000 fibers/cm3	Dust.

Spain. Carcinogens and Mutagens with Limit Values (Table 2)

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	0,5 fibers/cm3	Fiber.

Spain. Occupational Exposure Limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm3	Fiber.

Sweden

Components	Type	Value	Form
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/cm3	Fiber.

Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m3	Total dust.
		2 mg/m3	Respirable dust.
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/mL	

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	STEL	24 mg/m3	Fume and respirable dust.
	TWA	3 mg/m3	Fume and respirable dust.
		3 mg/m3	Respirable dust.
Fiberglass (CAS 65997-17-3)	TWA	0,5 fibers/mL	Fiber.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Fiberglass (CAS 65997-17-3)	TWA	1 fibers/mL	Fiber.
		5 mg/m3	Fiber.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines Follow standard monitoring procedures.

8.2. Exposure controls

Appropriate engineering controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection	
- Hand protection	Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the glove supplier.
- Other	If prolonged or repeated contact is likely, chemical resistant clothing is recommended.
Respiratory protection	In case of inadequate ventilation, use respiratory protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Solid.
Colour	Green.
Odour	Slight.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	None.
Flammability limit - upper (%)	None.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1,8
Solubility(ies)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not relevant.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	In case of fire: Metal oxides. Nitrogen oxides.

SECTION 11: Toxicological information

General information	Under normal conditions of intended use, this material does not pose a risk to health.
----------------------------	--

Information on likely routes of exposure

Inhalation	Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the mucous membranes and respiratory tract.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye.
Ingestion	Not likely, due to the form of the product.

Symptoms Under normal conditions of intended use, this material does not pose a risk to health.

11.1. Information on toxicological effects

Acute toxicity	Under normal conditions of intended use, this material does not pose a risk to health.
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	None known.
Other information	None known.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not relevant.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is insoluble in water.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.
EU waste code	16 05 09 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

SECTION 14: Transport information

ADR	Not regulated as dangerous goods.
RID	Not regulated as dangerous goods.
ADN	Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Fiberglass (CAS 65997-17-3)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Fiberglass (CAS 65997-17-3)

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Fiberglass (CAS 65997-17-3)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Fiberglass (CAS 65997-17-3)

Directive 94/33/EC on the protection of young people at work

Fiberglass (CAS 65997-17-3)

Other regulations

The product does not need to be labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

PBT: Persistent, bioaccumulative and toxic.

vPvB: Very Persistent and very Bioaccumulative.

References

HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.