


## 1. Product and Company Identification

<b>Product identifier</b>	<b>Super Sani-Cloth Germicidal Wipe</b>	<b>SDS 0020-00</b>
<b>Other means of identification</b>	Not available	
<b>Recommended use</b>	Disinfectant	
<b>Recommended restrictions</b>	For Professional and Hospital Use	
<b>Manufacturer/Importer/Supplier/Distributor information</b>		
<b>Manufacturer</b>		
<b>Company name</b>	Professional Disposables International, Inc.	
<b>Address</b>	Two Nice-Pak Park Orangeburg, NY 10962-1376	
<b>Telephone</b>	Phone (USA)	1-845-365-1700 (M-F 9am - 5pm)
	Emergency Phone:	1-800-999-6423
<b>E-mail</b>	www.pdihc.com	
<b>Emergency phone number</b>	1-800-999-6423	

## 2. Hazards Identification

<b>Physical hazards</b>	Flammable solids	Category 1
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 2A
<b>Environmental hazards</b>	Not determined	
<b>OSHA defined hazards</b>	None additional	
	Not applicable.	
<b>Label elements</b>		
<b>Signal word</b>	Danger	
<b>Hazard statement</b>	Flammable solid. Causes serious eye irritation.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after handling.	
<b>Response</b>	If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.	
<b>Storage</b>	Store away from incompatible materials.	
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	Not applicable.	

## 3. Composition/Information on Ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isopropyl Alcohol		67-63-0	55
n-Alkyl (60% C14, 32% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides		68391-01-5	0.25
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides		68956-79-6	0.25

---

#### 4. First Aid Measures

---

<b>Inhalation</b>	Not a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms develop.
<b>Skin contact</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Ingestion</b>	Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice.
<b>Most important symptoms/effects, acute and delayed</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat patient symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.

---

#### 5. Fire Fighting Measures

---

<b>Suitable extinguishing media</b>	Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
<b>Fire-fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. In the event of fire, cool product with water spray. Move product from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
<b>General fire hazards</b>	Flammable solid.

---

#### 6. Accidental Release Measures

---

<b>Personal precautions, protective equipment and emergency procedures</b>	Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Pick up and discard towelette. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

---

#### 7. Handling and Storage

---

<b>Precautions for safe handling</b>	Not a skin wipe. For use on hard non-porous surfaces only. Do not use or store near heat or open flame. Use according to package label instructions. Use good industrial hygiene practices in handling this product. Wear appropriate personal protective equipment. Wash thoroughly after handling. When using do not eat or drink.
<b>Conditions for safe storage, including any incompatibilities</b>	Do not contaminate water, food or feed by storage or disposal. When not in use keep container closed to prevent moisture loss.  Store away from incompatible materials (see Section 10 of the SDS).

---

#### 8. Exposure Controls/Personal Protection

---

##### Occupational exposure limits

##### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Isopropyl Alcohol (CAS 67-63-0)	PEL	980 mg/m3  400 ppm

---

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m <sup>3</sup>
	TWA	500 ppm
		980 mg/m <sup>3</sup>
		400 ppm

**Biological limit values****ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

<b>Exposure guidelines</b>	Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.
<b>Appropriate engineering controls</b>	Provide eyewash station. Ensure adequate ventilation.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear eye protection as appropriate.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear disposable protective gloves as appropriate.
<b>Other</b>	As required by employer code.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using do not eat or drink. When using do not smoke.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Liquid saturated on wipe
<b>Physical state</b>	Solid.
<b>Form</b>	Solid.
<b>Color</b>	Colorless to Slightly yellow
<b>Odor</b>	Alcohol
<b>Odor threshold</b>	Not available.
<b>pH</b>	5.75 - 8.50
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	0.892
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	75.0 °F (23.9 °C) (Liquid)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Flammable solid.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.

<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout. This product may react with strong acids and strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Contact with incompatible materials. Heat, flames and sparks.
<b>Incompatible materials</b>	Strong oxidizing agents. Acids. Isocyanates. Chlorine.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Ammonia. Chloride compounds

---

## 11. Toxicological Information

---

### Information on likely routes of exposure

<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	Health injuries are not known or expected under normal use.
<b>Skin contact</b>	Non-irritating based on test data.
<b>Eye contact</b>	Causes serious eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Isopropyl Alcohol (CAS 67-63-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	12800 mg/kg
<i>Inhalation</i>		
LC50	Rat	16970 mg/l/4h
<i>Oral</i>		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5030 mg/kg
	Rat	4396 mg/kg
n-Alkyl (60% C14, 32% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides (CAS 68391-01-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	2000 mg/kg
		1420 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	150 mg/kg
	Rat	240 mg/kg

Components	Species	Test Results
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides (CAS 68956-79-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	250 mg/kg
<b>Skin corrosion/irritation</b>	Non-irritating based on test data.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation based on test results.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	Not applicable.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>		
Not listed.		
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
<b>Specific target organ toxicity - single exposure</b>	Narcotic effects.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not classified.	
<b>Chronic effects</b>	Prolonged inhalation may be harmful.	
<b>Further information</b>	Not available.	

## 12. Ecological Information

<b>Ecotoxicity</b>	See below		
<b>Components</b>	<b>Species</b>	<b>Test Results</b>	
Isopropyl Alcohol (CAS 67-63-0)			
Algae	IC50	Algae	1000 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
<b>Aquatic</b>			
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	> 1400 mg/l, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Partition coefficient n-octanol / water (log Kow)</b>			
Isopropyl Alcohol		0.05	
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

---

### 13. Disposal Considerations

---

<b>Disposal instructions</b>	Follow container label directions carefully. Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet. Nonrefillable container. Do not reuse or refill this container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection. Review federal, state/provincial, and local government requirements prior to disposal.  Dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.
<b>Local disposal regulations</b>	See above
<b>Hazardous waste code</b>	Assign as required.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

---

### 14. Transport Information


---

#### U.S. Department of Transportation (DOT)

##### Basic shipping requirements:

<b>UN number</b>	UN3175
<b>Proper shipping name</b>	Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol)
<b>Hazard class</b>	4.1
<b>Packing group</b>	II
<b>Packaging exceptions</b>	<1kg - limited quantity (par. 173.151)

DOT



---

### 15. Regulatory Information

---

<b>US federal regulations</b>	This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.
-------------------------------	--

##### PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals. Warning: Causes substantial but temporary eye damage. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using restroom. Remove and wash contaminated clothing before reuse.

EPA Reg. # 9480-4

##### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

##### CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropyl Alcohol (CAS 67-63-0)

Listed.

##### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

##### Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard categories</b>	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
--------------------------	--

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Isopropyl Alcohol	67-63-0	55

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**US state regulations**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US - California Hazardous Substances (Director's): Listed substance**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Not listed.

**US - Illinois Chemical Safety Act: Listed substance**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US - Louisiana Spill Reporting: Listed substance**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US - Minnesota Haz Subs: Listed substance**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US - New Jersey RTK - Substances: Listed substance**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US - Texas Effects Screening Levels: Listed substance**

Isopropyl Alcohol (CAS 67-63-0) Listed.

n-Alkyl (60% C14, 32% C16, 5% C12, 5% C18) Listed.

dimethyl benzyl ammonium chlorides (CAS 68391-01-5)

**US. Massachusetts RTK - Substance List**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US. Pennsylvania RTK - Hazardous Substances**

Isopropyl Alcohol (CAS 67-63-0) Listed.

**US. Rhode Island RTK**

Isopropyl Alcohol (CAS 67-63-0) Listed.


Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	3
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

27-March-2015

**Further information**

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on skin. Not a baby wipe. For use on hard surfaces only.

Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.

Revision 1. Changed eye toxicity categorization to Category 2A and revised transportation section. Also changed bulk liquid number and made other miscellaneous changes.

Based on bulk liquid # 4FQ51801.

**Other information**

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**Prepared by**

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021