



MATERIAL SAFETY DATA SHEET

MSDS NUMBER **80,070-11**

PAGE 1

97967 (4-95)

24 HOUR EMERGENCY ASSISTANCE			GENERAL MSDS ASSISTANCE		
SHELL: 713-473-9461 CHEMTREC: 800-424-9300			SHELL: 713-241-4819		
ACUTE HEALTH + 3	FIRE 1	REACTIVITY 0	HAZARD RATING ▶ LEAST · 0 SLIGHT · 1 MODERATE · 2 HIGH · 3 EXTREME · 4		
*For acute and chronic health effects refer to the discussion in Section III					



SECTION I		NAME	
PRODUCT ▶	SHELLZONE(R) ALL SEASON ANTI-FREEZE ANTI-BOIL PROTECTION		
CHEMICAL NAME ▶	ETHYLENE GLYCOL		
CHEMICAL FAMILY ▶	GLYCOL		
SHELL CODE ▶	32350	94010	94012

SECTION II-A		PRODUCT/INGREDIENT	
NO.	COMPOSITION	CAS NUMBER	PERCENT
P	SHELLZONE ALL SEASON ANTI-FREEZE ANTI-BOIL PROTECTION	MIXTURE	100
1	ETHYLENE GLYCOL	107-21-1	84-94
2	DIETHYLENE GLYCOL	111-46-6	0-10
3	WATER	7732-18-5	2-4
4	INORGANIC/ORGANIC SALTS		2-4

SECTION II-B		ACUTE TOXICITY DATA	
NO.	ACUTE ORAL LD50	ACUTE DERMAL LD50	ACUTE INHALATION LC50
1	4.0 G/KG (RAT)	NONE	NONE
2	14.8 G/KG (RAT)	11.8 G/KG (RAT)	NONE

BASED UPON DATA AVAILABLE TO SHELL, COMPONENTS 3 AND 4 IN THIS PRODUCT ARE NOT HAZARDOUS UNDER OSHA HAZARD COMMUNICATION (29 CFR 1910.1200).

SECTION III HEALTH INFORMATION

THE HEALTH EFFECTS NOTED BELOW ARE CONSISTENT WITH REQUIREMENTS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

EYE CONTACT
BASED ON PRESENCE OF COMPONENT 1, PRODUCT IS MODERATELY TO SEVERELY IRRITATING TO THE EYES. VAPORS CAN ALSO CAUSE SEVERE EYE IRRITATION.

SKIN CONTACT
BASED ON PRESENCE OF COMPONENTS 1 AND 2, PRODUCT IS MILDLY IRRITATING TO THE SKIN AND SLIGHTLY TOXIC ON PROLONGED OR REPEATED CONTACT.

INHALATION
VAPORS ARE MILDLY TO MARKEDLY IRRITATING TO THE LUNGS DEPENDING ON THE EXPOSURE LEVEL.

HY-O-LENE OIL CORP.
4539 Cecelia Street
CUDAHY, CALIFORNIA 90201

PRODUCT NAME: SHELLZONE(R) ALL SEASON ANTI-FREEZE ANTI-BOIL PROTECTION

MSDS 80,070-11
PAGE 2**INGESTION**

PRODUCT MAY BE HARMFUL OR FATAL IF SWALLOWED; MAY PRODUCE CENTRAL NERVOUS SYSTEM (CNS) DEPRESSION AND KIDNEY DAMAGE WHICH MAY BE FATAL. INGESTION OF COMPONENT 2 MAY ALSO PRODUCE LIVER DAMAGE.

SIGNS AND SYMPTOMS

IRRITATION AS NOTED ABOVE. EARLY TO MODERATE CNS DEPRESSION MAY BE EVIDENCED BY GIDDINESS, HEADACHE, DIZZINESS AND NAUSEA; IN EXTREME CASES, UNCONSCIOUSNESS AND DEATH MAY OCCUR. KIDNEY DAMAGE MAY BE EVIDENCED BY CHANGES IN URINE OUTPUT, URINE APPEARANCE OR EDEMA (SWELLING FROM FLUID RETENTION). LIVER DAMAGE MAY BE EVIDENCED BY LOSS OF APPETITE, JAUNDICE (YELLOWISH SKIN COLOR) AND SOMETIMES PAIN IN THE UPPER ABDOMEN ON THE RIGHT SIDE.

AGGRAVATED MEDICAL CONDITIONS

PREEXISTING SKIN, EYE, AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. IMPAIRED KIDNEY AND LIVER FUNCTIONS FROM PREEXISTING DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS

INTENTIONAL ABUSE, MISUSE OR OTHER MASSIVE EXPOSURE MAY CAUSE MULTIPLE ORGAN DAMAGE AND/OR DEATH.

SEE SECTION VI FOR ADDITIONAL INFORMATION.

SECTION IV**OCCUPATIONAL EXPOSURE LIMITS**

NO.	OSHA PEL/TWA	PEL/CEILING	ACGIH		OTHER
			TLV/TWA	TLV/STEL	
P	NONE ESTABLISHED				
1		50 PPM	50 PPM-CEILING		
1			10 MG/M3	20 MG/M3	

CEILING VALUE IS FOR EG VAPORS, OTHERS ARE FOR EG PARTICULATES.

SECTION V**EMERGENCY AND FIRST AID PROCEDURES****EYE CONTACT**

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN CONTACT

FLUSH SKIN WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.

INHALATION

REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

INGESTION

DO NOT GIVE LIQUIDS IF VICTIM IS UNCONSCIOUS OR VERY DROWSY. OTHERWISE, GIVE NO MORE THAN 2 GLASSES OF WATER AND INDUCE VOMITING BY GIVING 30CC (2 TABLESPOONS) SYRUP OF IPECAC.* IF IPECAC IS UNAVAILABLE, GIVE 2 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING FINGER TO BACK OF VICTIM'S THROAT. KEEP VICTIM'S HEAD BELOW HIPS WHILE VOMITING. GET MEDICAL ATTENTION.

NOTE TO PHYSICIAN

*IF VICTIM IS A CHILD, GIVE NO MORE THAN 1 GLASS OF WATER AND 15CC (1 TABLESPOON) SYRUP OF IPECAC. IF SYMPTOMS SUCH AS LOSS OF GAG REFLEX, CONVULSIONS OR UNCONSCIOUSNESS OCCUR BEFORE EMESIS, GASTRIC LAVAGE SHOULD BE CONSIDERED FOLLOWING INTUBATION WITH A CUFFED ENDOTRACHEAL TUBE.

SECTION VI**SUPPLEMENTAL HEALTH INFORMATION**

RARE CASE REPORTS OF ETHYLENE GLYCOL SENSITIZATION (ALLERGY) HAVE BEEN PUBLISHED BUT ALLERGY TO ETHYLENE GLYCOL IS NOT A COMMON PHENOMENON.

IN ONE STUDY, WHEN ETHYLENE GLYCOL WAS ADMINISTERED IN THE DIET AT DAILY DOSES UP TO 1.0 G/KG TO PREGNANT RATS, NO MATERNAL TOXICITY, NO EMBRYOTOXICITY NOR TERATOGENICITY WERE OBSERVED. IN A MORE RECENT STUDY, WHEN ETHYLENE GLYCOL WAS ADMINISTERED BY GAVAGE AT DAILY DOSES OF 1.25 G/KG AND ABOVE TO PREGNANT RATS, OR AT 750 MG/KG AND ABOVE TO PREGNANT MICE, THERE WAS AN INCREASE IN THE NUMBER OF MALFORMED FETUSES AT ALL DOSE LEVELS. EXCEPT AT THE LOWEST DOSE LEVEL IN MICE, THERE WAS ALSO EVIDENCE OF MATERNAL TOXICITY AT ALL DOSE LEVELS.

IN ONE STUDY, DIETHYLENE GLYCOL ADMINISTERED ORALLY AT HIGH DOSES TO PREGNANT RATS AND MICE CAUSED

ETHYLENE OIL CORP.
4539 Cevelia Street
UPAHY, CALIFORNIA 90201

PRODUCT NAME: SHELLZONE(R) ALL SEASON ANTI-FREEZE ANTI-BOIL PROTECTION

MSDS 80,070-11
PAGE 3

TOXICITY TO THE EMBRYOFETUS INCLUDING DECREASED FETAL BODY WEIGHTS AND INCREASED VARIATIONS, BUT NO BIRTH DEFECTS WERE OBSERVED. THERE WAS ALSO MATERNAL TOXICITY INCLUDING SOME LETHALITY.

IN ANOTHER STUDY, DIETHYLENE GLYCOL ADMINISTERED TO HAMSTERS BY I.P. INJECTION AT DOSES OF 2.5 - 4.48 G/KG ON THE 8TH DAY OF GESTATION RESULTED IN NEURAL TUBE ABNORMALITIES IN ALL DOSE GROUPS BUT NOT IN THE CONTROLS. THERE WAS EVIDENCE OF MATERNAL TOXICITY IN TREATED ANIMALS. UNDER THE CONDITIONS OF THIS STUDY, DEG CAUSED DEVELOPMENTAL EFFECTS IN HAMSTERS. THE SIGNIFICANCE OF THIS INFORMATION TO MAN IS UNKNOWN.

SECTION VII

PHYSICAL DATA

BOILING POINT: 330-340
(DEG F)

SPECIFIC GRAVITY: 1.1373
(H2O=1)

VAPOR PRESSURE: N/AV
(MM HG)

MELTING POINT: N/AV
(DEG F)

SOLUBILITY: COMPLETE
(IN WATER)

VAPOR DENSITY: >1
(AIR=1)

EVAPORATION RATE (N-BUTYL ACETATE = 1): <0.01

POUR POINT =
-40 DEG. F

APPEARANCE AND ODOR:
BLUE GREEN, SLIGHTLY VISCOUS LIQUID. MILD ODOR.

HY-O-LENE OIL CORP.
4539 Cecelia Street
CUDAHY, CALIFORNIA 90201

SECTION VIII

FIRE AND EXPLOSION HAZARDS

FLASH POINT AND METHOD:
246 DEG. F SETAFLASH

FLAMMABLE LIMITS /% VOLUME IN AIR
LOWER: N/AP UPPER: N/AP

EXTINGUISHING MEDIA
USE WATER FOG, "ALCOHOL" FOAM, DRY CHEMICAL OR CO2.

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS
MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.

SECTION IX

REACTIVITY

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS AND MATERIALS TO AVOID:
KEEP AWAY FROM STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS
CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

SECTION X

EMPLOYEE PROTECTION

RESPIRATORY PROTECTION
IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS (SEC. IV) USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS.

PRODUCT NAME: SHELLZONE(R) ALL SEASON ANTI-FREEZE ANTI-BOIL PROTECTION

MSDS 80,070-11
PAGE 4**PROTECTIVE CLOTHING**

AVOID CONTACT WITH EYES. WEAR CHEMICAL GOGGLES IF THERE IS LIKELIHOOD OF CONTACT WITH EYES. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. WEAR CHEMICAL RESISTANT GLOVES AND OTHER CLOTHING AS REQUIRED TO MINIMIZE CONTACT. TEST DATA FROM PUBLISHED LITERATURE AND/OR GLOVE AND CLOTHING MANUFACTURERS INDICATE THE BEST PROTECTION IS PROVIDED BY NITRILE, NEOPRENE, PVC OR NATURAL RUBBER GLOVES.

ADDITIONAL PROTECTIVE MEASURES

USE VENTILATION AS REQUIRED TO CONTROL VAPOR CONCENTRATIONS. EYE WASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE FOR EMERGENCY USE.

SECTION XI**ENVIRONMENTAL PROTECTION****SPILL OR LEAK PROCEDURES**

MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTIOUS JUDGMENT WHEN CLEANING UP LARGE SPILLS. *** LARGE SPILLS *** WEAR RESPIRATOR AND PROTECTIVE CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE/SALVAGE VESSELS. SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL; DISPOSE OF PROPERLY. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE. *** SMALL SPILLS *** TAKE UP WITH AN ABSORBENT MATERIAL AND DISPOSE OF PROPERLY.

SECTION XII**SPECIAL PRECAUTIONS**

STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM FLAMES AND HIGH TEMPERATURES. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

SECTION XIII**TRANSPORTATION REQUIREMENTS**

DEPARTMENT OF TRANSPORTATION CLASSIFICATION:
NOT HAZARDOUS BY D.O.T. REGULATIONS

THE DOT INFORMATION IN THIS SECTION IS BASED UPON AN EVALUATION OF THE PRODUCT AGAINST THE REQUIREMENTS OF 49 CFR 172 AND 173 AS REVISED BY HM-181.

SECTION XIV**OTHER REGULATORY CONTROLS**

THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL SUBSTANCES.

PROTECTION OF STRATOSPHERIC OZONE (PURSUANT TO SECTION 611 OF THE CLEAN AIR ACT AMENDMENTS OF 1990): PER 40 CFR PART 82, THIS (PRODUCT/MATERIAL) DOES NOT CONTAIN NOR WAS IT DIRECTLY MANUFACTURED WITH ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES.

IN ACCORDANCE WITH SARA TITLE III, SECTION 313, THE ENVIRONMENTAL DATA SHEET (EDS) SHOULD ALWAYS BE COPIED AND SENT WITH THE MSDS.

SECTION XV**STATE REGULATORY INFORMATION**

THE FOLLOWING CHEMICALS ARE SPECIFICALLY LISTED BY INDIVIDUAL STATES; OTHER PRODUCT SPECIFIC HEALTH AND SAFETY DATA IN OTHER SECTIONS OF THE MSDS MAY ALSO BE APPLICABLE FOR STATE REQUIREMENTS. FOR DETAILS ON YOUR REGULATORY REQUIREMENTS YOU SHOULD CONTACT THE APPROPRIATE AGENCY IN YOUR STATE.

HY-O-LENE OIL CORP.
4539 Cecelia Street
CUDAHY, CALIFORNIA 90201

PRODUCT NAME: SHELLZONE(R) ALL SEASON ANTI-FREEZE ANTI-BOIL PROTECTION

MSDS 80,070-11
PAGE 6

STATE LISTED COMPONENT	PERCENT	STATE CODE
ETHYLENE GLYCOL (CAS NO: 107-21-1)	84-94	CA, CT, FL, IL, LA, MA, ME, MN, NJ, PA, RI
DIETHYLENE GLYCOL (CAS NO: 111-46-6)	0-10	CA, MN, PA, RI

CA = CALIFORNIA HAZ. SUBST. LIST; CA65 = CALIFORNIA SAFE DRINKING WATER AND TOXICS ENFORCEMENT ACT LIST; CT = CONNECTICUT TOX. SUBST. LIST; FL = FLORIDA SUBST. LIST; IL = ILLINOIS TOX. SUBST. LIST; LA = LOUISIANA HAZ. SUBST. LIST; MA = MASSACHUSETTS SUBST. LIST; ME = MAINE HAZ SUBST. LIST; MN = MINNESOTA HAZ. SUBST. LIST; NJ = NEW JERSEY HAZ. SUBST. LIST; PA = PENNSYLVANIA HAZ. SUBST. LIST; RI = RHODE ISLAND HAZ. SUBST. LIST.

SECTION XVI

SPECIAL NOTES

THIS MSDS REVISION HAS CHANGES IN SECTIONS VI, AND XIII.

THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, SHELL MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. SHELL ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

DATE PREPARED: AUGUST 23, 1993

J. C. WILLETT

BE SAFE

READ OUR PRODUCT
SAFETY INFORMATION ...AND PASS IT ON
(PRODUCT LIABILITY LAW
REQUIRES IT)

SHELL OIL COMPANY
PRODUCT SAFETY AND COMPLIANCE
P. O. BOX 4320
HOUSTON, TX 77210

HY-O-LENE OIL CORP.
4539 Cecelia Street
CUDAHY, CALIFORNIA 90201