



Material Safety Data Sheet

Flexo Products Limited 4777 Kent Avenue, Niagara Falls, ON L2H 1J5
 Phone: (905) 354-2723 Fax: (905) 354-1301 Web Site: www.flexoproducts.com

Show-Off 490

Use: Floor Finish

Code: FH490D, J, P

Date of MSDS: December 1, 2014

WHMIS: Not Regulated

TDG: Not Regulated

HMIS: Health -1, Flammability - 0, Reactivity - 0, PPE - A

Emergency Telephone # CANUTEC 613-996-6666

I - HAZARDOUS INGREDIENTS

Chemical Name	Wt/Wt %	CAS #	LD50 (mg/kg)	LC50
This is not a controlled product.				

II - PHYSICAL DATA

Physical State: liquid

Oil/Water Factor: not available

Vapour Density: not available

Specific Gravity: 1.050

Freezing Point (°C): not available

Viscosity: 6.0cps

Appearance: milky white

Evaporation Rate: similar

Boiling Point (°C): >96.0

Vapour Pressure: not available

pH: 8.1.

Odour: moderate acrylic

Odour Threshold: not available

III - FIRE AND EXPLOSION DATA

Conditions of Flammability: not flammable

Flash Point and Test Method: none

Hazardous Combustion Products: not applicable

Sensitivity to Static Discharge or Mechanical Impact: not available

UFL: not applicable

LFL: not applicable

Means of Extinction: not applicable

Auto-Ignition Temperature: not applicable

IV - REACTIVITY DATA

Conditions of Chemical Instability: stable

Incompatible Substances: strong oxidizing agents, strong acids

Storage Requirements: store in closed containers away from incompatible materials

Conditions of Reactivity: not applicable

Hazardous Decomposition Products: not available

V - TOXICOLOGICAL PROPERTIES

Synergistic Materials: none known

Irritancy of Product: non- irritant

Acute Effects

Eye: may cause mild irritation

Skin: prolonged and repeated contact may cause irritation

Inhalation: not available

Ingestion: may cause vomiting, headache and medical problems

Prolonged or Repeated Exposure: **Skin** - can cause drying, defatting or dermatitis

Route(s) of Entry: skin, eyes, ingestion, inhalation

Sensitization: not available

Chronic Effects

Carcinogen: none known

Teratogen: none known

Mutagen: none known

Reproductive Toxin: none known

VI - FIRST AID MEASURES

Eye Contact: Immediately flush with water for 15 minutes. If irritation persists, contact a physician.

Skin Contact: Not normally required.

Inhalation: Remove to fresh air. If symptoms persist, contact a physician.

Ingestion: Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Contact a physician immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing.

VII - PROTECTIVE EQUIPMENT

Personal Protective Equipment:

Eyes: not normally required

Skin: not normally required

Respiratory: not normally required if good ventilation is maintained

Ventilation: general ventilation normally adequate

VIII - SPECIAL MEASURES

For Leaks or Spills: Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

Waste Disposal: Review all Federal, Provincial and local regulations prior to disposal.