### MATERIAL SAFETY DATA SHEET

Date Printed: 04/21/2005 Date Updated: 05/24/2004

Version 1.12

## Section 1 - Product and Company Information

Product Name HYDROCHLORIC ACID ACS REAGENT

Product Number H7020 Brand SIGMA

Company Sigma-Aldrich Street Address 3050 Spruce Street

City, State, Zip, Country SAINT LOUIS MO 63103 US

Technical Phone: 314 771 5765

Emergency Phone: 414 273 3850 Ext. 5996

Fax: 800 325 5052

# Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
HYDROCHLORIC ACID >=25%	7647-01-0	No

Ingredient Name CAS # Percent SARA 313 HYDROCHLORIC ACID 7647-01-0 > 25

WATER 7732-18-5 <= 75 No

Formula HCl

Synonyms Acide chlorhydrique (French) \* Acido cloridrico

(Italian) \* Anhydrous hydrochloric acid \*
Chloorwaterstof (Dutch) \* Chlorohydric acid \*
Chlorowodor (Polish) \* Chlorwasserstoff (German)
\* Hydrochloride \* Hydrogen chloride (ACGIH:OSHA)

\* Muriatic acid \* Spirits of salt

RTECS Number: MW4025000

## Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Toxic.

Toxic by inhalation. Causes burns. Irritating to respiratory

system.

HMIS RATING

HEALTH: 3

FLAMMABILITY: 0
REACTIVITY: 2

SPECIAL HAZARD(S): Water reactive

NFPA RATING

HEALTH: 3
FLAMMABILITY: 0

REACTIVITY: 2

SPECIAL HAZARD(S): Water reactive

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

### ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

#### INHALATION EXPOSURE

If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

### DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

### EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

## Section 5 - Fire Fighting Measures

## FLASH POINT

N/A

### AUTOIGNITION TEMP

N/A

### FLAMMABILITY

N/A

### EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate

Unsuitable: Do not use water.

## FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

# Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area.

# PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

# METHODS FOR CLEANING UP

Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

## Section 7 - Handling and Storage

## HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing.

## STORAGE

Suitable: Keep tightly closed.

May develop pressure. Open carefully.

## Section 8 - Exposure Controls / PPE

#### ENGINEERING CONTROLS

Safety shower and eye bath. Use only in a chemical fume hood.

## PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Government approved respirator in nonventilated areas and/or for exposure above the TLV or PEL.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

Other: Faceshield (8-inch minimum).

#### GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

### EXPOSURE LIMITS, RTECS

Value Country Source Type Ceiling co2 PPM USA ACGIH

USA MSHA Standard Ceiling co5 PPM (7 MG/M3) USA PEL CL 5 PPM (7 MG/M3) OSHA.

New Zealand OEL

Remarks: check ACGIH TLV

USA NIOSH Ceiling co5 PPM

## EXPOSURE LIMITS

Country Source Type Value Poland NDS 5 MG/M3 10 Poland NDSCh Poland NDSP

## Section 9 - Physical/Chemical Properties

Appearance Physical State: Liquid

Color: Faintly yellow Clear

Odor: Pungent

Property Value At Temperature or Pressure

Molecular Weight 36.46 AMU рΗ N/A

-114.2 °C MP/MP Range

N/A -114.2 °C Freezing Point

21.1 °C Vapor Pressure 166.991 mmHg  $1.3 \, \text{g/l}$ 

Vapor Density Saturated Vapor Conc. N/A

SG/Density 1.2 g/cm

Bulk Density N/A Odor Threshold N/A Volatile% N/A VOC Content N/A Water Content N/A Solvent Content N/AEvaporation Rate N/AViscosity N/A Surface Tension N/A Partition Coefficient N/A Decomposition Temp. N/A

Flash Point N/A Explosion Limits N/A Flammability N/A Autoignition Temp N/ARefractive Index N/A Optical Rotation N/AMiscellaneous Data N/A Solubility N/A

N/A = not available

## Section 10 - Stability and Reactivity

### STABILITY

Stable: Stable.

Conditions to Avoid: Do not allow water to enter container. Materials to Avoid: Bases, Amines, Alkali metals Copper, Copper alloys, Aluminum.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Hydrogen chloride gas.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

# Section 11 - Toxicological Information

## ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes burns.

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

## SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

### TOXICITY DATA

Oral

Man

2.857 mg/kg

Remarks: Vascular:BP lowering not charactertized in autonomic section. Lungs, Thorax, or Respiration: Respiratory depression. Gastrointestinal: Changes in structure or function of esophagus.

Oral

Woman

420 UL/KG

LIDIO

Remarks: Behavioral: Excitement. Cardiac: Pulse rate. Kidney,

Ureter, Bladder: Hematuria.

```
Inhalation
   Human
   1,300 ppm
   LCLO
   Inhalation
  Human
   3,000 ppm
  LCLO
   Inhalation
  Rat
   3,124 ppm
  LC50
  Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and
  Taste):Olfaction:Other changes. Sense Organs and Special Senses
   (Nose, Eye, Ear, and Taste): Eye: Iritis.
   Inhalation
  Mouse
   1,108 ppm
  LC50
   Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and
   Taste): Eye: Other. Lungs, Thorax, or Respiration: Respiratory
   stimulation. Skin and Appendages: Skin: After systemic exposure:
  Dermatitis, other
   Intraperitoneal
  Mouse
  40142 UG/KG
  LD50
  Oral
   Rabbit
  900 mg/kg
  LD50
IRRITATION DATA
  Eyes
  Rabbit
   5 ma
   30S
  Remarks: Rinsed
IARC CARCINOGEN LIST
  Rating: Group 3
CHRONIC EXPOSURE - TERATOGEN
   Species: Rat
   Dose: 450 MG/M3/1H
  Route of Application: Inhalation
  Exposure Time: (1D PRE)
   Result: Effects on Embryo or Fetus: Fetotoxicity (except death,
   e.g., stunted fetus). Specific Developmental Abnormalities:
  Homeostasis
CHRONIC EXPOSURE - MUTAGEN
   Species: Hamster
```

Dose: 30 MMOL/L Cell Type: lung

Mutation test: Cytogenetic analysis

Species: Hamster Dose: 8 MMOL/L Cell Type: ovary

Mutation test: Cytogenetic analysis

## Section 12 - Ecological Information

No data available.

## Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations.

# Section 14 - Transport Information

### DOT

Proper Shipping Name: Hydrochloric acid

UN#: 1789 Class: 8

Packing Group: Packing Group II

Hazard Label: Corrosive

PIH: Not PIH

#### IATA

Proper Shipping Name: Hydrochloric acid

IATA UN Number: 1789 Hazard Class: 8 Packing Group: II

# Section 15 - Regulatory Information

## EU DIRECTIVES CLASSIFICATION

Symbol of Danger: C

Indication of Danger: Corrosive.

R: 34 37

Risk Statements: Causes burns. Irritating to respiratory system.

S: 26 36/37/39 45

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Toxic.

Risk Statements: Toxic by inhalation. Causes burns. Irritating to respiratory system.

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

TSCA INVENTORY ITEM: Yes

### CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes NDSL: No

Section 16 - Other Information

#### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.