

## MATERIAL SAFETY DATA SHEET

**Product Trade Name:** SOLUTION A

**Revision Date:** 20-Dec-2012

<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING</b>
--

**Statement of Hazardous Nature** Hazardous according to the criteria of NOHSC, Dangerous Goods according to the criteria of ADG.

**Manufacturer/Supplier** Halliburton Australia Pty. Ltd.  
15 Marriott Road  
Jandakot  
WA 6164  
Australia

ACN Number: 009 000 775  
Telephone Number: 61 (08) 9455 8300  
Fax Number: 61 (08) 9455 5300

**Product Emergency Telephone**  
Australia: 08-64244950  
Papua New Guinea: 05 1 281 575 5000  
NewZealand: 06-7559274

**Fire, Police & Ambulance - Emergency Telephone**  
Australia: 000  
Papua New Guinea: 000  
New Zealand: 111

**Identification of Substances or Preparation**

**Product Trade Name:** SOLUTION A  
**Synonyms:** None  
**Chemical Family:** Blend  
**UN Number:** , UN1993  
**Dangerous Goods Class:** None  
**Subsidiary Risk:** None  
**Hazchem Code:** None Allocated  
**Poisons Schedule:** None Allocated  
**Application:** Component

**Prepared By** Chemical Compliance  
Telephone: 1-580-251-4335  
e-mail: fdunexchem@halliburton.com

<b>2. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

Substances	CAS Number	PERCENT	Australia NOHSC	New Zealand WES	ACGIH TLV-TWA
Butyl glycidyl ether	2426-08-6	1 - 5%	TWA: 25 ppm TWA: 133 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 133 mg/m <sup>3</sup>	TWA: 3 ppm

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Acetone	67-64-1	5 - 10%	TWA: 500 ppm TWA: 1185 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 2375 mg/m <sup>3</sup>	STEL: 1000 ppm STEL: 2375 mg/m <sup>3</sup> TWA: 500 ppm TWA: 1185 mg/m <sup>3</sup>	TWA: 500 ppm STEL: 750 ppm
Isopropanol	67-63-0	60 - 100%	TWA: 400 ppm TWA: 983 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>	STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup> TWA: 400 ppm TWA: 983 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm

**Non-Hazardous Substance to Total of 100%**

## 3. HAZARDS IDENTIFICATION

### Hazard Overview

May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May cause allergic skin reaction. May be absorbed through the skin. May be harmful if swallowed. Repeated overexposure may cause liver and kidney effects. Flammable.

### Risk Phrases

R11 Highly flammable.  
R36 Irritating to eyes.  
R43 May cause sensitization by skin contact.  
R67 Vapours may cause drowsiness and dizziness.

### HSNO Classification

Not Determined

## 4. FIRST AID MEASURES

### Inhalation

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

### Skin

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.

### Eyes

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

### Ingestion

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

### Notes to Physician

Not Applicable

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons** None known.

**Special Exposure Hazards** May be ignited by heat, sparks or flames. Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases.

**Special Protective Equipment for Fire-Fighters** Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary Measures** Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas.

**Environmental Precautionary Measures** Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning / Absorption** Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

## 7. HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.

**Storage Information** Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Product has a shelf life of 24 months.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

**Respiratory Protection** Organic vapor respirator.  
In high concentrations, supplied air respirator or a self-contained breathing apparatus.

**Hand Protection** Impervious rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol
<b>pH:</b>	Not Determined
<b>Specific Gravity @ 20 C (Water=1):</b>	0.80
<b>Density @ 20 C (kg/l):</b>	0.80
<b>Bulk Density @ 20 C (kg/m<sup>3</sup>):</b>	Not Determined
<b>Boiling Point/Range (C):</b>	80
<b>Freezing Point/Range (C):</b>	Not Determined
<b>Pour Point/Range (C):</b>	Not Determined
<b>Flash Point/Range (C):</b>	11
<b>Flash Point Method:</b>	PMCC
<b>Autoignition Temperature (C):</b>	Not Determined
<b>Flammability Limits in Air - Lower (g/m<sup>3</sup>):</b>	Not Determined
<b>Flammability Limits in Air - Lower (%):</b>	2
<b>Flammability Limits in Air - Upper (g/m<sup>3</sup>):</b>	Not Determined
<b>Flammability Limits in Air - Upper (%):</b>	12
<b>Vapor Pressure @ 20 C (mmHg):</b>	67

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Density (Air=1):	Not Determined
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Soluble
Solubility in Solvents (g/100ml):	Not Determined
VOCs (g/l):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined
Decomposition Temperature (C):	Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	Keep away from heat, sparks and flame.
Incompatibility (Materials to Avoid)	Strong oxidizers.
Hazardous Decomposition Products	Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
<u>Symptoms related to exposure</u>	
<b>Inhalation</b>	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
<b>Skin Contact</b>	May cause skin irritation. May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion. May cause an allergic skin reaction.
<b>Eye Contact</b>	May cause eye irritation.
<b>Ingestion</b>	Irritation of the mouth, throat, and stomach. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions. May cause kidney damage.
<b>Aggravated Medical Conditions</b>	None known.
<b>Chronic Effects/Carcinogenicity</b>	Repeated overexposure may cause liver and kidney effects.
<b>Other Information</b>	None known.
<b>Toxicity Tests</b>	
<b>Oral Toxicity:</b>	Not determined
<b>Dermal Toxicity:</b>	Not determined

<b>Inhalation Toxicity:</b>	Not determined
<b>Primary Irritation Effect:</b>	Not determined
<b>Carcinogenicity</b>	Not determined
<b>Genotoxicity:</b>	Not determined
<b>Reproductive / Developmental Toxicity:</b>	Not determined

## 12. ECOLOGICAL INFORMATION

<b>Mobility (Water/Soil/Air)</b>	Not determined
<b>Persistence/Degradability</b>	Not determined
<b>Bio-accumulation</b>	Not determined

### Ecotoxicological Information

<b>Acute Fish Toxicity:</b>	Not determined
<b>Acute Crustaceans Toxicity:</b>	Not determined
<b>Acute Algae Toxicity:</b>	Not determined

<b>Chemical Fate Information</b>	Not determined
<b>Other Information</b>	Not applicable

## 13. DISPOSAL CONSIDERATIONS

<b>Disposal Method</b>	Disposal should be made in accordance with federal, state, and local regulations.
<b>Contaminated Packaging</b>	Follow all applicable national or local regulations.

## 14. TRANSPORT INFORMATION

### Land Transportation

#### ADR

UN1993, Flammable Liquid, N.O.S. (Contains Isopropanol, Acetone), 3, II

### Air Transportation

#### ICAO/IATA

UN1993, Flammable Liquid, N.O.S., 3, II  
(Contains Isopropanol, Acetone)

### Sea Transportation

#### IMDG

UN1993, Flammable Liquid, N.O.S. (Contains Isopropanol, Acetone), 3, II, (11.7 C)  
EmS F-E, S-E

### Other Transportation Information

Labels: Flammable Liquid

## 15. REGULATORY INFORMATION

### Chemical Inventories

**Australian AICS Inventory** All components listed on inventory or are exempt.  
**New Zealand Inventory of Chemicals** All components listed on inventory or are exempt.  
**US TSCA Inventory** All components listed on inventory or are exempt.  
**EINECS Inventory** This product, and all its components, complies with EINECS

**Classification** F - Highly Flammable.  
Xi - Irritant.

**Risk Phrases** R11 Highly flammable.  
R36 Irritating to eyes.  
R43 May cause sensitization by skin contact.  
R67 Vapours may cause drowsiness and dizziness.

**Safety Phrases** S2 Keep out of reach of children.  
S7 Keep container tightly closed.  
S16 Keep away from sources of ignition - No Smoking.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S24/25 Avoid contact with skin and eyes.

## 16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS  
Not applicable

### Contact

**Australian Poisons Information Centre**  
24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

**New Zealand National Poisons Centre**  
0800 764 766

**Additional Information** For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement** This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*

