

# Material Safety Data Sheet

Sulphuric Acid 0.0200N



## Section 1. Product and Company Identification

**Product name** : Sulphuric Acid 0.0200N  
**Product code** : SX1243F  
**Synonym** : Solution  
**Material uses** : Other non-specified industry: Laboratory Reagent  
**Manufacturer** : EMD Chemicals Inc.  
P.O. Box 70  
480 Democrat Road  
Gibbstown, NJ 08027  
856-423-6300 Technical Service  
Monday - Friday: 8:00 - 5:00 PM  
**Validation date** : **10/17/2007.**  
**Print date** : 10/17/2007.  
**In case of emergency** : 800-424-9300 CHEMTREC (USA)  
613-996-6666 CANUTEC (Canada)  
24 Hours/Day: 7 Days/Week

## Section 2. Hazards Identification

**Physical state** : Liquid.  
**Odor** : Odorless.  
**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
**Emergency overview** : WARNING!  
SUSPECT CANCER HAZARD.  
CONTAINS MATERIAL WHICH MAY CAUSE CANCER.  
MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.  
MAY BE HARMFUL IF SWALLOWED.  
WARNING: This product contains a chemical(s) known to the State of California to cause cancer.  
Avoid contact with skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. Risk of cancer depends on duration and level of exposure.  
**Routes of entry** : Dermal contact. Eye contact. Inhalation. Ingestion.  
**Potential acute health effects**  
**Eyes** : Moderately irritating to eyes.  
**Skin** : Moderately irritating to the skin.  
**Inhalation** : Moderately irritating to the respiratory system.  
**Ingestion** : May be harmful if swallowed.  
**Carcinogenic effects** : Contains material which may cause cancer. Risk of cancer depends on duration and level of exposure.  
**Mutagenic effects** : No known significant effects or critical hazards.  
**Teratogenicity / Reproductive toxicity** : No known significant effects or critical hazards.  
**Medical conditions aggravated by over-exposure** : Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation.  
**See toxicological information (section 11)**

**Continued on Next Page**

## Section 3. Composition/Information on Ingredients

### United States

<u>Name</u>	<u>CAS number</u>	<u>% by Weight</u>
Sulfuric Acid	7664-93-9	0.1 - 0.9
Water	7732-18-5	>99

## Section 4. First Aid Measures

- Eye contact** : Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.
- Skin contact** : Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Inhalation** : Get medical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Ingestion** : Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

## Section 5. Fire Fighting Measures

**Flammability of the product** : No specific hazard.

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Not available.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental Release Measures

- Personal precautions** : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Methods for cleaning up** : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

## Section 7. Handling and Storage

- Handling** : Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.
- Storage** : Keep container tightly closed. Keep container in a cool, well-ventilated area.

## Section 8. Exposure Controls/Personal Protection

### Product name

### Exposure limits

### United States

Sulfuric Acid

**ACGIH TLV (United States, 1/2006). Notes: Refers to Appendix A -- Carcinogens. Thoracic fraction. See Appendix C, paragraph B. Thoracic Particulate Mass TLVs (TPM-TLVs) for those materials that are hazardous when deposited anywhere within the lung airways and the gas-exchange region. Sulfuric acid contained in strong inorganic acid mists ACGIH 2004 Adoption**

TWA: 0.2 mg/m<sup>3</sup> 8 hour/hours. Form: All forms

**NIOSH REL (United States, 12/2001).**

TWA: 1 mg/m<sup>3</sup> 10 hour/hours. Form: All forms

**OSHA PEL (United States, 8/1997).**

TWA: 1 mg/m<sup>3</sup> 8 hour/hours. Form: All forms

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 1 mg/m<sup>3</sup> 8 hour/hours. Form: All forms

**Consult local authorities for acceptable exposure limits.**

- Engineering measures** : Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Personal protection

- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.  
Recommended: face shield
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  
Body: Recommended: safety apron and gloves
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
Recommended: Wear appropriate respirator when ventilation is inadequate.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## Section 9. Physical and Chemical Properties

Physical state	: Liquid.
Color	: Clear. Colorless.
Odor	: Odorless.
pH	: <2 [Acidic.]
Boiling/condensation point	: The lowest known value is 99.9°C (211.8°F) (Water).
Melting/freezing point	: May start to solidify at -0.1°C (31.8°F) based on data for: Water.
Evaporation rate	: 0.36 (Water) compared with(n-Butyl Acetate =1)

## Section 10. Stability and Reactivity

Stability and reactivity	: The product is stable.
Incompatibility with various substances	: Highly reactive with reducing agents, combustible materials, organic materials, metals, acids, alkalis.
Hazardous polymerization	: Will not occur.

## Section 11. Toxicological Information

### Toxicity data

#### United States

<u>Product/ingredient name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Sulfuric Acid	LD50	2140 mg/kg	Oral	Rat
	LD50	2140 mg/kg	Oral	Rat
	LD50	2140 mg/kg	Oral	Rat
	LC50	320 mg/m <sup>3</sup> (2 hour/hours)	Inhalation	Mouse

**Chronic effects on humans** : **CARCINOGENIC EFFECTS** Classified 1 (Proven for humans.) by IARC, 1 (Known to be human carcinogens.) by NTP [Sulfuric Acid]. Classified A2 (Suspected for humans.) by ACGIH [Sulfuric Acid].

**Other toxic effects on humans** : Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation (lung irritant).  
Slightly hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung sensitizer, lung corrosive).

### Specific effects

**Carcinogenic effects** : Contains material which may cause cancer. Risk of cancer depends on duration and level of exposure.

**Mutagenic effects** : No known significant effects or critical hazards.

**Teratogenicity / Reproductive toxicity** : No known significant effects or critical hazards.

### Sensitization

**Ingestion** : No known significant effects or critical hazards.

**Inhalation** : Moderately irritating to the respiratory system.

**Eyes** : Moderately irritating to eyes.

**Skin** : Moderately irritating to the skin.

## Section 12. Ecological Information

**Environmental precautions** : No known significant effects or critical hazards.

**Toxicity of the products of biodegradation** : The products of degradation are less toxic than the product itself.

## Section 13. Disposal Considerations

**Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

**Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.**

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Class	PG*	Label	Additional information
DOT Classification	-	CHEMICALS, N.O.S.	-	-		-

PG\* : Packing group

## Section 15. Regulatory Information

### United States

**HCS Classification** : Irritating material  
Carcinogen

**U.S. Federal regulations** : TSCA 8(b) inventory: Listed

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: Sulfuric Acid

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

**State regulations** : Pennsylvania RTK: SULFURIC ACID: (environmental hazard, generic environmental hazard)

Massachusetts RTK: SULFURIC ACID

New Jersey: Sulphuric Acid 0.0200N

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

## Section 15. Regulatory Information

<u>Ingredient name</u>	<u>Cancer</u>	<u>Reproductive</u>	<u>No significant risk level</u>	<u>Maximum acceptable dosage level</u>
Sulfuric Acid	Yes.	No.	No.	No.

### Canada

**WHMIS (Canada)** : Class D-2A: Material causing other toxic effects (Very toxic).

**CEPA DSL/CEPA NDSL** : CEPA DSL: Water

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

### EU regulations

**Risk phrases** : This product is not classified according to EU legislation.


### International regulations

**International lists** : Australia (NICNAS): Sulfuric Acid; Water  
 China: Sulfuric Acid  
 Germany water class: Sulfuric Acid  
 Japan (METI): Sulfuric Acid; Water  
 Korea (TCCL): Sulfuric Acid; Water  
 Philippines (RA6969): Sulfuric Acid; Water

## Section 16. Other Information

**Label requirements** : WARNING!  
 SUSPECT CANCER HAZARD.  
 CONTAINS MATERIAL WHICH MAY CAUSE CANCER.  
 MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.  
 MAY BE HARMFUL IF SWALLOWED.  
 WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

**National Fire Protection Association (U.S.A.)** :



### Notice to reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.