

MATERIAL SAFETY DATA SHEET (Page 1 of 3)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: EZ FLOW/ SCRUB

Manufacturer's Name : EZ Flow Nail Systems
Address : 13720 Rosecrans Ave
City, State, Zip : Santa Fe Springs CA, 90670
Business Telephone : 562-229-0337
Emergency Telephone : 800-535-5053

SECTION 2: PHYSICAL DATA

Specific Gravity 25/25 : 1.01	Boiling Point : 100 Deg C.
Vapor Pressure : N/A	Physical State : Lotion/Cream
Odor : Fatty	Vapor Density [Air =1] : > 1
Solubility in Water : Soluble	

SECTION 3 : FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup F) : 380 Deg F

Extinguishing Media : ☒Water ☐CO₂ ☐Dry Chemical ☐Foam ☐Water Fog

Special Fire Fighting Procedures : None

NFPA FLAMMABILITY CODE : 0

SECTION 4 : REACTIVITY DATA

Stability :Presents no significant reactivity hazard, not pyrophoric nor reactive with water.

Incompatibility (Materials to avoid): Avoid strong oxidizers.

Hazardous Combustion or Decomposition Products:

Burning liberates CO, CO₂ and smoke. Does not form explosive mixtures with organic materials. Does not undergo explosive decomposition and is shock stable. It is not an oxygen donor

Hazardous Polymerization :

Will not undergo spontaneous exothermic polymerization.

NFPA REACTIVITY CODE : 0

MATERIAL SAFETY DATA SHEET (Page 2 of 3)

PRODUCT NAME: EZ FLOW/ SCRUB

----- SECTION 5 : SPILL OR LEAKAGE PROCEDURES -----

Cleanup of spills or accidental release of material:

Flush with water or soak up with suitable absorbent.

Waste Disposal Methods :

Incineration or sanitary landfill in accordance with local, state and federal regulations and consistent with good ecological practices.

----- SECTION 6 : SPECIAL PROTECTION INFORMATION -----

Respiratory : Use NIOSH/MSHA Approved Respirator if TLV is exceeded

Ventilation : General Mechanical

Protective Gloves : Volatile Resistant if skin contact is anticipated

Eye Protection : Splash proof goggles if handling methods warrant them.

Other Protective Equipment : None Required

----- SECTION 7 : EMERGENCY AND FIRST AID PROCEDURES -----

Eye (contact) : In the event of accidental contact with eyes, irrigate copious amounts of water; if irritation persists obtain medical advice.

Skin (contact): Remove contaminated clothing. If desired flush exposed areas with copious amounts mild soap and water. Cream is NON-IRRITATING to skin.

Ingestion : In the event of accidental ingestion rinse the mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advice immediately.

----- SECTION 8 : EXPOSURE DATA -----

Primary route of exposure : Skin Contact & Possible Inhalation

The approximated vapor pressure of the mixture is sufficiently high enough to be a significant route of exposure.

OSHA PEL : Not Determined

ACGIH TLV : Not Determined

Material is not found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.

MATERIAL SAFETY DATA SHEET (Page 3 of 3)

PRODUCT NAME: EZ FLOW/ SCRUB

SECTION 9 : HEALTH HAZARDS

The identity of the individual percentages of this mixture is proprietary information and is regarded to be a TRADE SECRET.
In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the same health hazards as the individual components when they are present at greater than 10% concentration.

Finally, it should not be assumed that the safety information presented in this section has been obtained from any particular ingredient supplier. Even in those cases where only one supplier for the ingredient is used, the safety information may be from a different source.

REPEATED DAILY DOSES ORALLY & DERMALLY SHOWED NO DAMAGE TO NERVOUS SYSTEM.

NON-TOXIC, PROLONGED SKIN CONTACT WILL NOT CAUSE SKIN RASH AND IRRITATION.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED MINIMAL LIVER DAMAGE.

SKIN CONTACT AT FULL STRENGTH WILL CAUSE MINIMAL EYE IRRITATION.

REPEATED DAILY APPLICATION TO SKIN OF CAUSED NO REPRODUCTIVE EFFECTS.

The following effects were concluded as a result of human testing and observation of one or more of the individual components.

LIQUID HAS MINIMAL IRRITATION TO THE EYES.

LIQUID HAS NO IRRITATION TO THE SKIN.

BOILING VAPOR IS IRRITATING TO THE THROAT AND LUNGS.

BREATHING HIGH CONCENTRATION OF BOILING VAPOR MAY CAUSE ANESTHETIC EFFECTS.

FOR SENSITIVE SKIN REPEATED LONG TERM IMMERSION MAY CAUSE MILD ALLERGIC DERMATITIS.