

SAFETY DATA SHEETS

This SDS packet was issued with item:

074346458

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074346466

MATERIAL SAFETY DATA SHEET

SEALAPEX (BASE AND CATALYST)

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 West Collins Avenue
City, State, Zip: Orange, CA 92867-5422
Telephone: 1-800-KERR-123
Emergency: Chemtrec 1-800-424-9300
Date Prepared: March 2007

2 - COMPOSITION INFORMATION

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

CATALYST

Isobutyl salicylate resin, fumed silica (silicon dioxide), bismuth trioxide, titanium dioxide pigment

BASE

N-ethyl toluene sulfanamide resin, fumed silica (silicon dioxide), zinc oxide, calcium oxide

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/E
Specific Gravity (H₂O = 1): ~1.3
Vapor Pressure (mm Hg): N/A
Melting Point: N/A
Vapor Density (AIR = 1): N/A
Solubility in Water: Insoluble
Reactivity in Water: N/A
Appearance and Odor: Off-white viscous, odorless paste.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/D
Flammable Limits: LEL: N/A **UEL:** N/A
Extinguishing Media: Carbon dioxide, foam, dry chemical.
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: None known
Incompatibility (Material to Avoid): N/A
Hazardous Decomposition Products: N/A
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:

Skin: May be irritating to the skin. Repeated contact may cause allergic dermatitis.

Eyes: May be irritating to the eyes.

Inhalation: Prolonged exposure may cause drowsiness.

Ingestion: Consult physician

Carcinogenicity - NTP: No

IARC Monographs: No OSHA Regulated Carcinogen: No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Wash with soap and water.

Eyes: Flush eyes with water for at least 15 minutes.

Inhalation: Remove to fresh air.

Ingestion: Consult physician.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Wipe up with paper towels and dispose of in a suitable container.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations.

Precautions to be taken in handling and storing: Store in a cool, dry place. Wash thoroughly after handling.

Other precautions: Use according to directions

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): N/A

VENTILATION:

Local Exhaust: N/A

Mechanical (General): Should be sufficient

Protective Gloves: Gloves are recommended.

Eye Protection: Safety glasses

Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Not DOT regulated.

11 - SPECIAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:

H1 F0 R0

[HMIS Index: 4 - Severe Hazard; 3 - Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.

MATERIAL SAFETY DATA SHEET

SEALAPEX (BASE AND CATALYST)

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 West Collins Avenue
City, State, Zip: Orange, CA 92867-5422
Telephone: 1-800-KERR-123
Emergency: Chemtrec 1-800-424-9300
Date Prepared: March 2007

2 - COMPOSITION INFORMATION

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

CATALYST

Isobutyl salicylate resin, fumed silica (silicon dioxide), bismuth trioxide, titanium dioxide pigment

BASE

N-ethyl toluene solfanamide resin, fumed silica (silicon dioxide), zinc oxide, calcium oxide

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/E
Specific Gravity (H₂O = 1): ~1.3
Vapor Pressure (mm Hg): N/A
Melting Point: N/A
Vapor Density (AIR = 1): N/A
Solubility in Water: Insoluble
Reactivity in Water: N/A
Appearance and Odor: Off-white viscous, odorless paste.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/D
Flammable Limits: LEL: N/A **UEL:** N/A
Extinguishing Media: Carbon dioxide, foam, dry chemical.
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: None known
Incompatibility (Material to Avoid): N/A
Hazardous Decomposition Products: N/A
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:

Skin: May be irritating to the skin. Repeated contact may cause allergic dermatitis.

Eyes: May be irritating to the eyes.

Inhalation: Prolonged exposure may cause drowsiness.

Ingestion: Consult physician

Carcinogenicity - NTP: No

IARC Monographs: No OSHA Regulated Carcinogen: No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Wash with soap and water.

Eyes: Flush eyes with water for at least 15 minutes.

Inhalation: Remove to fresh air.

Ingestion: Consult physician.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Wipe up with paper towels and dispose of in a suitable container.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations.

Precautions to be taken in handling and storing: Store in a cool, dry place. Wash thoroughly after handling.

Other precautions: Use according to directions

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): N/A

VENTILATION:

Local Exhaust: N/A

Mechanical (General): Should be sufficient

Protective Gloves: Gloves are recommended.

Eye Protection: Safety glasses

Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Not DOT regulated.

11 - SPECIAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:

H1 F0 R0

[HMIS Index: 4 - Severe Hazard; 3 - Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.