

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

1 Identification

- **Product identifier**
- **Trade name:** Sheila Shine (Aerosol)
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Polishing agent/ Burnishing compound
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Sheila Shine Inc.
7725 W 2nd Court
Hialeah, FL 33014
Phone: (305) 557-1729
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**

| | | |
|-----------------|------|--|
| Flam. Aerosol 1 | H222 | Extremely flammable aerosol. |
| Press. Gas | H280 | Contains gas under pressure; may explode if heated. |
| Skin Irrit. 2 | H315 | Causes skin irritation. |
| Eye Irrit. 2A | H319 | Causes serious eye irritation. |
| Carc. 1B | H350 | May cause cancer. |
| STOT RE 2 | H373 | May cause damage to the hearing organs through prolonged or repeated exposure. |
| Asp. Tox. 1 | H304 | May be fatal if swallowed and enters airways. |

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS04 GHS07 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

H373 May cause damage to the hearing organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 1)

Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P331 Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P403 Store in a well-ventilated place.
- P405 Store locked up.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA ratings (scale 0 - 4)



Health = 1
Fire = 2
Instability = 0

HMIS-ratings (scale 0 - 4)

| | |
|------------|---|
| HEALTH | 1 |
| FIRE | 2 |
| REACTIVITY | 0 |

Health = *1
Fire = 2
Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

Other hazards

There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Components:

| | | |
|------------|---|--------|
| 64741-89-5 | Distillates (petroleum), solvent-refined light paraffinic ◆ Carc. 1B, H350 | 30-60% |
| 127-18-4 | tetrachloroethylene ◆ Carc. 2, H351 | 10-30% |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic ◆ Carc. 1B, H350 | 10-30% |
| 1330-20-7 | Xylene | 7-13% |

(Cont'd. on page 3)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 2)

| | | |
|----------|--|------|
| | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | |
| 124-38-9 | Carbon dioxide Press. Gas, H280 Simple Asphyxiant | <10% |
| 100-41-4 | Ethylbenzene Flam. Liq. 2, H225 Carc. 2, H351; STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332 | 1-5% |

Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures**Description of first aid measures****After inhalation:**

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Most important symptoms and effects, both acute and delayed:

Coughing

Breathing difficulty

Dizziness

Irritant to skin and mucous membranes.

Nausea

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Disorientation

Danger:

May be harmful if inhaled.

May be fatal if swallowed and enters airways.

Danger of impaired breathing.

Danger of disturbed cardiac rhythm.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 3)

Danger of convulsion.
 Carcinogenic.
 May cause damage to the hearing organs through prolonged or repeated exposure.
Indication of any immediate medical attention and special treatment needed:
 Medical supervision for at least 48 hours.
 If necessary oxygen respiration treatment.
 Monitor circulation.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
 - Water fog / haze
 - Foam
 - Fire-extinguishing powder
 - Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water stream.
- **Special hazards arising from the substance or mixture**
 - Danger of receptacles bursting because of high vapor pressure if heated.
 - During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.
- **Additional information:**
 - Eliminate all ignition sources if safe to do so.
 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
 - Cool endangered containers with water fog.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 - Use respiratory protective device against the effects of fumes/dust/aerosol.
 - Wear protective equipment. Keep unprotected persons away.
 - Ensure adequate ventilation.
 - Keep away from ignition sources.
 - Keep people at a distance and stay upwind.
 - Particular danger of slipping on leaked/spilled product.
- **Environmental precautions**
 - Do not allow to enter sewers/ surface or ground water.
 - Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up**
 - Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
 - Remove from the water surface (e.g. skim or suck off).
 - Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

See Section 13 for disposal information.

(Cont'd. of page 4)

7 Handling and storage

· Handling

· Precautions for safe handling:

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Handle with care.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

· Information about protection against explosions and fires:

Emergency cooling must be available in case of nearby fire.

Keep ignition sources away - Do not smoke.

Prevent impact and friction.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s)

No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

127-18-4 tetrachloroethylene

| | |
|-------------|---|
| PEL (USA) | Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 3 hrs |
| REL (USA) | Minimize workplace exp. concs.;Pocket Guide App. A |
| TLV (USA) | Short-term value: 685 mg/m ³ , 100 ppm Long-term value: 170 mg/m ³ , 25 ppm BEI |
| EL (Canada) | Short-term value: 100 ppm Long-term value: 25 ppm IARC 2A |

(Cont'd. on page 6)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 5)

| | |
|---------------|---|
| EV (Canada) | Short-term value: 100 ppm Long-term value: 25 ppm |
| LMPE (Mexico) | Short-term value: 100 ppm Long-term value: 25 ppm A3, IBE |

1330-20-7 Xylene

| | |
|---------------|--|
| PEL (USA) | Long-term value: 435 mg/m ³ , 100 ppm |
| REL (USA) | Short-term value: 655 mg/m ³ , 150 ppm Long-term value: 435 mg/m ³ , 100 ppm |
| TLV (USA) | Short-term value: 651 mg/m ³ , 150 ppm Long-term value: 434 mg/m ³ , 100 ppm BEI |
| EL (Canada) | Short-term value: 150 ppm Long-term value: 100 ppm |
| EV (Canada) | Short-term value: 650 mg/m ³ , 150 ppm Long-term value: 435 mg/m ³ , 100 ppm |
| LMPE (Mexico) | Short-term value: 150 ppm Long-term value: 100 ppm A4, IBE |

124-38-9 Carbon dioxide

| | |
|---------------|---|
| PEL (USA) | Long-term value: 9000 mg/m ³ , 5000 ppm |
| REL (USA) | Short-term value: 54,000 mg/m ³ , 30,000 ppm Long-term value: 9000 mg/m ³ , 5000 ppm |
| TLV (USA) | Short-term value: 54,000 mg/m ³ , 30,000 ppm Long-term value: 9000 mg/m ³ , 5000 ppm |
| EL (Canada) | Short-term value: 15000 ppm Long-term value: 5000 ppm |
| EV (Canada) | Short-term value: 54,000 mg/m ³ , 30,000 ppm Long-term value: 9,000 mg/m ³ , 5,000 ppm |
| LMPE (Mexico) | Short-term value: 30000 ppm Long-term value: 5000 ppm |

100-41-4 Ethylbenzene

| | |
|---------------|---|
| PEL (USA) | Long-term value: 435 mg/m ³ , 100 ppm |
| REL (USA) | Short-term value: 545 mg/m ³ , 125 ppm Long-term value: 435 mg/m ³ , 100 ppm |
| TLV (USA) | Long-term value: 87 mg/m ³ , 20 ppm BEI |
| EL (Canada) | Long-term value: 20 ppm IARC 2B |
| EV (Canada) | Short-term value: 540 mg/m ³ , 125 ppm Long-term value: 435 mg/m ³ , 100 ppm |
| LMPE (Mexico) | Long-term value: 20 ppm |

· Ingredients with biological limit values:**127-18-4 tetrachloroethylene**

| | |
|-----------|-------|
| BEI (USA) | 3 ppm |
|-----------|-------|

(Cont'd. on page 7)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 6)

Medium: end-exhaled air
 Time: prior to shift
 Parameter: Tetrachloroethylene

0.5 mg/L
 Medium: blood
 Time: prior to shift
 Parameter: Tetrachloroethylene

1330-20-7 Xylene

BEI (USA) 1.5 g/g creatinine
 Medium: urine
 Time: end of shift
 Parameter: Methylhippuric acids

100-41-4 Ethylbenzene

BEI (USA) 0.7 g/g creatinine
 Medium: urine
 Time: end of shift at end of workweek
 Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)

-
 Medium: end-exhaled air
 Time: not critical
 Parameter: Ethyl benzene (semi-quantitative)

Exposure controls**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not carry product impregnated cleaning cloths in trouser pockets.

Engineering controls: No relevant information available.**Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:

Safety glasses

Body protection: Protective work clothing**Limitation and supervision of exposure into the environment**

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

No relevant information available.

(Cont'd. of page 7)

- **Risk management measures** No relevant information available.

9 Physical and chemical properties

| | |
|--|--|
| · Information on basic physical and chemical properties | |
| · Appearance: | |
| Form: | Liquid |
| Color: | Clear |
| · Odor: | Pleasant |
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| · Melting point/Melting range: | Not determined. |
| · Boiling point/Boiling range: | 110 °C (230 °F) |
| · Flash point: | 53 °C (127.4 °F) (TOC of liquid) |
| · Flammability (solid, gaseous): | Not applicable. |
| · Auto-ignition temperature: | Not determined. |
| · Decomposition temperature: | Not determined. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits | |
| Lower: | ~1.1 Vol % |
| Upper: | ~7.0 Vol % |
| · Oxidizing properties: | Non-oxidizing. |
| · Vapor pressure at 20 °C (68 °F): | 10 mmHg / 838 psig (Liquid / Propellant) |
| · Density: | |
| Relative density: | 0.964 |
| Vapor density at 20 °C (68 °F): | > 1 (air = 1) |
| Evaporation rate at 20 °C (68 °F): | < 1 (butyl acetate = 1) |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Other information | No relevant information available. |

10 Stability and reactivity

- **Reactivity:** No relevant information available.

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 8)

- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Develops readily flammable gases / fumes.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
Reacts with strong acids and oxidizing agents.
Reacts with certain metals.
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Hydrocarbons
Chlorine compounds

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

127-18-4 tetrachloroethylene

| | | |
|------|------|------------------|
| Oral | LD50 | 2629 mg/kg (rat) |
|------|------|------------------|

1330-20-7 Xylene

| | | |
|--------|------|---------------------|
| Oral | LD50 | 4300 mg/kg (rat) |
| Dermal | LD50 | 2000 mg/kg (rabbit) |

100-41-4 Ethylbenzene

| | | |
|--------|------|----------------------|
| Oral | LD50 | 3500 mg/kg (rat) |
| Dermal | LD50 | 17800 mg/kg (rabbit) |

- **Primary irritant effect:**

- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Causes eye irritation.
- **Sensitization:** Based on available data, the classification criteria are not met.

- **IARC (International Agency for Research on Cancer):**

| | | |
|----------|---------------------|----|
| 127-18-4 | tetrachloroethylene | 2A |
| 100-41-4 | Ethylbenzene | 2B |

- **NTP (National Toxicology Program):**

| | | |
|----------|---------------------|---|
| 127-18-4 | tetrachloroethylene | R |
|----------|---------------------|---|

- **OSHA-Ca (Occupational Safety & Health Administration):**

| | | |
|-------------------------------------|--|--|
| None of the ingredients are listed. | | |
|-------------------------------------|--|--|

- **Probable route(s) of exposure:**

| |
|---------------|
| Inhalation. |
| Eye contact. |
| Skin contact. |

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 9)

- **Carcinogenicity:** May cause cancer.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:**
May cause damage to the hearing organs through prolonged or repeated exposure.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.

12 Ecological information

· Toxicity

· Aquatic toxicity

Toxic to aquatic life with long lasting effects.

127-18-4 tetrachloroethylene

| | |
|------|---------------------------------|
| LC50 | 4.99 mg/l (Oncorhynchus mykiss) |
|------|---------------------------------|

1330-20-7 Xylene

| | |
|------|---------------------------------|
| LC50 | 13.4 mg/l (pimephales promelas) |
|------|---------------------------------|

100-41-4 Ethylbenzene

| | |
|------|----------------------|
| EC50 | 1-10 mg/kg (daphnia) |
|------|----------------------|

| | |
|------|---------------------------------------|
| LC50 | 1-10 mg/l (Green Algae (chlorophyta)) |
|------|---------------------------------------|

| | |
|--|--------------------------------|
| | 4.2 mg/l (Oncorhynchus mykiss) |
|--|--------------------------------|

· Persistence and degradability

No relevant information available.

· Bioaccumulative potential:

No relevant information available.

· Mobility in soil:

No relevant information available.

· Additional ecological information

· General notes:

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Do not allow product to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· Other adverse effects

No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

· Recommendation:

Disposal must be made according to official regulations.

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 10)

14 Transport information

| | |
|--------------------------------|---|
| · UN-Number | |
| · DOT, ADR/RID/ADN, IMDG, IATA | UN1950 |
| · UN proper shipping name | |
| · DOT | Aerosols |
| · ADR/RID/ADN, IMDG | AEROSOLS |
| · IATA | Aerosols, flammable, containing substances in Division 6.1, Packing Group III |
| · Transport hazard class(es) | |
| · DOT | |
| |  |
| · Class | 2.1 |
| · Label | 2.1 |
| · ADR/RID/ADN | |
| |   |
| · Class | 2 5F |
| · Label | 2.1+6.1 |
| · IMDG | |
| |   |
| · Class | 2.1 |
| · Label | 2.1/6.1 |
| · IATA | |
| |   |
| · Class | 2.1 |
| · Label | 2.1 (6.1) |
| · Packing group | Aerosols are not assigned a packing group. |
| · Environmental hazards | Product contains environmentally hazardous substances: tetrachloroethylene |
| · Marine pollutant: | |
| |  Yes |

(Cont'd. on page 12)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 11)

| | |
|---------------------------------------|---------------------------------|
| · Special precautions for user | Warning: Gases |
| · Danger code (Kemler): | - |
| · EMS Number: | F-D,S-U |
| · Segregation groups | Liquid halogenated hydrocarbons |

| | |
|--|-----------------|
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
|--|-----------------|

· **Transport/Additional information:**

· **DOT**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1000 mL.

· **ADR/RID/ADN**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL.

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **United States (USA)**

· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

| | |
|-----------|---------------------|
| 127-18-4 | tetrachloroethylene |
| 1330-20-7 | Xylene |
| 100-41-4 | Ethylbenzene |

(Cont'd. on page 13)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 12)

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

| | |
|----------|---------------------|
| 127-18-4 | tetrachloroethylene |
|----------|---------------------|

| | |
|----------|--------------|
| 100-41-4 | Ethylbenzene |
|----------|--------------|

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

| | | |
|----------|---------------------|---|
| 127-18-4 | tetrachloroethylene | L |
|----------|---------------------|---|

| | | |
|-----------|--------|---|
| 1330-20-7 | Xylene | I |
|-----------|--------|---|

| | | |
|----------|--------------|---|
| 100-41-4 | Ethylbenzene | D |
|----------|--------------|---|

· IARC (International Agency for Research on Cancer):

| | | |
|----------|---------------------|----|
| 127-18-4 | tetrachloroethylene | 2A |
|----------|---------------------|----|

| | | |
|----------|--------------|----|
| 100-41-4 | Ethylbenzene | 2B |
|----------|--------------|----|

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Flam. Aerosol 1: Aerosols – Category 1

Press. Gas: Gases under pressure – Compressed gas

Press. Gas: Gases under pressure – Liquefied gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1B: Carcinogenicity – Category 1B

(Cont'd. on page 14)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 07, 2018

Revision: December 07, 2018

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 13)

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor/internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com