

# Safety Data Sheet



## Silvashield® Injectable Tree Insecticide

Version 1 / AUS  
102000011108

1/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Silvashield® Injectable Tree Insecticide  
**Product code (UVP)** 06364284

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Eye irritation: Category 2A

H319 Causes serious eye irritation.

Skin irritation: Category 2

H315 Causes skin irritation.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to specific Australian legislation

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Imidacloprid

**Signal word:** Warning

##### Hazard statements



## Silvashield® Injectable Tree Insecticide

Version 1 / AUS  
102000011108

2/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P264 Wash hands thoroughly after handling.  
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
+ P338  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Imidacloprid 200 g/l

Chemical nature Soluble concentrate (SL)

| Chemical Name                             | CAS-No.     | Concentration [%] |
|---|-------------|-------------------|
| Imidacloprid                              | 138261-41-3 | 17.10             |
| Propylene carbonate                       | 108-32-7    | > 1.00 - < 25.00  |
| Other ingredients (non-hazardous) to 100% |             |                   |

## SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation** Call a physician or poison control center immediately. Move to fresh air. Keep patient warm and at rest.

**Skin contact** Wash off immediately with polyethylene glycol 400, then with plenty of water. If symptoms persist, call a physician.



**Silvashield® Injectable Tree Insecticide**

Version 1 / AUS  
102000011108

3/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.)

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** If large amounts are ingested, the following symptoms may occur:, Abdominal pain, Nausea, Dizziness

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment** Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

**SECTION 5. FIRE FIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Contain the spread of the fire-fighting media. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**Hazchem Code** •3Z



**Silvashield® Injectable Tree Insecticide**

Version 1 / AUS  
102000011108

4/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

| Components   | CAS-No.     | Control parameters             | Update | Basis    |
|--------------|-------------|--------------------------------|--------|----------|
| Imidacloprid | 138261-41-3 | 0.7 mg/m <sup>3</sup><br>(TWA) |        | OES BCS* |

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**



## Silvashield® Injectable Tree Insecticide

Version 1 / AUS  
102000011108

5/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

|                                    |  |
|------------------------------------|--|
| <b>Respiratory protection</b>      | Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent.   |
| <b>Hand protection</b>             | Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. |
| <b>Eye protection</b>              | Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).  |
| <b>Skin and body protection</b>    | Wear standard coveralls and Category 3 Type 6 suit.<br>Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.   |
| <b>General protective measures</b> | In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.  |
| <b>Engineering Controls</b>        |  |
| <b>Advice on safe handling</b>     | Use only in area provided with appropriate exhaust ventilation.  |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| <b>Form</b>                                   | Liquid, clear  |
| <b>Colour</b>                                 | yellow to light brown  |
| <b>Odour</b>                                  | aromatic   |
| <b>pH</b>                                     | 6.0 - 8.0 at 1 % (23 °C) (deionized water)                               |
| <b>Flash point</b>                            | 97 °C  |
| <b>Auto-ignition temperature</b>              | 295 °C   |
| <b>Density</b>                                | ca. 1.17 g/cm <sup>3</sup> at 20 °C<br>1.1495 g/cm <sup>3</sup> at 40 °C |
| <b>Water solubility</b>                       | completely soluble   |
| <b>Partition coefficient: n-octanol/water</b> | Imidacloprid: log Pow: 0.57  |
| <b>Viscosity, dynamic</b>                     | 0.004 mPaxs at 40 °C   |
| <b>Surface tension</b>                        | 41.9 mN/m at 40 °C   |
| <b>Explosivity</b>                            | Not explosive<br>92/69/EEC, A.14 / OECD 113                              |
| <b>9.2 Other information</b>                  | Further safety related physical-chemical data are not known.             |



**Silvashield® Injectable Tree Insecticide**

Version 1 / AUS  
102000011108

6/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

**SECTION 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) ca. 2,500 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 6.312 mg/l  
Exposure time: 4 h  
Determined in the form of a respirable aerosol.  
Highest attainable concentration.  
Test conducted with a similar formulation.

**Acute dermal toxicity** LD50 (Rat) > 4,000 mg/kg

**Skin irritation** No skin irritation (Rabbit)

**Eye irritation** Slight irritant effect - does not require labelling. (Rabbit)

**Sensitisation** Non-sensitizing. (Guinea pig)  
OECD Test Guideline 406, Magnusson & Kligman test

**Assessment mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

**Assessment developmental toxicity**

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.



## Silvashield® Injectable Tree Insecticide

Version 1 / AUS  
102000011108

7/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient imidacloprid.

#### Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l  
Exposure time: 24 h  
The value mentioned relates to the active ingredient imidacloprid.

#### Chronic toxicity to aquatic invertebrates

EC10 (Chironomus riparius (non-biting midge)): 2,09 µg/l  
Exposure time: 28 d  
The value mentioned relates to the active ingredient imidacloprid.

#### Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient imidacloprid.

#### Toxicity to other organisms

LD50 (Coturnix japonica (Japanese quail)) 31 mg/kg  
LD50 (Colinus virginianus (Bobwhite quail)) 152 mg/kg

### 12.2 Persistence and degradability

#### Biodegradability

Imidacloprid:  
Not rapidly biodegradable



**Silvashield® Injectable Tree Insecticide**

Version 1 / AUS  
102000011108

8/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

**Koc** Imidacloprid: Koc: 225

**12.3 Bioaccumulative potential**

**Bioaccumulation** Imidacloprid:  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Imidacloprid: Moderately mobile in soils

**12.5 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SECTION 14. TRANSPORT INFORMATION**

**ADG**

|                            |   |
|----------------------------|---|
| UN number                  | <b>3082</b>   |
| Transport hazard class(es) | 9   |
| Subsidiary Risk            | None  |
| Packaging group            | III   |
| Description of the goods   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION) |
| Hazchem Code               | •3Z   |

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

**IMDG**

|                            |   |
|----------------------------|---|
| UN number                  | <b>3082</b>   |
| Transport hazard class(es) | 9   |
| Subsidiary Risk            | None  |
| Packaging group            | III   |
| Marine pollutant           | YES   |
| Description of the goods   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION) |

**IATA**

|                            |             |
|----------------------------|-------------|
| UN number                  | <b>3082</b> |
| Transport hazard class(es) | 9           |



## Silvashield® Injectable Tree Insecticide

Version 1 / AUS  
102000011108

9/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

|                          |  |
|--------------------------|--|
| Subsidiary Risk          | None   |
| Packaging group          | III  |
| Environm. Hazardous Mark | YES  |
| Description of the goods | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION ) |

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 62475

#### SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Silvashield® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

#### Abbreviations and acronyms

|         |   |
|---------|---|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways                     |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road                                 |
| ATE     | Acute toxicity estimate   |
| AU OEL  | Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) |
| CAS-Nr. | Chemical Abstracts Service number   |
| CEILING | Ceiling Limit Value   |
| Conc.   | Concentration   |
| EC-No.  | European community number   |
| ECx     | Effective concentration to x %  |
| EINECS  | European inventory of existing commercial substances  |
| ELINCS  | European list of notified chemical substances   |
| EN      | European Standard   |
| EU      | European Union  |
| IATA    | International Air Transport Association   |
| IBC     | International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)      |



## Silvashield® Injectable Tree Insecticide

Version 1 / AUS  
102000011108

10/10  
Revision Date: 02.11.2016  
Print Date: 02.11.2016

|           |  |
|-----------|--|
| ICx       | Inhibition concentration to x %  |
| IMDG      | International Maritime Dangerous Goods   |
| LCx       | Lethal concentration to x %  |
| LDx       | Lethal dose to x %   |
| LOEC/LOEL | Lowest observed effect concentration/level   |
| MARPOL    | MARPOL: International Convention for the prevention of marine pollution from ships   |
| N.O.S.    | Not otherwise specified  |
| NOEC/NOEL | No observed effect concentration/level   |
| OECD      | Organization for Economic Co-operation and Development   |
| OES BCS   | OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"   |
| PEAK      | PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.   |
| RID       | Regulations concerning the International Carriage of Dangerous Goods by Rail   |
| SK-SEN    | Skin sensitiser  |
| SKIN_DES  | SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.  |
| STEL      | STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. |
| TWA       | TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.  |
| TWA       | Time weighted average  |
| UN        | United Nations   |
| WHO       | World health organisation  |

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS