# **SAFETY DATA SHEET**



Date of issue/Date of revision18 September 2015Version 2

Section 1. Identification		
Product name	: Small Pore Silica	
Product code	: 01180	
Other means of identification	: Synthetic Precipitated Silicas; Hydrated Amorphous Silica; Silicon Dioxide; SiO2	
Product type	: Solid.	
Relevant identified uses of	f the substance or mixture and uses advised against	
Product use	: Industrial applications.	
Use of the substance/ mixture	<ul> <li>Fillers (for paints, rubbers, adhesives, plastic etc.) - Reinforcing fillers Fillers (for paints, rubbers, adhesives, plastic etc.) - Extenders</li> </ul>	
Uses advised against	: Not applicable.	
Supplier	: PPG Industries, Inc. One PPG Place	
	Pittsburgh, PA 15272	
	PPG Industries Chemicals BV	
	PO Box 181, 9930 - AD, Delfzijl, The Netherlands	
Emergency telephone number	: (412) 434-4515 (U.S.)	
Technical Phone Number	: 1-800-243-6745 (Silica) 8am-5pm Eastern time	

# Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the	: Not classified.
substance or mixture	
<u>GHS label elements</u> Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.

### Section 2. Hazards identification

Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Not applicable.
Hazards not otherwise classified	: None known.

### Section 3. Composition/information on ingredients

Substance/mixture		Substance
Product name		Small Pore Silica
Other means of identification	1	Synthetic Precipitated Silicas; Hydrated Amorphous Silica; Silicon Dioxide; SiO2

#### CAS number/other identifiers

**CAS number** 

: 112926-00-8

Ingredient name	%	CAS number
Silica, amorphous, precipitated and gel	> 87	112926-00-8

Contains no detectable crystalline silica (detection limit <0.1% by weight).

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

#### Description of necessary first aid measures

Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact

: No significant irritation expected other than possible mechanical irritation.

sure limits
ge
g.

#### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	When transferring material into flammable solvents, use proper grounding to avoid electrical sparks.
Hazardous thermal decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Product forms slippery surface when combined with water.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	<ul> <li>Vacuum or sweep up material and place in a designated, labeled waste container.</li> <li>Product forms slippery surface when combined with water.</li> </ul>
Large spill	<ul> <li>Acuum or sweep up material and place in a designated, labeled waste container.</li> <li>Product forms slippery surface when combined with water.</li> </ul>
Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures Advice on general occupational hygiene	<ul> <li>Put on appropriate personal protective equipment (see Section 8).</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Avoid alteration of product properties before use. Calcining (which may result in crystalline formation) or mixing with additives may alter toxicological properties. See also Section 8 for additional information on hygiene measures.</li> </ul>
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

**United States** 

Page: 5/11

Product name Small Pore Silica

# Section 8. Exposure controls/personal protection

#### **Control parameters**

**Respiratory protection** 

ŝ

Occupational exposure lim	its		
Ingredient name		Exp	osure limits
Silica, amorphous, precipitat	ed and gel	None	9.
	Key to abbreviat	tions	
A       = Acceptable Maximum Peak         ACGIH       = American Conference of Governmental Industrial Hygienists.         C       = Ceiling Limit         F       = Fume         IPEL       = Internal Permissible Exposure Limit         OSHA       = Occupational Safety and Health Administration.         R       = Respirable         Z       = OSHA 29CFR 1910.1200 Subpart Z - Toxic and Hazardous Substar		S SR SS STEL TD TLV TWA	<ul> <li>Potential skin absorption</li> <li>Respiratory sensitization</li> <li>Skin sensitization</li> <li>Short term Exposure limit values</li> <li>Total dust</li> <li>Threshold Limit Value</li> <li>Time Weighted Average</li> </ul>
Consult local authorities for a			
Recommended monitoring procedures	: If this product contains ingredie atmosphere or biological monit the ventilation or other control r protective equipment. Referen	oring may be re measures and/c ce should be m documents for	ure limits, personal, workplace equired to determine the effectiveness of or the necessity to use respiratory ade to appropriate monitoring standards. methods for the determination of
Appropriate engineering controls	Good general ventilation should contaminants.	d be sufficient to	o control worker exposure to airborne
Environmental exposure controls	they comply with the requireme	ents of environm or engineering n	uipment should be checked to ensure nental protection legislation. In some nodifications to the process equipment ptable levels.
Individual protection measur	<u>es</u>		
Hygiene measures	eating, smoking and using the Appropriate techniques should Wash contaminated clothing be showers are close to the works	lavatory and at be used to rem efore reusing. E tation location.	ter handling chemical products, before the end of the working period. ove potentially contaminated clothing. Ensure that eyewash stations and safety
Eye/face protection Skin protection	Safety glasses with side shields	S.	
Hand protection			ing with an approved standard should be ucts if a risk assessment indicates this is
Gloves	: Leather, Cloth, Rubber		
Body protection	performed and the risks involve handling this product.	ed and should b	ould be selected based on the task being e approved by a specialist before
Other skin protection		med and the ris	rotection measures should be selected ks involved and should be approved by a

**United States** 

Page: 6/11

Product name Small Pore Silica

### Section 8. Exposure controls/personal protection

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

### Section 9. Physical and chemical properties

Appearance	
Physical state	: 🖻 owder., Solid., or Granular solid.
Color	: White.
Odor	: Odorless.
Odor threshold	: Not available.
рН	: 5 to 7 (5 %suspension)
Melting point	: Not applicable.
Boiling point	: Not applicable.
Flash point	: Closed cup: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Evaporation rate	: Not applicable.
Vapor pressure	: Not applicable.
Vapor density	: Not applicable.
Relative density	: 2.1 (silicon dioxide)
Density(lbs / gal)	: 17.53
Solubility	: Insoluble
Water Solubility at room temperature	: Not applicable.
Partition coefficient: n- octanol/water	: Not available.
Viscosity	: Not Applicable
Volatility	: 0% (w/w)
% Solid. (w/w)	: 100

### Section 10. Stability and reactivity

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.

Product code 01180

Product name Small Pore Silica

## Section 10. Stability and reactivity

Conditions to avoid	:	High temperature (>800 C) treatment (calcining). Avoid alteration of product properties before use. Calcining (which may result in crystalline formation) or mixing with additives may alter toxicological properties.
		Refer to protective measures listed in sections 7 and 8.
Incompatible materials	:	Reactive or incompatible with the following materials: acids, oxidizing materials, strong alkalis.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity				
<b>Conclusion/Summary</b>	:	No knowr	n significan	t effects or critical hazards.
Irritation/Corrosion				
Conclusion/Summary				
Skin	1	No knowr	n significan	t effects or critical hazards.
Eyes	1	No knowr	n significan	t effects or critical hazards.
Respiratory	1	No knowr	n significan	t effects or critical hazards.
Sensitization				
Conclusion/Summary				
Skin	1	No knowr	n significan	t effects or critical hazards.
Respiratory	1	No knowr	n significan	t effects or critical hazards.
<b>Mutagenicity</b>				
<b>Conclusion/Summary</b>	:	No knowr	n significan	t effects or critical hazards.
Carcinogenicity				
Conclusion/Summary	:	No knowr	n significan	t effects or critical hazards.
<u>Classification</u>			-	
Product/ingredient name		OSHA	IARC	NTP
Silica, amorphous,		-	3	-

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4 NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

#### **Reproductive toxicity**

precipitated and gel

<b>Conclusion/Summary</b>	: No known significant effects or critical hazards.	
Teratogenicity		
<b>Conclusion/Summary</b>	: No known significant effects or critical hazards.	

# Section 11. Toxicological information

Specific target organ toxic	ity (single exposure)
Not available.	
Specific target organ toxic	ity (repeated exposure)
Not available.	
Target organs	: Contains material which may cause damage to the following organs: upper respiratory tract, eyes.
Aspiration hazard Not available.	
Information on the likely rou	ites of exposure
Potential acute health effect	<u>ets</u>
Eye contact	: No significant irritation expected other than possible mechanical irritation.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: Prolonged or repeated contact may dry skin and cause irritation.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: coughing Respiratory tract irritation
Skin contact	: Adverse symptoms may include the following: dryness
Ingestion	: No specific data.
	cts and also chronic effects from short and long term exposure
Conclusion/Summary	: An epidemiological study was conducted which included 165 precipitated silica workers who had been exposed an average time span of 8.6 years. Of these 165 workers, 44 had been exposed for an average of 18 years. No adverse effects were noted in complete medical examinations (including chest roentgenograms) of these workers. Pulmonary function decrements were correlated only with smoking and age but not with the degree or duration of dust exposures. Laboratory studies have also been conducted in small animals via inhalation of levels of precipitated silica dust of up to 126 mg/cu.m. per periods from six months to two years. Although precipitated silica was temporarily deposited in the animals' lungs, most of the deposited material was cleared soon after the dust exposure ended. The results of all studies performed by, or known to, PPG indicate a very low order of pulmonary activity for synthetic precipitated silicas. PPG recommends that persons with breathing problems or lung disease should not work in dusty areas unless a physician approves and certifies their fitness to wear respiratory protection.
Short term exposure	
Potential immediate effects	: No significant irritation expected other than possible mechanical irritation.
Potential delayed effects Long term exposure	: Prolonged or repeated contact may dry skin and cause irritation.

# Section 11. Toxicological information

Potential immediate effects	: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Potential delayed effects	: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Potential chronic health effe	<u>ts</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxic	Y
Acute toxicity estimates	
Not available.	

# Section 12. Ecological information

Т	OX	C	itv	

Product/ingredient name	Result	Species	Exposure
Silica, amorphous, precipitated and gel	NOEC >1000 ppm	Daphnia - Daphnia magna	24 hours
	Acute NOEC >10000 ppm Fresh water	Fish	96 hours Static
	Acute NOEC >10000 ppm	Fish - Brachydanio rerio	4 days Static

#### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Silica, amorphous, precipitated and gel	-	-	Not readily

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Silica, amorphous, precipitated and gel	-	0	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

United States Page: 9/11

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### 14. Transport information

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)		-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### **Additional information**

DOT	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : 🔽

### Section 15. Regulatory information

÷

#### United States

United States inventory (TSCA 8b) : All components are listed or exempted.

U.S. Federal regulations

SARA 302/304

#### SARA 304 RQ : Not applicable.

#### **Composition/information on ingredients**

No products were found.

#### SARA 311/312

Classification : Not applicable.

#### **Composition/information on ingredients**

No products were found.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 1 Flammability : 0 Physical hazards : 0

(\*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)	
Health : 1 Flammability : 0 Instability : 0	
Date of previous issue	: 12/19/2014
Organization that prepared the MSDS	: EHS
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>

#### Indicates information that has changed from previously issued version.

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.