


MATERIAL SAFETY DATA SHEET

Section 1: IDENTIFICATION

SONEX

Recommended Use: Hospital and Laboratory Equipment Detergent.
Product Code: 190171 (2x5L), 190171W (2x5L Wide Neck), 190195(15L)



Whiteley Medical

A division of Whiteley Corporation Pty Ltd (A.C.N. 000 906 678)
Postal Address: P. O. Box 1076 North Sydney NSW 2059
Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077
Web: www.whiteley.com.au
Emergency Telephone Number: Poisons Information Centre (National) 131126

Section 2: HAZARDS

Classified as hazardous by the criteria of Safe Work Australia.

Dangerous Goods Class 8 - Corrosive.

- R34: Causes burns.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible).
S46: If swallowed, seek medical advice immediately and show this container or label.

Section 3: COMPOSITION INFORMATION

Ingredient	CAS No	Proportion
Ingredients deemed not to be hazardous	Not applicable	To 100%
Potassium Hydroxide*	1310-58-3	<10%.
Tetrasodium ethylene diamine tetraacetate	64-02-8	<10%

* the actual amount of this material is less than 5%.

Section 4: FIRST AID

- Eye (Contact)** Hold eyelids apart and flush the eye continuously with running water. Take care not to rinse contaminated water into unaffected eye. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek medical attention immediately.
- Skin (Contact)** Remove contaminated clothing and flush skin and hair with running water.
- Inhalation(Breathing)** Remove victim from exposure. Allow patient to assume most comfortable position and keep warm. Oxygen may be administered by qualified personnel if breathing is difficult. Seek medical attention.
- Ingestion (Swallowing)** DO NOT induce vomiting. Rinse mouth with water and give water to drink if victim is conscious. Contact the Poisons Information Centre (Phone

131126) or a doctor.

Advice to Doctor Treat symptomatically for highly alkaline solution.

First Aid Facilities Ensure an eye bath and safety shower are available and ready for use.

Additional Information No aggravated medical conditions are known to be caused by exposure to this product.

Section 5: FIREFIGHTING MEASURE

Suitable Extinguishing Media Solution is not combustible. Use extinguishing media suited to the materials that are burning. eg. Dry chemical, CO₂ or water spray.

Hazards From Combustion Products Carbon dioxide, carbon monoxide, nitrogen oxides and other toxic gases may be produced in the case of fire or during thermal decomposition. Corrosive alkali vapours may be present.

Precautions For Fire Fighters and Special Protective Equipment Firefighters must wear full protective clothing including self contained breathing apparatus and chemical splash suit. Ensure that spillage does not enter drains or water courses. Remove from the vicinity containers not involved in the fire.

Additional Information Hazchem Code – 2R

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide (Guide 37) – for large volumes.

Spills / Clean up For small volumes (approximately less than 1L) - Clean up personnel should wear full protective clothing. Restrict access to area until completion of cleanup. Stop leak if safe to do so. Contain spill with absorbent material, such as toweling, sand, vermiculite or other inert material. Prevent spill entering sewers or waterways. Collect and dispose of spilled material according to local regulations. Wash away remnants with copious amounts of cold water. Clean area by working from the periphery to the centre of spill or from the edge of the room to the centre.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling Contact Whiteley Corporation sales representative for advice when using this product for any application other than that outlined on the label or technical bulletin.
Any non-intended or non-authorised use of this product may result in severe personal injuries including caustic burns, or damage to equipment and severe corrosion.
Store product in original container.
Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities.

Conditions for Safe Storage Store in a cool, dry, well ventilated area away from incompatible materials. Keep container tightly sealed.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards – Source: National Exposure Standards for Atmospheric Contaminants

in the Occupational Environment [NOHSC:1003].

Ingredient

Potassium Hydroxide

CAS No

1310-58-3

ES-TWA2mg/m³**ES-STEL**

Not available

Biological Limit Values

Not available.

Engineering Controls

Ensure adequate ventilation to keep airborne concentrations below exposure standards.

Personal Protective Equipment

Eye/face protection – Safety glasses or chemical resistant goggles should be worn to prevent eye contact.

Skin protection – Use nitrile rubber gloves, apron and chemical resistant boots to prevent skin contact.

Respiratory protections – Respirator is not usually necessary but if product is being used in a confined area where mist is a problem, use a respirator suitable for particulates and alkaline gases.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Slightly hazy, pale brown liquid

Boiling Point Not Available.

Odour Characteristic

Freezing Point Not Available.

pH >13

Solubility Soluble in water.

Specific Gravity 1.07

Flash Point Not Applicable.

Vapour Pressure Not Available.

Upper and Lower Flammability limits (in air) Not Applicable.

Vapour Density Not Available.

Ignition Temperature Not Applicable.

Section 10: STABILITY AND REACTIVITY

Chemical Stability

Stable under normal ambient storage conditions.

Conditions to avoid

Avoid high temperatures (store below 30°C). Protect against physical damage.

Incompatible materials

Incompatible with aluminium, tin, zinc, magnesium and their alloys. Also incompatible with acid and ammonium salts.

Hazardous decomposition products

None known.

Hazardous reactions

May react with ammonium salts, aluminium, tin and zinc to produce flammable hydrogen gas. Reacts violently with acids.

Section 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS**Acute****Swallowed**

May cause pain, nausea, vomiting, tissue damage in the mouth, throat and stomach.

Eye

May cause pain, burning and reddening. Severe damage may result if not treated immediately.

Skin Causes irritation, redness and burns on contact with skin.
Inhaled Inhalation of mist may cause irritation.

Chronic

Swallowed Permanent injury may result.
Eye Permanent injury may result.
Skin Repeated skin contact may lead to contact dermatitis.
Inhalation None known

TOXICITY DATA

Potassium hydroxide LD₅₀ 273mg/kg (oral, rat) RTECS TT2100000
Tetrasodium ethylene diamine tetraacetate LD₅₀ 1260mg/kg (oral, rat)

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Not available.

Persistence and degradability Not available.

Mobility Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal method Refer to State/Territory Land Waste Management Authority. Dispose of material through a licensed waste contractor. Rinse empty containers thoroughly before recycling or disposing to an authorised landfill.

Special precautions Normally suitable for incineration by approved agent.

Section 14: TRANSPORT INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

UN Number 1719
UN Proper Shipping Name CAUSTIC ALKALI LIQUID, N.O.S.
Class and subsidiary risk 8 – Corrosive
Packing Group III
Special precautions for user Not applicable
Hazchem Code 2R

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSDP): schedule 5 – CAUTION.

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

Section 16: OTHER INFORMATION

Date of preparation: 15th August 2013

© This document remains property of Whiteley Corporation Pty Ltd.
Alterations are not permitted without prior written authorisation from Whiteley Corporation Pty Ltd.