


FROM : FAX NO. : Dec. 14 2009 02:54PM P2

Symbol of Quality

GROW  MORE

World Headquarters

**MATERIAL SAFETY DATA SHEET**

(M.S.D.S.)

**I - PRODUCT IDENTIFICATION:**

TRADENAME (As labeled): SUPER TRACER DYE BLUE  
MANUFACTURER'S NAME : GROW MORE, Inc.  
15600 New Century Drive  
Gardena, California 90248-2140  
U.S.A.  
Tel. (310) 515-1700  
Fax (310) 515-4937

DATE PREPARED/REVISED : NOVEMBER 9, 1993

NAME OF PREPARER :

**II - HAZARDOUS INGREDIENTS**

CHEMICAL NAMES	CAS # and %	Exposure Limits in Air (give units) ACGIH TLV OSHA PEL OTHERS (Specify)
----------------	----------------	--

CHEMICAL FAMILY: TRIPHENYLMETHANE DYE

**III - PHYSICAL PROPERTIES**

VAPOR DENSITY (air = 1)	: N/A
SPECIFIC GRAVITY	: 1.0418
SOLUBILITY IN WATER	: SOLUBLE
VAPOR PRESSURE (mmHg at 20°C)	: N/A
APPEARANCE & ODOR	: DARK BLUE LIQUID, NO ORDER
MELTING POINT OR RANGE °F	: N/A
BOILING POINT OR RANGE °F	: N/A
EVAPORATION RATE (butylacetate = 1)	: N/A

15600 New Century Drive • Gardena, California, U.S.A. • 90248 • TEL: 310-515-1700 • FAX: 310-515-4937

Constant Achievement Through Applied Research  
Established 1918

FROM :

FAX NO. :

Dec. 14 2009 02:54PM P3

Material Safety Data Sheet (continuation)

Page -2-

---

IV - FIRE AND EXPLOSION

---

FLASH POINT, °F (Give Method) : N/A

AUTO IGNITION TEMPERATURE, °F : N/A

FLAMMABLE LIMITS IN AIR, (Vol. %) : N/A

Lower (LEL):

Upper (UEL):

FIRE EXTINGUISHING MATERIALS :

☒ water spray☒ carbon dioxide☐ other☐ foam☒ dry chemical

SPECIAL FIREFIGHTING PROCEDURE: NO UNUSUAL PROCEDURE

UNUSUAL FIRE &amp; EXPLOSION HAZARDS: NONE

---

V - HEALTH HAZARD INFORMATION

---

SYMPTOMS OF OVEREXPOSURE FOR EACH POTENTIAL ROUTE OF EXPOSURE:

INHALED : N/A

CONTACT WITH SKIN OR EYES: MAY CAUSE EYE IRRITATION  
SKIN CONTACT MAY RESULT IN MINIMAL IRRITATION

ABSORBED THROUGH SKIN : N/A

SWALLOWED : N/A

---

FIRST AID (EMERGENCY) PROCEDURES:

---

EYE CONTACT : FLUSH EYES WITH WATER AT LEAST 15 MINUTES. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN

SKIN CONTACT : WASH SKIN WITH SOAP AND WATER  
INHALED : N/ASWALLOWED : IF SWALLOWED, DILUTE WITH WATER AND INDUCE VOMITING.  
NEVER GIVE FLUIDS OR INDUCE VOMITING IF THE VICTIM IS UNCONSCIOUS OR HAVING CONVULSIONS.

---

FROM :

FAX NO. :

Dec. 14 2009 02:54PM P4

Material Safety Data Sheet (continuation)

Page -3-

---

**SUSPECTED CANCER AGENT?**

☒ No. This product's ingredients are not found in the lists below.

☐ Yes. FEDERAL OSHA ☐ NTP ☐ IARC ☐

(California employers using CAL-OSHA regulated carcinogens must register with CAL-OSHA. The CAL-OSHA and Federal OSHA carcinogen lists are similar).

---

**VI - REACTIVITY DATA**

STABILITY : ☒ Stable ☐ Unstable

CONDITIONS TO AVOID :

**INCOMPATIBILITY**

(Materials to avoid): NOT KNOWN

**HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS):**

HAZARDOUS POLYMERIZATION: ☐ May occur ☒ Will not occur

CONDITIONS TO AVOID : EXCESSIVE TEMPERATURE OR HEAT

---

**VII - SPILL, LEAK & DISPOSAL PROCEDURES:**

**SPILL RESPONSE PROCEDURES (include employee protection measures):**  
SWEEP UP USING ABSORBENTS. DISPOSE OF IN ACCORDANCE WITH LOCAL OR FEDERAL GOVERNMENTAL RULES.

**PREPARING WASTES FOR DISPOSAL (Container types, neutralization, etc.):** WASH RESIDUE TO SEWER WITH PLENTY OF WATER IF GOVERNMENT REGULATIONS PERMIT.

---

FROM :

FAX NO. :

Dec. 14 2009 02:55PM P5

Material Safety Data Sheet

Page -4-

---

**VIII - SPECIAL HANDLING INFORMATION**

VENTILATION & ENGINEERING CONTROLS: VENT TO REMOVE DUST/FUNES

RESPIRATORY PROTECTION (TYPE): IF DUSTING, USE RESPIRATOR

EYE PROTECTION (TYPE): SAFETY GOGGLES

GLOVES (SPECIFY MATERIAL): RECOMMENDED

OTHER CLOTHING & EQUIPMENT: NORMAL WORKCLOTHES.  
LONG SLEEVE SHIRTS.

WORK PRACTICES, HYGIENIC PRACTICES: N/A

OTHER HANDLING & STORAGE REQUIREMENTS: KEEP AWAY FROM  
EXCESSIVE HEAT. KEEP CONTAINER CLOSED.

PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED  
EQUIPMENT: N/A

---

/pc  
10-22-92