MATERIAL SAFETY DATA SHEET

SECTION I - IDENTIFICATION

PRODUCT NAME: SUPER ALUM -BRITE

HAZARDOUS INGREDIENT

PRODUCT TYPE: Acidic Liquid Cleaning Compound

SECTION II - HAZARDOUS INGREDIENTS

CAS NUMBER

PEL

PERCENT

Water 7732-18-5 No limits established Not Listed 3 ppm. 6 ppm STEL 7664-39-3 Hydrofluoric Acid 5 ppm PEL, STEL **Hvdrochloric Acid** 7647-01-0 Nonylphenoxypolyethyleneoxyethanol No limits established 9016-45-9 Cocoamphodipropionate No limits established 68604-71-7

SECTION III - PHYSICAL DATA

APPEARANCE: Blue-green transparent liquid, with a sharp, irritating odor.

BOILING POINT: 210 degrees F. VAPOR PRESSURE: N/A
VAPOR DENSITY: N/A SPECIFIC GRAVITY: 1.08

PH: Less than 1.0 SOLUBILITY IN WATER: Completely soluble.

SECTION IV - FIRE AND EXPLOSION DATA

SECTION IV - TIME AND EXI EGGION DATA		
	FLASHPOINT: This product is non-flammable.	
	EXTINGUISHING MEDIA: This product is non-flammable. Use extinguishing media	
	suitable for materials already burning.	
	SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas	
	where this product is present should be equipped with an approved, fully enclosed SCBA with a	
	plastic hood window.	
	UNUSUAL FIRE AND EXPLOSION HAZARDS:None known.	
SECTION V - REACTIVITY DATA		
	STABILITY: Stable under normal conditions.	
	HAZARDOUS POLYMERIZATION: This product not known to polymerize.	
	INCOMPATIBILITY: Ferrous metals, aluminum, zinc, magnesium and any	
	other acid sensitive materials.	
	HAZARDOUS BYPRODUCTS: Reaction with metals may liberate hydrogen gas and	
	fluorides.	
SECTION VI - HEALTH DATA		
	ROUTE(S) OF ENTRY: Inhalation, skin absorption, or ingestion.	
	LISTED CARCINOGEN: Not listed by IARC, NTP or OSHA.	
	MEDICAL CONDITION AGGRAVATED:None known.	
	INHALATION: Inhalation of significant amounts of this product can	
	cause damage to lungs resulting in edema.	
	INGESTION: This material can cause burns and serious damage to	
	throat, esophagus and stomach.	
	EYES:	
	SKIN (DERMAL): This product can cause burns that are not immediately	
	SKIN (DERMAL): This product can cause burns that are not immediately painful. This product will also damage underlying tissues such as nerves or bone. Treat all	

SECTION VII FIRST AID

BREATHING (INHALATION): If this product is in	nhaled, get immediate medical		
attention!	TAXON COMPANY OF THE PARTY OF T		
SWALLOWING (INGESTION): DO NOT INDUCE			
of water, followed by either milk or a minimum of 2 teaspoon			
to give liquids to an unconscious person. Get immediate medi EYES:			
15 minutes. Apply ice compresses and GET IMMEDIATE El			
ATTENTION by an eye specialist. It may be necessary to tak			
SKIN (DERMAL):			
skin with fresh water for at least 15 minutes. Treat skin with			
Benzalkonium Chloride 0.13%. This can be purchased from			
concentrate(Winthrop). To make solution, dilute "Zephiran"			
water. Get immediate hospital emergency treatment. DO NO			
NOTE TO PHYSICIAN:			
skin exposures.	3 ()		
SECTION VIII EMPLOYEE PROTECTION			
RESPIRATORY PROTECTION: If necessary, use at	n OSHA approved respirator for acid		
gases.			
PROTECTIVE CLOTHING: Nitrile, vinyl or ne	oprene gloves. Splash goggles and fac		
shield. Protective outerwear and boots.			
ADDITIONAL MEASURES: Do not place this product in an unmarked container!			
Keep away from children! Spilled material is slippery.			
SECTION IX - SPILL AND DISPOSAL DATA			
SPILL: Dike to prevent spillage into streams or sewer systems.			
Consult local, state and federal authorities.	mage into streams or sewer systems.		
WASTE DISPOSAL: As recommended l	v local state and federal authorities		
HANDLING & STORAGE PRECAUTIONS			
containers. Store at ambient temperatures. Keep from freezing			
NOT TRANSFER TO UNMARKED CONTAINERS. KEEP			
SECTION X -OTHER REGULATOR			
PROPER SHIPPING NAME: Hydrofluoric Acid Solution	NFPA HEALTH: 3		
CONSTITUENT: N/A	NFPA FLAMMABILITY: 0		
HAZARD CLASS AND LABEL: 8,6.1 Corrosive, Poison	NFPA REACTIVITY: 0		
ID NUMBER: UN 1790	NFPA OTHER: Acid		
PACKING GROUP: II			
SECTION XI - PRECAUTIONARY STATEMENTS			
WADNING: The information of	antained in this MSDS is based on the		