

## 1. PRODUCT & COMPANY IDENTIFICATION

1.1	Product Name:	<b>SUPER BLUE<sup>®</sup> LIQUID GUN BLUE</b>
1.2	Chemical Name:	Acid Mixture
1.3	Synonyms:	13425, 13432, 13488, 13489, R2, R2-QT
1.4	Trade Names:	Super Blue <sup>®</sup> Liquid Gun Blue
1.5	Product Use:	Metal Finishing
1.6	Distributor's Name:	Birchwood Casey.
1.7	Distributor's Address:	7887 Fuller Road, Suite #100, Eden Prairie, MN 55344 USA
1.8	Emergency Phone:	<b>ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (866) 291-7152</b>
1.9	Business Phone / Fax:	+1 (952) 388-6717

## 2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	<p>This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).</p> <p><b>DANGER! MAY INTENSIFY FIRE; OXIDIZER. TOXIC IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. TOXIC IF INHALED. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.</b></p> <p><u>Hazard Statements (H):</u> H272 – May intensify fire; oxidizer. H301 – Toxic if swallowed. H314 – Causes severe skin burns and eye damage. H331 – Toxic if inhaled. H412 – Harmful to aquatic life with long lasting effects.</p> <p><u>Precautionary Statements (P):</u> P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P260 – Do not breathe dust or mist. P261 – Avoid breathing fume/vapors. P264 – Wash with soap and water thoroughly after handling. P270 – Do not eat, drink, or smoke when using this product. P271 – Use only outdoors or in a well-ventilated area. P273 – Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P321 – Specific treatments see this container label and section 4 First Aid of this SDS. P330 – Rinse mouth. P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P363 – was contaminated clothing before reuse. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 – Call a Poison Center +1-866-291-7152/doctor. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P370+P378 – In case of fire: Use fire-extinguishing media appropriate for surrounding materials to extinguish. P391 – Collect spillage. P403+P233 – Store in a well-ventilated place. Keep container tightly closed. P405 – Store locked up. P501 - Dispose of contents/ container to an approved waste disposal plant.</p>		
2.2	Effects of Exposure:	<p><u>Eyes:</u> Severe or permanent eye damage.  <u>Skin:</u> Burns upon direct contact.  <u>Ingestion:</u> Severe burns of mouth, throat, stomach.  <u>Inhalation:</u> Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage.</p>		
2.3	Symptoms of Overexposure:	<p><u>Eyes:</u> Redness, burning, irritation, and swelling around eyes  <u>Skin:</u> Redness, burning, itching, rash, blistering of skin.  <u>Ingestion:</u> Nausea, vomiting, severe abdominal pain.  <u>Inhalation:</u> Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.</p>		
2.4	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.		
2.5	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.		
2.6	Target Organs:	Eyes, skin, nervous system, kidneys, liver, respiratory system.		


## 3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )									OTHER
					ACGIH		NOHSC			OSHA				
					ppm		ppm			ppm				
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	TLV	STEL	IDLH		
WATER	7732-18-5	ZC0110000	231-791-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE		
SELENIOS ACID	7783-00-8	VS7175000	231-974-7	1-5	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA		
	Acute Tox. 3; Acute Tox. 3; Aquatic Acute 1; Aquatic Chronic; H301, H331, H400, H410													
NITRIC ACID	7697-37-2	QU5775000	231-714-2	1-5	2	4	2	4	NF	2	NA	25		
	Ox. Liq. 3; Skin Corr. 1A; H272, H314													
CUPRIC NITRATE	10031-43-3	NA	221-838-5	1-3	1	NA	NF	NF	NF	1	NA	NA		
	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; H302, H315, H319													
CUPRIC PHOSPHATE	7798-23-4	GI7875000	232-254-5	1-3	1	NA	NF	NF	NF	1	NA	NA		
	Aquatic Chronic 3; H412													

## 4. FIRST AID MEASURES

4.1	First Aid:	<p><b>Ingestion:</b> DO NOT INDUCE VOMITING. Contact Poison Control Center +1 (866) 291-7152 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p><b>Eyes:</b> If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.</p> <p><b>Skin:</b> Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p><b>Inhalation:</b> Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.</p>													
4.2	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system) or impaired kidney function may be more susceptible to the effects of this substance.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0000FF; color: white;"><b>HEALTH</b></td> <td style="text-align: center;"><b>3</b></td> </tr> <tr> <td style="background-color: #FF0000; color: white;"><b>FLAMMABILITY</b></td> <td style="text-align: center;"><b>0</b></td> </tr> <tr> <td style="background-color: #FFA500; color: white;"><b>PHYSICAL HAZARDS</b></td> <td style="text-align: center;"><b>2</b></td> </tr> <tr> <td colspan="2" style="background-color: #FFFFFF; color: black;"><b>PROTECTIVE EQUIPMENT</b></td> </tr> <tr> <td style="background-color: #FFFFFF; color: black;"><b>EYES</b></td> <td style="background-color: #FFFFFF; color: black;"><b>SKIN</b></td> </tr> <tr> <td style="background-color: #FFFFFF; color: black;"><b>LUNGS</b></td> <td style="background-color: #FFFFFF; color: black;"></td> </tr> </table>	<b>HEALTH</b>	<b>3</b>	<b>FLAMMABILITY</b>	<b>0</b>	<b>PHYSICAL HAZARDS</b>	<b>2</b>	<b>PROTECTIVE EQUIPMENT</b>		<b>EYES</b>	<b>SKIN</b>	<b>LUNGS</b>	
<b>HEALTH</b>	<b>3</b>														
<b>FLAMMABILITY</b>	<b>0</b>														
<b>PHYSICAL HAZARDS</b>	<b>2</b>														
<b>PROTECTIVE EQUIPMENT</b>															
<b>EYES</b>	<b>SKIN</b>														
<b>LUNGS</b>															

## 5. FIREFIGHTING MEASURES

5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensify fire; oxidizer.	
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.	
5.3	Firefighting Procedures:	As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.	





## 6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact.</p> <p><b>Small Spills:</b> Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal.</p> <p><b>Large Spills:</b> Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters.</p>
-----	---------	---

## 7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues.
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage.
7.3	Special Precautions:	Empty containers may retain hazardous product residues.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).	
8.2	Respiratory Protection:	In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.	
8.3	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.	
8.4	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product.	
8.5	Body Protection:	A chemical resistant apron and/or protective clothing are recommended when handling or using this product.	

## 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	Clear liquid
9.2	Odor:	Odorless
9.3	Odor Threshold:	0.29 to 0.98 ppm (Nitric Acid)
9.4	pH:	1.0
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	> 100 °C (> 214 °F)
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	< 1.0 (air = 1.0)
9.11	Relative Density:	1.080
9.12	Solubility:	Soluble
9.13	Partition Coefficient (log P <sub>ow</sub> ):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl ether = 1.0)

## 10. STABILITY & REACTIVITY

10.1	Stability:	Stable at normal temperatures.
10.2	Hazardous Decomposition Products:	Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Excessive heat, shock, friction.
10.5	Incompatible Substances:	Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, most metals.

## 11. TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Inhalation: YES	Absorption: YES	Ingestion: YES
11.2	Toxicity Data:	Cupric Nitrate: LD <sub>50</sub> (oral, rat) = 794 mg/kg. Phosphoric Acid: LD <sub>50</sub> (oral, rat) = 1530 mg/kg.		
11.3	Acute Toxicity:	See Section 2.4		
11.4	Chronic Toxicity:	See Section 2.5		
11.5	Suspected Carcinogen:	Components in this product are listed by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans). Cupric nitrate is IARC Group 2A: Probably carcinogenic to humans.		
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.		
11.7	Irritancy of Product:	See Section 2.3		
11.8	Biological Exposure Indices:	NE		
11.9	Physician Recommendations:	Treat symptomatically.		

## 12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	No data available.
12.2	Effects on Plants & Animals:	No data available.
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC <sub>50</sub> (Daphnia magna, 12h) = 4.6 mg/L

## 13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)

## 14. TRANSPORTATION INFORMATION




14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) CONSUMER COMMODITY; EXCEPTED QUANTITY	
14.2	IATA (AIR):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOS ACID, NITRIC ACID), 8,II, LTD QTY (IP VOL ≤ 0.1 L)	
14.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) EXCEPTED QUANTITY	
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)	
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) EXCEPTED QUANTITY	
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO NITRICO), 8, II, CANTIDAD LIMITADA (IP VOL ≤ 1.0 L)	
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) EXCEPTED QUANTITY	

\* This product may also be shipped as an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package)



## 15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product contains <u>Nitric Acid</u> , <u>Cupric Sulfate</u> , <u>Cupric Nitrate</u> and <u>Selenious Acid</u> , substances subject to SARA Title III, section 313 reporting requirements.	
15.2	SARA Threshold Planning Quantity:	302 TPQ (Nitric Acid): 1,000 lbs (454 kg)	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity (RQ):	<u>Selenious Acid</u> : 10 lbs (4.54 kg); <u>Nitric Acid</u> : 1,000 lbs (454 kg); <u>Cupric Sulfate</u> : 10 lbs (4.54 kg)	
15.5	Other Federal Requirements:	NA	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects).	
15.7	State Regulatory Information:	<u>Selenious Acid</u> is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). <u>Nitric Acid</u> is found on the following state criteria lists: FL, MA, MN, NJ, PA, and WA. <u>Cupric nitrate</u> is found on the following state criteria list: MA, PA and NJ. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).	

## 15. REGULATORY INFORMATION – cont'd

15.8	Other Requirements:	<p>The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.</p> <p><u>Selenious Acid</u>: Corrosive (C), Toxic (T).  <u>Risk Phrases</u> (R): R35 – Causes severe burns.</p> <p><u>Safety Phrases</u> (S): S1/2-7/9-24/25-26-28-46 - Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash with plenty of soap and warm water. If swallowed, seek medical advice immediately and show this container or label.</p> <p><u>Nitric Acid</u>: Irritant (Xi).  <u>Risk Phrases</u> (R): 36/38 – Irritating to eyes and skin.  <u>Safety Phrases</u> (S): 1/2-23-26-36-45 – Keep locked up and out of reach of children. Do not breathe fumes/vapors. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing. In case of accident or if you feel unwell seek medical advice immediately (show label where possible).</p>	  
------	---------------------	--	---

## 16. OTHER INFORMATION

16.1	Other Information:	<p><b>DANGER! May intensify fire; oxidizer. Toxic if swallowed. Causes severe skin burns and eye damage. Toxic if inhaled. Harmful to aquatic life with long lasting effects.</b> May be fatal if swallowed or harmful if inhaled. Causes severe burns to eyes and skin. <b>OXIDIZER.</b> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing fume/vapors. Wash with soap and water thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. <b>KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.</b></p>	
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	<p>This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's &amp; Birchwood Casey's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.</p>	
16.4	Prepared for:	<p><b>Birchwood Casey</b>            7887 Fuller Road, Suite #100            Eden Prairie, MN 55344 USA            Tel: +1 (952) 388-6701            Fax: +1 (952) 388/6702  <a href="http://www.birchwoodCasey.com">http://www.birchwoodCasey.com</a></p>	
16.5	Prepared by:	<p><b>ShipMate, Inc.</b>            P.O. Box 787            Sisters, Oregon 97759-0787 USA            Tel: +1 (310) 370-3600            Fax: +1 (310) 370-5700  <a href="http://www.shipmate.com">http://www.shipmate.com</a></p>	

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 6/24/2014

## DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### GENERAL INFORMATION:

<b>CAS No.</b>	Chemical Abstract Service Number
----------------	----------------------------------

### EXPOSURE LIMITS IN AIR:

<b>ACGIH</b>	American Conference on Governmental Industrial Hygienists
<b>TLV</b>	Threshold Limit Value
<b>OSHA</b>	U.S. Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>IDLH</b>	Immediately Dangerous to Life and Health

### FIRST AID MEASURES:

<b>CPR</b>	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

<b>HEALTH</b>
<b>FLAMMABILITY</b>
<b>PHYSICAL HAZARDS</b>
<b>PERSONAL PROTECTION</b>

### PERSONAL PROTECTION RATINGS:

<b>A</b>	
<b>B</b>	
<b>C</b>	
<b>D</b>	
<b>E</b>	
<b>F</b>	

<b>G</b>	
<b>H</b>	
<b>I</b>	
<b>J</b>	
<b>K</b>	
<b>X</b>	Consult your supervisor or SOPs for special handling directions.

Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves
Boots	Synthetic Apron	Protective Clothing & Full Suit	Dust Respirator
Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA

### OTHER STANDARD ABBREVIATIONS:


<b>NA</b>	Not Available
<b>NR</b>	No Results
<b>NE</b>	Not Established
<b>ND</b>	Not Determined
<b>ML</b>	Maximum Limit
<b>SCBA</b>	Self-Contained Breathing Apparatus
<b>Flam.</b>	Flammable
<b>Liq.</b>	Liquid
<b>Sol.</b>	Solid
<b>Tox.</b>	Toxicity
<b>Irrit.</b>	Irritation
<b>Sens.</b>	Sensitization
<b>Ox.</b>	Oxidizing
<b>Corr.</b>	Corrosion
<b>Repr.</b>	Reproductive (Harm)
<b>Asp.</b>	Aspiration
<b>Inh.</b>	Inhalation
<b>Dam.</b>	Damage
<b>STOT SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT RE</b>	Specific Target Organ Toxicity – Repeated Exposure

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:	
<b>Autoignition Temperature</b>	Minimum temperature required to initiate combustion in air with no other source of ignition
<b>LEL</b>	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
<b>UEL</b>	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

### HAZARD RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard
<b>ACD</b>	Acidic
<b>ALK</b>	Alkaline
<b>COR</b>	Corrosive
<b>W</b>	Use No Water
<b>OX</b>	Oxidizer
<b>TREFOIL</b>	Radioactive



### TOXICOLOGICAL INFORMATION:

<b>LD<sub>50</sub></b>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
<b>LC<sub>50</sub></b>	Lethal concentration (gases) which kills 50% of the exposed animal
<b>ppm</b>	Concentration expressed in parts of material per million parts
<b>TD<sub>01</sub></b>	Lowest dose to cause a symptom
<b>TCLo</b>	Lowest concentration to cause a symptom
<b>TD<sub>01</sub>, LD<sub>01</sub>, &amp; LD<sub>02</sub> or TC, TC<sub>01</sub>, LC<sub>01</sub>, &amp; LC<sub>02</sub></b>	Lowest dose (or concentration) to cause lethal or toxic effects
<b>IARC</b>	International Agency for Research on Cancer
<b>NTP</b>	National Toxicology Program
<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances
<b>BCF</b>	Bioconcentration Factor
<b>TL<sub>m</sub></b>	Median threshold limit
<b>log K<sub>ow</sub> or log K<sub>oc</sub></b>	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

<b>WHMIS</b>	Canadian Workplace Hazardous Material Information System
<b>DOT</b>	U.S. Department of Transportation
<b>TC</b>	Transport Canada
<b>EPA</b>	U.S. Environmental Protection Agency
<b>DSL</b>	Canadian Domestic Substance List
<b>NDSL</b>	Canadian Non-Domestic Substance List
<b>PSL</b>	Canadian Priority Substances List
<b>TSCA</b>	U.S. Toxic Substance Control Act
<b>EU</b>	European Union (European Union Directive 67/548/EEC)
<b>WGK</b>	Wassergefährdungsklassen (German Water Hazard Class)

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### EC (67/548/EEC) INFORMATION:

C	E	F	N	O	T	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment