

TEX KING, Acidic Fountain Solution

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA
METHOD: None

FLAMMABLE LIMITS IN AIR

- LOWER (%): None
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Water fog, carbon dioxide, foam, dry chemical.

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

LARGE SPILLS:

Mop up all possible. Rinse down drain.

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water. Releases of some glycol ethers may be CERCLA reportable.

PERSONAL PRECAUTIONS: NA

ENVIRONMENTAL PRECAUTIONS: NA

METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

OTHER PRECAUTIONS:

SPECIFIC USE(S):

Caution: Avoid contact with skin and eyes. Keep from freezing. Avoid creating mists or aerosols.

Read and follow label instructions. Keep out of reach of children.

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:
RESPIRATORY PROTECTION:

Use in a well ventilated area.

Not normally required. If product is used in a manner which creates dust or mist above recommended exposure limits, a NIOSH/MSHA approved respirator with dust/mist filter may be needed in the absence of proper environmental controls.

PROTECTIVE GLOVES:

Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION
EQUIPMENT:

Eyewash fountains and safety showers must be easily accessible. Appropriate protective clothing as needed to prevent skin contact.

VENTILATION:

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Cloudy. Yellow liquid.

BOILING POINT (F):

212° F

(C) NA

VAPOR PRESSURE:

15.7 mm Hg @ 22.2° C

VAPOR DENSITY (AIR=1):

0.625

SOLUBILITY IN WATER:

NA

SPECIFIC GRAVITY:

1.05 +/- 0.01

TEX KING, Acidic Fountain Solution

9. PHYSICAL AND CHEMICAL PROPERTIES

VOC Content (%): 20 - 21
VOV Content (%): NE
EVAPORATION RATE: (BuAc = 1) : 1.26
PH: 3.4 (typical)

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: When heated to high temperatures, the following may be produced: Oxides of Carbon. Oxides of Phosphorus. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID): None
CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

| PRODUCT COMPOSITION CAS# | % | TSCA: | EINECS: | Canada DSL: | CA PROP 65: |
|---|---------|--------|------------------|-------------|-------------|
| Propylene glycol 57-55-6 | 13 max. | Listed | Listed | Listed | Not Listed |
| Acetic acid 64-19-7 | 3 max. | Listed | Listed Listed | Listed | Not Listed |
| Diethylene glycol butyl ether 112-34-5 | 7.5 | Listed | Listed | Listed | Not Listed |

TEX KING, Acidic Fountain Solution

| PRODUCT COMPOSITION CAS# | % | CERCLA: | SARA 302: | SARA 313: |
|---|---------|--------------------|------------|------------|
| Propylene glycol 57-55-6 | 13 max. | Not Listed | Not Listed | Not Listed |
| Acetic acid 64-19-7 | 3 max. | 2270 kg 5000 lb | Not Listed | Not Listed |
| Diethylene glycol butyl ether 112-34-5 | 7.5 | Not Listed | Not Listed | Listed |

| PRODUCT COMPOSITION CAS# | % | Canada WHMIS: |
|---|---------|---------------|
| Propylene glycol 57-55-6 | 13 max. | Listed |
| Acetic acid 64-19-7 | 3 max. | Listed |
| Diethylene glycol butyl ether 112-34-5 | 7.5 | Listed |

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

| PRODUCT COMPOSITION CAS# | % | MARTK: |
|-----------------------------|--------|--------|
| Acetic acid 64-19-7 | 3 max. | Listed |

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

| PRODUCT COMPOSITION CAS# | % | NJRTK: |
|---|--------|--------|
| Acetic acid 64-19-7 | 3 max. | Listed |
| Diethylene glycol butyl ether 112-34-5 | 7.5 | Listed |

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

| PRODUCT COMPOSITION CAS# | % | PARTK: |
|---|---------|--------|
| Propylene glycol 57-55-6 | 13 max. | Listed |
| Acetic acid 64-19-7 | 3 max. | Listed |
| Diethylene glycol butyl ether 112-34-5 | 7.5 | Listed |

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***