

## SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

### THIX-SET COMPONENT A

Revision Date: 03-Oct-2013

Revision Number: 13

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1 Product Identifier

**Product Name** THIX-SET COMPONENT A

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Component

##### 1.3 Details of the supplier of the safety data sheet

Halliburton Energy Services  
Halliburton House, Howemoss Place  
Kirkhill Industrial Estate  
Dyce  
Aberdeen, AB21 0GN  
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

[www.halliburton.com](http://www.halliburton.com)

For further information, please contact

**E-Mail address:** [fdunexchem@halliburton.com](mailto:fdunexchem@halliburton.com)

##### 1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

#### 2. HAZARDS IDENTIFICATION

##### 2.1 Classification of the substance or mixture

###### REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 1 - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318
Carcinogenicity	Category 1A - H350
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - H372

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

<b>Classification</b>	C - Corrosive. T - Toxic.
<b>Risk Phrases</b>	R34 Causes burns. R49 May cause cancer by inhalation. R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

## 2.2 Label Elements

### Hazard Pictograms



### Signal Word

**Danger**

### Hazard Statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H350 - May cause cancer by inhalation

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

### Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### Contains

#### Substances

Crystalline silica, quartz

Zirconium dichloride monoxide octahydrate

#### CAS Number

14808-60-7

13520-92-8

## 2.3 Other Hazards

None known

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	EINECS	CAS Number	PERCENT (w/w)	EEC Classification	EU - CLP Substance Classification	REACH No.
Crystalline silica, quartz	238-878-4	14808-60-7	30 - 60%	T; R49 Xn; R48/20	Carc. 1A (H350i) STOT RE 1 (H372)	No data available
Zirconium dichloride monoxide octahydrate	Not applicable	13520-92-8	30 - 60%	C; R34	Skin Corr. 1B (H314) Eye Dam. 1 (H318)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
<b>Eyes</b>	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
<b>Skin</b>	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
<b>Ingestion</b>	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

May cause eye and skin burns. Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically

## 5. FIREFIGHTING MEASURES

**5.1 Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2 Special hazards arising from the substance or mixture****Special Exposure Hazards**

May form explosive mixtures with strong alkalis. Decomposition in fire may produce toxic gases.

**5.3 Advice for firefighters****Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

## 6. ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 12 for additional information

**6.2 Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3 Methods and material for containment and cleaning up**

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

**6.4 Reference to other sections**

See Section 12 for additional information.

## 7. HANDLING AND STORAGE

**7.1 Precautions for Safe Handling**

Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice

**7.2 Conditions for safe storage, including any incompatibilities**

Store away from alkalis. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container.

**7.3 Specific End Use(s)**

**Exposure Scenario** No information available  
**Other Guidelines** No information available

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1 Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK OEL	Netherlands	France OEL
Crystalline silica, quartz	14808-60-7	Not applicable	STEL: 0.3 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup>	TWA: 0.075 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>
Zirconium dichloride monoxide octahydrate	13520-92-8	Not applicable	5 mg/m <sup>3</sup>	Not applicable	Not applicable

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland
Crystalline silica, quartz	14808-60-7	0,15 mg/m <sup>3</sup>	VLA-ED: 0.1 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>
Zirconium dichloride monoxide octahydrate	13520-92-8	MAK: 1 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> VLA-EC (as Zr) VLA-ED: 5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Crystalline silica, quartz	14808-60-7	Not applicable	Not applicable	Not applicable	STEL: 0.9 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
Zirconium dichloride monoxide octahydrate	13520-92-8	Not applicable	Not applicable	Not applicable	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Crystalline silica, quartz	14808-60-7	Not applicable	NDS: 2 mg/m <sup>3</sup> NDS: 0.3 mg/m <sup>3</sup> NDS: 4.0 mg/m <sup>3</sup> NDS: 1.0 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	Not applicable
Zirconium dichloride monoxide octahydrate	13520-92-8	Not applicable	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	Not applicable

Substances	CAS Number	Denmark
Crystalline silica, quartz	14808-60-7	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
Zirconium dichloride monoxide octahydrate	13520-92-8	5 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)**  
**Worker**

No information available.

**General Population****Predicted No Effect Concentration (PNEC)**

No information available.

**8.2 Exposure controls****Engineering Controls**

Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

**Personal protective equipment****Respiratory Protection**

Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), or equivalent respirator when using this product.

**Hand Protection**

Impervious rubber gloves.

**Skin Protection**

Rubber apron. Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.

**Eye Protection**

Dust proof goggles.

**Other Precautions**

Eyewash fountains and safety showers must be easily accessible.

**Environmental Exposure Controls**

No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**Physical State:** Solid      **Color:** White  
**Odor:** Odorless      **Odor Threshold:** No information available

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
<b>pH:</b>	1
<b>Freezing Point/Range</b>	No data available
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No data available
<b>Flash Point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	2.31
<b>Water Solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

### 9.2 Other information

**VOC Content (%)**      No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Not applicable

### 10.2 Chemical Stability

Stable

### 10.3 Possibility of Hazardous Reactions

Will Not Occur

### 10.4 Conditions to Avoid

Keep away from any contact with water.

### 10.5 Incompatible Materials

Amines. Hydroxylamine. Strong acids. Strong alkalis.

### 10.6 Hazardous Decomposition Products

Flammable hydrogen gas. Chlorine. Hydrogen sulfide. Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects

#### Acute Toxicity

##### Inhalation

Causes severe respiratory irritation. Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

##### Eye Contact

May cause eye burns.

##### Skin Contact

Causes severe burns.

##### Ingestion

Causes burns of the mouth, throat and stomach.

**Chronic Effects/Carcinogenicity** Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica, quartz	14808-60-7	500 mg/kg ( Rat )	No data available	No data available
Zirconium dichloride monoxide octahydrate	13520-92-8	2950 mg/kg ( Rat )	No data available	No data available

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Crystalline silica, quartz	14808-60-7	No information available	No information available	No information available	No information available
Zirconium dichloride monoxide octahydrate	13520-92-8	No information available	No information available	No information available	No information available

### 12.2 Persistence and degradability

No information available

### 12.3 Bioaccumulative potential

No information available

### 12.4 Mobility in soil

No information available

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Disposal Method

#### Contaminated Packaging

Disposal should be made in accordance with federal, state, and local regulations. This bag may contain residue of a hazardous material. Some authorities may regulate such containers as hazardous waste. Dispose of container according to national or local regulations.

## 14. TRANSPORT INFORMATION

### IMDG/IMO

**UN Number:** UN3260,  
**UN Proper Shipping Name:** Corrosive Solid, Acidic, Inorganic, N.O.S.  
**Transport Hazard Class(es):** , 8  
**Packing Group:** , III  
**EMS:** EmS F-A, S-B

### RID

**UN Number:** UN3260,  
**UN Proper Shipping Name:** Corrosive Solid, Acidic, Inorganic, N.O.S.  
**Transport Hazard Class(es):** , 8  
**Packing Group:** , III

### ADR

**UN Number:** UN3260,  
**UN Proper Shipping Name:** Corrosive Solid, Acidic, Inorganic, N.O.S.  
**Transport Hazard Class(es):** , 8  
**Packing Group:** , III

### IATA/ICAO

**UN Number:** UN3260,  
**UN Proper Shipping Name:** Corrosive Solid, Acidic, Inorganic, N.O.S.  
**Transport Hazard Class(es):** , 8  
**Packing Group:** , III

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

**All of the components in the product are on the following Inventory lists:** All of the components in the product are on the following Inventory lists:.

**EINECS Inventory** This product, and all its components, complies with EINECS  
**US TSCA Inventory** All components listed on inventory or are exempt.  
**Canadian DSL Inventory** All components listed on inventory or are exempt.

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**Germany, Water Endangering Classes (WGK)** Not determined.

### 15.2 Chemical Safety Assessment

No information available

**16. OTHER INFORMATION****Full text of R-phrases referred to under Sections 2 and 3**

R34 Causes burns.

R49 May cause cancer by inhalation.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

**Revision Date:** 03-Oct-2013

**Revision Note**

Not applicable

**This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**