

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:

TRAVELLER PREMIUM UNIVERSAL TRACTOR TRANS/HYDRAULIC FLUID

Product Code: TS44HT2G 0806383

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Universal Tractor Fluid

Recommended

Not applicable

restrictions:

1.3. Details of the supplier of the safety data sheet

Manufacturer:

TRACTOR SUPPLY CO.

200 Powell Place

Brentwood, TN 37027

Information Phone:

1-877-872-7721

E-mail:

sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified under GHS

2.2. Label elements

2.3. Other hazards

Hazards not otherwise

Avoid prolonged or repeated skin contact with used fluid.

classified:

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information of	n ingredients		
Chemical Name	%	CAS#	GHS Classification
Cumene	1 - 5	98-82-8	Aquatic Chronic 2; H411
			Asp. Tox. 1; H304
			Acute Tox. 4; H302
			Flam. Liq. 3; H226
			STOT SE 3; H335, H336
Ethylbenzene	0.1 - 1	100-41-4	Aquatic Chronic 3; H412
•			Asp. Tox. 1; H304
			Acute Tox. 4; H332
			Acute Tox. 4; H332
			Carc. 1A; H350
			Flam. Liq. 2; H225
			Muta. 1B; H340
			STOT RE 2; H373
Naphthalene	0.1 - 1	91-20-3	Aquatic Acute 1; H400
•			Aquatic Chronic 1; H410
			Acute Tox. 4; H302
			Care. 2; H351
			Flam. Sol. 1; H228
	1 0 11 00 00	D 1010 1000 /TT	1.6

SECTION 4: First aid measures

4.1. Description of first aid measures

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not Inhalation

breathing, give artificial respiration and have a trained individual administer oxygen. Get medical

attention immediately.

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to Eyes

prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact Wash with soap and water, Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

Do not induce vomiting and seek medical attention immediately. Provide medical care provider Ingestion

with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Not determined Symptoms

4.3. Indication of any immediate medical attention and special treatment needed

Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach Note to Doctor

contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable and Unsuitable Extinguishing Media:

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied

to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

Material may be ignited only if preheated to temperatures above the high flash point, for example in Fire and/or Explosion

Hazards a fire.

5.3. Advice for firefighters

Fire Fighting Methods and

Do not enter fire area without proper protection including self- contained breathing apparatus and

full protective equipment. Use methods for the surrounding fire.

Hazardous Combustion

Carbon monoxide, Smoke

Products

Protection

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM 06GHS CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10.

7.3. Specific end use(s)

Universal Tractor Fluid

SECTION 8: Exposure controls/personal protection

8.	1.	Contro	l pa	ram	eters

Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Cumene	OSHA PEL	50 ppm TWA; 245 mg/m3 TWA
ethylbenzene	OSHA PEL	100 ppm TWA; 435 mg/m3 TWA
Naphthalene	OSHA PEL	10 ppm TWA; 50 mg/m3 TWA
ethylbenzene	OSHA STEL	125 ppm STEL; 545 mg/m3 STEL
Naphthalene	OSHA STEL	15 ppm STEL; 75 mg/m3 STEL

Oil mist, mineral ACGIH TLV-TWA 5 mg/m3 Cumene ACGIH TLV-TWA 50 ppm TWA ethylbenzene ACGIH TLV-TWA 20 ppm TWA Naphthalene **ACGIH TLV-TWA** 10 ppm TWA Oil mist, mineral ACGIH STEL 10 mg/m3 Naphthalene ACGIH STEL 15 ppm STEL

CumeneIDLH900 ppm IDLH (10% LEL)ethylbenzeneIDLH800 ppm IDLH (10% LEL)

Naphthalene IDLH 250 ppm IDLH

 Cumene
 OSHA PEL-Skin Notation
 prevent or reduce skin absorption

 Cumene
 OSHA STEL-Skin Notation
 Potential for dermal absorption

Naphthalene ACGIH TLV-Skin Designation Skin - potential significant contribution to overall exposure by the cutaneous route

8.2. Exposure controls

Engineering Measures Local exhaust ventilation or other engineering controls are normally required when handling or

using this product to avoid overexposure.

Respiratory Protection Respiratory protection may be required to avoid overexposure when handling this product. General

or local exhaust ventilation is the preferred means of protection. Use a respirator if general room

ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s) None required where adequate ventilation is provided. If airborne concentrations are above the

applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection Wear chemically resistant safety glasses with side shields when handling this product. Do not wear

contact lenses.

Skin Protection Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.

Wash hands and other exposed areas with mild soap and water before eating, drinking, and when

leaving work.

Gloves Neoprene, Nitrile

9.1. Information on basic physical and chemical properties

Physical State

Liquid

Color Odor Brown Mild

Odor threshold

Not determined

pН

Not determined

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Freezing point

Not determined

Boiling Point

Not determined

Flash Point (°C) Flash Point Method 223 COC

Evaporation Rate

Not determined

Upper Flammable/Explosive

= 10

Limit, % in air

Lower Flammable/Explosive

= 1

Limit, % in air

Flammability (solid, gas)

Not applicable

Vapor pressure Vapor Density Relative Density < 0.20 3.66 4.42 0.86

Solubility in Water Octanol/Water Partition Negligible; 0-1% Not determined

Coefficient

Autoignition Temperature Decomposition Temperature Not determined Not determined

Viscosity(°C)

58.88

9.2. Other information

Volatile organic compound

0.000000

(VOC) content and percentage of volatiles

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous

Hazardous polymerization will not occur.

reactions

10.4. Conditions to avoid

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

10.5. Incompatible materials

10.6. Hazardous

Strong oxidizing agents Carbon monoxide, Smoke

decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No hazard in normal industrial use. Estimated to be > 5.0 g/kg. Ingestion Toxicity

This material is likely to be moderately irritating to skin based on animal data. Can cause minor skin Skin Contact

irritation, defatting, and dermatitis.

Likely to be practically non-toxic based on animal data. Absorption

No hazard in normal industrial use. Likely to be practically non-toxic based on animal data. Inhalation Toxicity

This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). Can cause moderate **Eye Contact**

irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Sensitization Non-hazardous under Respiratory Sensitization category. No data available to indicate product or

components may be a skin sensitizer.

No data available to indicate product or any components present at greater than 0.1% is mutagenic Mutagenicity

or genotoxic.

Contains a substance that is a possible cancer hazard based on high dose animal studies and/or a Carcinogenicity

human study.

No data available to indicate product or any components present at greater than 0.1% may cause Reproductive and

Developmental Toxicity

birth defects.

Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category. Specific target organ

SECTION 11: Toxicological information

toxicity-Single exposure

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.

toxicity-Repeated exposure

Aspiration toxicity Non-hazardous under Aspiration category.

Other information No data available.

Agents Classified by IARC Monographs

IARC Group 1 Benzene IARC Group 2A Not applicable **IARC Group 2B** Cumene IARC Group 2B ethylbenzene IARC Group 2B Naphthalene IARC Group 2B Methyl isobutyl ketone IARC Group 2B Diethanolamine IARC Group 2B Vinyl acetate

National Toxicity Program (NTP) Status

Benzene Known Human Carcinogen

Cumene Reasonably Anticipated To Be A Human Carcinogen Naphthalene Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades slowly.

12.3. Bioaccumulative potential

Bioconcentration may occur.

12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

Description

SECTION 15: Regulatory information

TSCA Status All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: WHMIS:

Not applicable B2, D2A B2, D2A, D2B B4, D2A

Chemical Name	Regulation	CAS#	%
Benzene, (1-methylethyl)-	CERCLA	98-82 - 8	1 - 5
ethylbenzene	CERCLA	100-41-4	0.1 - 1
Naphthalene	CERCLA	91-20-3	0.1 - 1
Cumene	SARA 313	98-82-8	1 - 5
ethylbenzene	SARA 313	100-41-4	0.1 - 1
Naphthalene	SARA 313	91-20-3	0.1 - 1
Methyl isobutyl ketone	SARA 313	108-10-1	0.1 - 1
Toluene	SARA 313	108-88-3	0.01 - 0.1
Benzene	SARA 313	71-43-2	0.01 - 0.1
Diethanolamine	SARA 313	111-42-2	0.001-0.01
Vinyl acetate	SARA 313	108-05-4	0.001-0.01
None.	SARA EHS		
None.	TSCA 12b		

U.S. State Regulations

U.S. State Regulations			
Chemical Name	Regulation	CAS#	%
Cumene	California Prop 65-	98-82-8	1 - 5
	Cancer		
ethylbenzene	California Prop 65-	100-41-4	0.1 - 1
	Cancer		
Naphthalene	California Prop 65-	91-20-3	0.1 - 1
	Cancer		
ISOBUTYL METHYL KETONE	California Prop 65-	108-10-1	0.1 - 1
	Cancer		
Benzene	California Prop 65-	71-43-2	0.01 - 0.1
	Cancer		
2,2'-Iminodiethanol	California Prop 65-	111-42-2	0.001-0.01
	Cancer		
Methyl isobutyl ketone (MIBK)	California Prop 65- Dev.	108-10-1	0.1 - 1
	Toxicity		
Toluene	California Prop 65- Dev.	108-88-3	0.01 - 0.1
	Toxicity		
Benzene	California Prop 65- Dev.	71-43-2	0.01 - 0.1
	Toxicity		
None.	California Prop 65-		
	Reprod -fem		
Benzene	California Prop 65-	71-43-2	0.01 - 0.1
	Reprod-male		
Cumene	Massachusetts RTK List	98-82-8	1 - 5
ethylbenzene	Massachusetts RTK List	100-41-4	0.1 - 1
Naphthalene	Massachusetts RTK List	91-20-3	0.1 - 1
Cumene	New Jersey RTK List	98-82-8	1 - 5
ethylbenzene	New Jersey RTK List	100-41-4	0.1 - 1
Naphthalene	New Jersey RTK List	91-20-3	0.1 - 1
Benzene, (1-methylethyl)-	Pennsylvania RTK List	98-82-8	1 - 5

Chemical Name	Regulation	CAS#	%
Benzene, ethyl-	Pennsylvania RTK List	100-41-4	0.1 - 1
Naphthalene	Pennsylvania RTK List	91-20-3	0.1 - 1
None.	Rhode Island RTK List		
Cumene	Minnesota Hazardous	98-82-8	1 - 5
	Substance List		
ethylbenzene	Minnesota Hazardous	100-41-4	0.1 - 1
•	Substance List		
Naphthalene	Minnesota Hazardous	91-20-3	0.1 - 1
-	Substance List		

HMIS Rating	<u>s:</u>	NFPA Ratings	<u>s:</u>
Health:	1	Health:	_ 1
Fire:	1	Fire:	1
Reactivity:	0	Reactivity:	0
PPF.	В		

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

SECTION 16: Other information

Revision Date 11/7/2015 12:18:04 PM **Supersedes:** 9/21/2015 3:24:00 PM

References ACGIH: American Conference of Governmental Industrial Hygienists

AlHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

UN: United Nations

WHMIS: Workplace Hazardous Materials Information System

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside

sources and we believe the information to be correct, but cannot guarantee its accuracy or

completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe

existing patents. No warranty is made, either expressed or implied.

Disclaimer