

Revision date: 21-Apr-2016 Version: 2.0 Page 1 of 12

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Trecator (Ethionamide) Tablets

Trade Name: Trecator

Synonyms: Ethionamide Tablets
Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product for the treatment of tuberculosis

Details of the Supplier of the Safety Data Sheet

Pfizer Inc Pfizer Pharmaceuticals Group 235 East 42nd Street New York, New York 10017

1-800-879-3477

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-

CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd

Ramsgate Road Sandwich, Kent CT13 9NJ

United Kingdom +00 44 (0)1304 616161

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 2

Label Elements

Signal Word: Warning

Hazard Statements: H361d - Suspected of damaging the unborn child

Precautionary Statements: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Material Name: Trecator (Ethionamide) Tablets Page 2 of 12 Revision date: 21-Apr-2016 Version: 2.0

No data available Other Hazards

This document has been prepared in accordance with standards for workplace safety, which Note:

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Titanium dioxide	13463-67-7	236-675-5	Not Listed	*
Silicon dioxide, colloidal NF	7631-86-9	231-545-4	Not Listed	*
Talc (non-asbestiform)	14807-96-6	238-877-9	Not Listed	*
Ethionamide	536-33-4	208-628-9	Acute Tox 4 (H302) 2 (H361d)	40

Ingredient	CAS Number	EU EINECS/ELINCS	GHS Classification	%
		List		
FD&C Yellow No. 6; (Sunset yellow)	2783-94-0	220-491-7	Not Listed	*
Polyethylene glycol	25322-68-3	Not Listed	Not Listed	*
Povidone	9003-39-8	Not Listed	Not Listed	*
Polyvinyl alcohol	9002-89-5	Not Listed	Not Listed	*
Microcrystalline cellulose	9004-34-6	232-674-9	Not Listed	*
Croscarmellose sodium	74811-65-7	Not Listed	Not Listed	*
Magnesium Stearate	557-04-0	209-150-3	Not Listed	*

Additional Information: * Proprietary

> Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: In case of overexposure to this material by ingestion, do not induce vomiting. Treat subject

supprotively and symptomatically. Seek medical assistance.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions

None known Aggravated by Exposure:

Material Name: Trecator (Ethionamide) Tablets Page 3 of 12 Version: 2.0

Revision date: 21-Apr-2016

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire. May include oxides of carbon, sulfur,

Products: nitrogen.

Fine particles (such as dust and mists) may fuel fires/explosions. Fire / Explosion Hazards:

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Pharmaceutical drug product Specific end use(s):

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Titanium dioxide

10 mg/m³ **ACGIH Threshold Limit Value (TWA) ACGIH OELs - Notice of Intended Changes** Listed 10 mg/m³ Australia TWA 5 mg/m³ Austria OEL - MAKs

Material Name: Trecator (Ethionamide) Tablets Page 4 of 12

Revision date: 21-Apr-2016 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Belgium OEL - TWA 10 mg/m³ 10.0 mg/m³ Bulgaria OEL - TWA **Denmark OEL - TWA** 6 mg/m³ 5 mg/m^3 **Estonia OEL - TWA** 10 mg/m³ France OEL - TWA 10 mg/m³ **Greece OEL - TWA** 5 mg/m³ 10 mg/m³ Ireland OEL - TWAs 4 mg/m^3 Latvia OEL - TWA 10 mg/m³ Lithuania OEL - TWA 5 mg/m^3 **OSHA - Final PELS - TWAs:** 15 mg/m³ **Poland OEL - TWA** 10.0 mg/m³ Portugal OEL - TWA 10 mg/m³ **Romania OEL - TWA** 10 mg/m³ **Russia OEL - TWA** 10 mg/m³ 10 mg/m³ Spain OEL - TWA 5 mg/m³ **Sweden OEL - TWAs** 3 mg/m³ **Switzerland OEL -TWAs** 6 mg/m³ Vietnam OEL - TWAs 5 mg/m³

Polyethylene glycol

 Austria OEL - MAKs
 1000 mg/m³

 Germany - TRGS 900 - TWAs
 1000 mg/m³

Germany (DFG) - MAK 1000 mg/m³ average molecular weight 200-600

Slovakia OEL - TWA 1000 mg/m³
Slovenia OEL - TWA 1000 mg/m³
Switzerland OEL -TWAs 1000 ppm

Silicon dioxide, colloidal NF

 Australia TWA
 2 mg/m³

 Austria OEL - MAKs
 4 mg/m³

 0.3 mg/m³

 Czech Republic OEL - TWA
 0.1 mg/m³

 4.0 mg/m³
 4.0 mg/m³

 Estonia OEL - TWA
 2 mg/m³

 Finland OEL - TWA
 5 mg/m³

 Germany - TRGS 900 - TWAs
 4 mg/m³

 Germany (DFG) - MAK
 4 mg/m³

 Ireland OEL - TWAs
 6 mg/m³

 2.4 mg/m³
 1 mg/m³

Latvia OEL - TWA 1 mg/m³
OSHA - Final PELs - Table Z-3 Mineral D: 20 mppcf
Listed

Slovakia OEL - TWA 4.0 mg/m³
Switzerland OEL -TWAs 4 mg/m³
0.3 mg/m³

Talc (non-asbestiform)

ACGIH Threshold Limit Value (TWA) 2 mg/m³
Australia TWA 2.5 mg/m³
Austria OEL - MAKs 2 mg/m³

Page 5 of 12

Material Name: Trecator (Ethionamide) Tablets

Revision date: 21-Apr-2016 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Belgium OEL - TWA	2 mg/m ³			
Bulgaria OEL - TWA	1.0 fiber/cm3			
	6.0 mg/m^3			
	3.0 mg/m^3			
Czech Republic OEL - TWA	2.0 mg/m ³			
Denmark OEL - TWA	0.3 fiber/cm3			
Finland OEL - TWA	0.5 fiber/cm3			
Greece OEL - TWA	10 mg/m ³			
	2 mg/m ³			
Hungary OEL - TWA	2 mg/m ³			
Ireland OEL - TWAs	10 mg/m³ 0.8 mg/m³			
Lithuania OEL - TWA	2 mg/m ³			
Littidatila OEL - TWA	2 mg/m 1 mg/m ³			
Netherlands OEL - TWA	0.25 mg/m ³			
OSHA - Final PELs - Table Z-3 Mineral D:	20 mppcf			
Poland OEL - TWA	4.0 mg/m ³			
	1.0 mg/m ³			
Portugal OEL - TWA	2 mg/m ³			
Romania OEL - TWA	2 mg/m ³			
Slovakia OEL - TWA	2 mg/m ³			
	10 mg/m ³			
Slovenia OEL - TWA	2 mg/m ³			
Spain OEL - TWA	2 mg/m ³			
Sweden OEL - TWAs	2 mg/m ³			
	1 mg/m ³			
Switzerland OEL -TWAs	2 mg/m ³			
Microcrystalline cellulose				
ACGIH Threshold Limit Value (TWA)	10 mg/m ³			
Australia TWA	10 mg/m ³			
Belgium OEL - TWA	10 mg/m ³			
Estonia OEL - TWA	10 mg/m ³			
France OEL - TWA	10 mg/m ³			
Ireland OEL - TWAs	10 mg/m ³			
	4 mg/m ³			
Latvia OEL - TWA	2 mg/m ³			
OSHA - Final PELS - TWAs:	15 mg/m ³			
Portugal OEL - TWA	10 mg/m ³			
Romania OEL - TWA	10 mg/m³			
Russia OEL - TWA	6 mg/m ³			
Spain OEL - TWA	10 mg/m ³			
Switzerland OEL -TWAs	3 mg/m ³			
Vietnam OEL - TWAs	10 mg/m ³			
	5 mg/m ³			
Magnesium Stearate				
ACGIH Threshold Limit Value (TWA)	10 mg/m ³			
Lithuania OEL - TWA	5 mg/m ³			
Sweden OEL - TWAs	5 mg/m ³			

Material Name: Trecator (Ethionamide) Tablets Page 6 of 12
Revision date: 21-Apr-2016 Version: 2.0

P 1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Ethionamide

Pfizer Occupational Exposure OEB 1 (control exposure to the range of 1000ug/m³ to 3000ug/m³)

Band (OEB):

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection: If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear

an appropriate respirator with a protection factor sufficient to control exposures to the bottom of

the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Tablets Color: Orange

Odor: None Odor Threshold: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility:
Water Solubility:
PH:
No data available
Partition Coefficient: (Method, pH, Endpoint, Value)

Silicon dioxide, colloidal NF

No data available

Povidone

No data available

Microcrystalline cellulose

No data available

Croscarmellose sodium

No data available

Magnesium Stearate No data available

FD&C Yellow No. 6; (Sunset yellow)

No data available

Polyethylene glycol No data available Polyvinyl alcohol

Material Name: Trecator (Ethionamide) Tablets Page 7 of 12

Revision date: 21-Apr-2016 Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

No data available

Talc (non-asbestiform)

No data available

Titanium dioxide

No data available

Ethionamide

0.3699 Measured Log P

Decomposition Temperature (°C):

No data available.

Evaporation Rate (Gram/s): No data available Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** No data available Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: None

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The following information is available for the individual ingredients.

May cause eye irritation. **Short Term:**

Long Term: Animal studies have shown a potential to cause adverse effects on the fetus.

The most common adverse effects seen during clinical use of this drug include gastrointestinal **Known Clinical Effects:**

disturbances, nausea, diarrhea, abdominal pain, salivation, weight loss, mental depression, dizziness and drowsiness, restlessness, headache, decrease in blood pressure (hypotension), skin rash, decreased blood sugar (hypoglycemia), effects on the thyroid; breast development in

males (gynecomastia), impotence, acne.

Acute Toxicity: (Species, Route, End Point, Dose)

Microcrystalline cellulose

Rat Oral LD50 > 5000 mg/kg Dermal LD50 > 2000 mg/kg Rabbit

FD&C Yellow No. 6; (Sunset yellow)

LD50 > 10,000 mg/kgRat Oral

Page 8 of 12

Material Name: Trecator (Ethionamide) Tablets

Revision date: 21-Apr-2016 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Mouse Oral LD50 > 6,000mg/kg

Talc (non-asbestiform)

Rat Oral LD50 > 1600 mg/kg

Titanium dioxide

Rat Oral LD50 > 7500 mg/kg Rat Subcutaneous LD50 50 mg/kg

Ethionamide

Rat Oral LD50 1320 mg/kg Mouse Oral LD50 1000mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Microcrystalline cellulose

Skin Irritation Rabbit Non-irritating Eye Irritation Rabbit Non-irritating

Polyethylene glycol

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Magnesium Stearate

13 Week(s) Rat Oral 1092 g/kg LOAEL Liver

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Ethionamide

Embryo / Fetal Development Rat No route specified >=200 mg/kg/day LOEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Ethionamide

Bacterial Mutagenicity (Ames) Bacteria Negative

Micronucleus Negative

<u>Carcinogen Status:</u> See below

Silicon dioxide, colloidal NF

IARC: Group 3 (Not Classifiable)

Povidone

IARC: Group 3 (Not Classifiable)

FD&C Yellow No. 6; (Sunset yellow)

WPROCOC

Material Name: Trecator (Ethionamide) Tablets Page 9 of 12
Revision date: 21-Apr-2016 Version: 2.0

version date. 21-Apr-2010

11. TOXICOLOGICAL INFORMATION

IARC: Group 3 (Not Classifiable)

Polyvinyl alcohol

IARC: Group 3 (Not Classifiable)

Talc (non-asbestiform)

IARC: Group 3 (Not Classifiable)

Titanium dioxide

IARC: Group 2B (Possibly Carcinogenic to Humans)

Ethionamide

IARC: Group 3 (Not Classifiable)

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated. Releases to the environment should be

avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential:

Partition Coefficient: (Method, pH, Endpoint, Value)

Ethionamide

Measured Log P 0.3699

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: Trecator (Ethionamide) Tablets Page 10 of 12 Revision date: 21-Apr-2016 Version: 2.0

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

FD&C Yellow No. 6; (Sunset yellow)

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 220-491-7

Titanium dioxide

Not Listed **CERCLA/SARA 313 Emission reporting**

California Proposition 65 carcinogen initial date 9/2/11 airborne, unbound particles of

respirable size

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 236-675-5

Polyethylene glycol

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 3

for Drugs and Poisons:

EU EINECS/ELINCS List Not Listed

Silicon dioxide, colloidal NF

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 231-545-4

Povidone

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** Not Listed

Polyvinyl alcohol

Not Listed **CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65** Inventory - United States TSCA - Sect. 8(b) Present Present Australia (AICS): Not Listed **EU EINECS/ELINCS List**

Material Name: Trecator (Ethionamide) Tablets Page 11 of 12
Revision date: 21-Apr-2016 Version: 2.0

·

15. REGULATORY INFORMATION

Talc (non-asbestiform)

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

238-877-9

Microcrystalline cellulose

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Not Listed

Not Listed

Present

Dangerous Substances:

EU EINECS/ELINCS List 232-674-9

Croscarmellose sodium

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Magnesium Stearate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not

Ethionamide

CERCLA/SARA 313 Emission reporting Not Listed

California Proposition 65 developmental toxicity initial date 8/26/97

Standard for the Uniform Scheduling Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 208-628-9

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Reproductive toxicity-Cat.2; H361d - Suspected of damaging the unborn child

Data Sources:The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Material Name: Trecator (Ethionamide) Tablets Page 12 of 12
Revision date: 21-Apr-2016 Version: 2.0

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on

Ingredients. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information. Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 16

- Other Information.

Revision date: 21-Apr-2016

Prepared by:

Product Stewardship Hazard Communication
Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
