

CAS # Mixture This MSDS is designed for workplace employees, emergency personnel and for conditions and situations where there is a greater potential for large-scale or prolexposure, in accordance with requirements of the U.S. Government's Occupation Safety and Health Administration (OSHA). This MSDS is not applicable for consumer use of our products. For consumer use precaturinary and first aid language is provided on the product label in accordance with requirements of the U.S. Government's Occupation the applicable government regulation. Product Use Distributed by Air freshener Reckitt Benckiser Moris Corporate Center IV 399 Intergence Parkway P.O. Box 225 In Case of Emergency. 1-800-384-6167 Transportation Emergence: 1-800-424-9300 Outside North America: 1-700-527-3087 LEGEND Health I (0 Impace Parkway P.O. Box 225 In Case of Emergency. 1-800-384-6167 Transportation Emergence: 24 Hour Number: North America: 1-700-527-3087 Midure 1 Impace Advisor Intergence: 24 Hour Number: North America: 1-700-527-3087 LEGEND Health I (0 Impace Parkway P.O. Box 225 In Case of Emergency overview CAUTION CONTENT'S UNDER PRESSURE: CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyee on skin or otohing. Do NOT ingest box 200 NOT get in eyee on skin or otohing. NO NOT Impace DO NOT spray directly on food. Prolonged or frequent skin contact. Inhalation. Kottes of exposure Eye. Skin contact. Inhalation. Kottes of exposure Eye. Skin contact. Inhalation. Kotes of exposure <t< th=""><th>1. F</th><th>Product and Company Identification</th></t<>	1. F	Product and Company Identification		
Distributed by Reckit Benckiser Moris Corporate Center IV 339 Interpace Parkway P.O. Box 225 Parsippany, NJ 07054-0225 In Case of Emergence: 1-800-338-6167 Transportation Emergence: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887 LEGEND Health 10 10 Servere 4 4 Servere 4 10 Servere 4 10 Physical Hazard 10 10 Presonal Protection 10 10 Minimal 0 0 Personal Protection 10 10 Reargency overview CAUTION CONTENTS UNDER PRESSURE: CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EVES. DO NOT get in eyet on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or on skin or clothing. DO NOT ingest. DO NOT spray towards face. Do not puncture or inclinerate container. DO NOT Spray directly on food. Prolonged or constain or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or constain or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or constain or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or constain or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or constain or solater at temperatures above 120°F (49°C) as the contatiner may burst	Product Name CAS #	Mixture This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonge exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA). This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with		
HMIS/NFPA Severe 4 Serious Moderate 2 Silght Minimal 0 2. Hazards Identification CAUTION CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes on skin or clothing. DO NOT ingest DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT spray towards face. Do NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst KEEP OUT OF REACH OF CHILDREN. Potential short term health effects Routes of exposure Eye, Skin contact, Inhalation. Hay cause eye irritation upon direct contact with eyes. Skin None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Inhalation Ingestion None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Skin Eyes. Chronic effects Prolonged or prepated exposure can cause drying, defatting and dermatitis. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. OSHA Regulatory Status This product is a "Hazardous Chemical" as defined		Reckitt Benckiser Morris Corporate Center IV 399 Interpace Parkway P.O. Box 225 Parsippany, NJ 07054-0225 In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300		
Severe 4 Serious 3 Moderate 2 Slight 1 Physical Hazard 0 Personal Protection 0 Severe 2 Slight 1 Physical Hazard 0 Personal Protection 0 0 Severe 2. Hazards Identification 0 0 0 0 Emergency overview CAUTION CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst KEEP OUT OF REACH OF CHILDREN. Potential short term health effects Routes of exposure Eyes Eye, Skin contact, Inhalation. None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes. May cause eye irritation upon direct contact may cause an allergic reaction. Inhalation Inhalation None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. None expected during normal conditions of use. Prolonged or repeated exposure can cause drying, defatting and dermatitis. Signs and symptoms Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communi		Health / 0		
Serious 3 Moderate 2 Slight 1 Minimal 0 Personal Protection A Personal Protection A 0 0 Animal 0 0 0 0 Stight 1 0 0 0 0 Personal Protection A 0 0 0 0 Emergency overview CAUTION CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst Routes of exposure Eye, Skin contact, Inhalation. Eyes May cause eye irritation upon direct contact with eyes. Skin None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Inhalation None expected during normal conditions of use. Ingestion Health injuries are not known or expected under normal use. Target organs Skin. Eyes. Chronic effects Prolonged or repeated exposure can cause drying, defatting and cracking of the skin. Symptoms may include	HMIS/NFPA			
Moderate 2 Slight 1 Minimal 0 Personal Protection A 2. Hazards Identification Emergency overview CAUTION CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst KEEP OUT OF REACH OF CHILDREN. Potential short term health effects Keep OUT OF REACH OF CHILDREN. Routes of exposure Eye, Skin contact, Inhalation. Eyes None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes. Skin None expected during normal conditions of use. Ingestion None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Inhalation None expected during normal conditions of use. Ingestion Health injuries are not known or expected under normal use. Target organs Skin. Eyes. Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis. Symptoms of overexposure may be headache, dizziness, inausea and vormiting. OSHA Regulatory Status This product is a "H				
Slight 1 1 Minimal 0 Personal Protection A 2. Hazards Identification Emergency overview CAUTION CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst KEEP OUT OF REACH OF CHILDREN. Potential short term health effects KEEP OUT OF REACH OF CHILDREN. Routes of exposure Eye, Skin contact, Inhalation. Eyes None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes. Skin None expected during normal conditions of use. Inhalation None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Farget organs Skin. Eyes. Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis. Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, inedness, nausea and vorniting. OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communicatic Standard, 29 CFR 1910.1200.				
Minimal 0 A Iminimal 0 Iminimal 0 Iminimal 0 Iminimal 0 Iminimal 0				
Emergency overview CAUTION CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst KEEP OUT OF REACH OF CHILDREN. Potential short term health effects Eye, Skin contact, Inhalation. Eyes None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes. Skin None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Inhalation None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Target organs Skin. Eyes. Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communicatic Standard, 29 CFR 1910.1200.	Minimal 0			
CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyee on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst KEEP OUT OF REACH OF CHILDREN.Potential short term health effects Routes of exposure EyesEye, Skin contact, Inhalation. May cause eye irritation upon direct contact with eyes. May cause eye irritation upon direct contact with eyes. None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.Inhalation IngestionNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.Inhalation IngestionNone expected during normal conditions of use. Prolonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		2. Hazards Identification		
Potential short term health effects Eye, Skin contact, Inhalation. Eyes None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes. Skin None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Inhalation None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction. Ingestion Health injuries are not known or expected under normal use. Target organs Skin. Eyes. Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis. Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communicatic Standard, 29 CFR 1910.1200.	Emergency overview	CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes, on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do		
Routes of exposureEye, Skin contact, Inhalation.EyesNone expected during normal conditions of use. May cause eye irritation upon direct contact with eyes.SkinNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.InhalationNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.InhalationNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.IngestionHealth injuries are not known or expected under normal use.Farget organsSkin. Eyes.Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		KEEP OUT OF REACH OF CHILDREN.		
EyesNone expected during normal conditions of use. May cause eye irritation upon direct contact with eyes.SkinNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.InhalationNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.InhalationNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.IngestionHealth injuries are not known or expected under normal use.Farget organsSkin. Eyes.Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		Eve Skin contact Inhalation		
May cause eye irritation upon direct contact with eyes.SkinNone expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.InhalationNone expected during normal conditions of use.IngestionHealth injuries are not known or expected under normal use.Target organsSkin. Eyes.Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.				
InhalationProlonged or frequent skin contact may cause an allergic reaction.IngestionHealth injuries are not known or expected under normal use.Target organsSkin. Eyes.Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	Ly63			
IngestionHealth injuries are not known or expected under normal use.Target organsSkin. Eyes.Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	Skin			
Farget organsSkin. Eyes.Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	Inhalation			
Chronic effectsProlonged or repeated exposure can cause drying, defatting and dermatitis.Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	Ingestion			
Signs and symptomsSymptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.OSHA Regulatory StatusThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		-		
Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. DSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.				
Standard, 29 CFR 1910.1200.	Signs and symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and		
	OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
F VIETILIAI ETIVIT VITTIETILIAI ETIEVIS TITIS PI VUUUL TIAS TUL VEETI LESIEU.	Potential environmental effects	This product has not been tested.		

1. Product and Company Identification

... . . _ . . - -

3. COI	nposition / Information on Ingredi	CIILS	
Ingredient(s)	C	AS #	Percent
Ethanol	64	-17-5	2.5 - 10
Sodium Tetraborate	130	3-96-4	0.1 - 1
	4. First Aid Measures		
First aid procedures			
Eye contact	If in eyes, rinse eyes with water. Remove any contact for at least 15 minutes. If irritation occurs, get medical		ue to rinse eyes
Skin contact	If on skin, wash area with soap and water. If irritation of Discontinue use IMMEDIATELY and get medical atter hands after handling.		
Inhalation	Move to fresh air.		
Ingestion	If swallowed, call a Poison Control Center or doctor in vomiting. Wash out mouth with water.	mediately. DO N	OT induce
Notes to physician	Treat patient symptomatically.		
General advice	Do not puncture or incinerate container. Keep away fro smoking. If you feel unwell, seek medical advice (show that medical personnel are aware of the material(s) in protect themselves. Show this safety data sheet to the contact with eyes and skin. Keep out of reach of childre	v the label where volved, and take p doctor in attenda	possible). Ensure precautions to
	NOTE TO PARENTS: Intentional misuse by deliberate aerosol products may be harmful or fatal. Help stop in www.inhalant.org. Use only as directed.		
	5. Fire Fighting Measures		
Flammable properties	Aerosol flame extension less than 18 inches (45 cm).		
	NFPA AEROSOL LEVEL: Flammability Rating 1, per	NFPA 30B	
Extinguishing media			
Suitable extinguishing media	Treat for surrounding material.		
Unsuitable extinguishing media	Not available		
Protection of firefighters			
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may a flame. Cool containers with flooding quantities of water		
Protective equipment for firefighters	Firefighters should wear full protective clothing including apparatus.	ng self contained	breathing
Hazardous combustion products	May include and are not limited to: Oxides of carbon.		
Explosion data			
Sensitivity to mechanical impact	Not available		
Sensitivity to static discharge	Not available		
	6. Accidental Release Measures		
Personal precautions	Keep unnecessary personnel away. Do not touch or w touch damaged containers or spilled material unless w clothing. Keep people away from and upwind of spill/le	vearing appropriation	

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Methods for containment Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

Environmental precautions

7. Handling and Storage

Handling

CAUTION

nanding	Ensure adequate ventilation. Contents under pressure. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes, on skin or clothing. Do not ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst.
Storage	Keep out of reach of children. Keep away from direct sunlight. Keep at temperatures below 50°C/122°F. Keep away from heat, open flames or other sources of ignition.
	NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org. Use only as directed.

8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)	Exposure Limits	
Ethanol	ACGIH-TLV	
	TWA: 1000 ppm	
	STEL: 1000 ppm	
	OSHA-PEL	
	TWA: 1000 ppm	
Sodium Tetraborate	ACGIH-TLV	
	TWA: 2 mg/m3	
	STEL: 6 mg/m3	
	OSHA-PEL	
	Not established	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
	Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.	
Eye / face protection	Not required under normal use conditions. Safety glasses with side-shields or full eye & face protection should be worn if risk assessment indicates this is necessary for the workplace or emergency responders.	
Hand protection	Not required under normal use conditions. Chemical resistant, impervious gloves should be worn if risk assessment indicates this is necessary for the workplace or emergency responders.	
Skin and body protection	Usual safety precautions while handling the product will provide adequate protection against injury or irritation.	
Respiratory protection	Not normally required under normal use conditions. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact. Avoid contact with eyes, skin and clothing.	

9. Physical and Chemical Properties

Appearance	Aerosol.
Color	Colorless
Form	Misty spray
Odor	Characteristic
Odor threshold	Not available
Physical state	Gas

рН	Not available
Freezing point	Not available
Boiling point	> 167.00 °F (> 75 °C)
Pour point	Not available
Evaporation rate	Not available
Flash point	> 212.00 °F (> 100 °C)
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available

10. Stability and Reactivity

Reactivity Possibility of hazardous reactions	This product may react with oxidizing agents. Hazardous polymerization does not occur.		
Chemical stability	Stable under recommended storage conditions.		
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F). DO NOT MIX WITH BLEACH or use in conjunction with other household products. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or burn after use. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire.		
Incompatible materials	Oxidizers. Acids. Caustics.		
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.		

11. Toxicological Information

Component analysis - LC50			
Ingredient(s)	LC50		
Ethanol	31623 ppm rat		
Sodium Tetraborate	Not available		
Component analysis - Oral LD50			
Ingredient(s)	LD50		
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat		
Sodium Tetraborate	2660 mg/kg rat; 5330 mg/kg guinea pig		
Effects of acute exposure			
Eye	None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes.		
Skin	None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.		
Inhalation	None expected during normal conditions of use.		
Ingestion	Health injuries are not known or expected under normal use.		
Sensitization	The finished product is not expected to have chronic health effects.		
Chronic effects	The finished product is not expected to have chronic health effects.		

Carcinogenicity	The finished product is not expected to have chronic health effects.
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

This product has not been tested.			
Acute Toxicity Data			
64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]		
Toxicity Data			
64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]		
Not available	e		
Not available	e		
ility in environmental media Not available			
Not available	e		
Not available			
Not available	e		
Not available	e		
13. Dis	sposal Considerations		
	Dispose in accordance with all applicable regulations. Empty container can be disposed of as household trash or rinsed and recycled where appropriate.		
Not availabl	Not available		
Not available	9		
	Acute Toxicity Data 64-17-5 Toxicity Data 64-17-5 Not available Not available		

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Non-Flammable, 2.2, Limited Quantity

IMDG (Marine Transport)

Aerosols, Non-Flammable, Class 2.2, UN 1950 Limited Quantity

IATA/ICAO (Air)

UN1950, Aerosols, non-flammable, 2.2 or ConsumerCommodity, ID8000 if acceptable to airline

15. Regulatory Information

Occupational Safety and Health Adr	ninistration (OSHA)
29 CFR 1910.1200 hazardous chemical	Yes
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	Product Registration: Product is compliant with CPSC regulatory guidelines; a specific registration is not required for this product.

CERCLA (Superfund) reportable quantity

Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Superfund Amendments and Rea	authorization A	ct of 1986 (SARA)		
Hazard categories	Delayed H Fire Hazar Pressure H Reactivity	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No		
Section 302 extremely hazardous substance	No			
Section 311 hazardous chen	nical No			
Clean Air Act (CAA)	Not availat	ble		
Clean Water Act (CWA)	Not availat	ble		
State regulations	This produ regulation.	This product ār Á, [cÁ*`àb/&ctoÁ, æ}}āj*Áæà^ āj*Á'}å^¦Áv@ÁCalifornia Ú¦[][•āāāj}Â.ÍÈ regulation.		
U.S California - 8 CCR Sectior	339 - Director's I	List of Hazardous Substances		
Ethanol Sodium Tetraborate	64-17-5 1303-96-4	Present (refers to solutions >=25% which are not Present (exempt except when present as free crys tetra, sodium salts)		
U.S Illinois - Toxic Air Contam	inants			
Sodium Tetraborate	1303-96-4	Present (listed under Sodium borate)		
U.S Massachusetts - Right To	Know List			
Ethanol	64-17-5	Teratogen		
Sodium Tetraborate	1303-96-4	Present		
U.S Minnesota - Hazardous Su				
Ethanol	64-17-5	Present		
Sodium Tetraborate U.S New Jersey - Right to Kno	1303-96-4	Present		
Ethanol	64-17-5	sn 0844		
Sodium Tetraborate U.S Pennsylvania - RTK (Righ	1303-96-4 t to Know) List	Sn 0241 (listed under Sodium borates)		
Ethanol	64-17-5	Present		
Sodium Tetraborate	1303-96-4	Present		
U.S Rhode Island - Hazardous				
Ethanol	64-17-5	Toxic; Flammable		
Sodium Tetraborate	1303-96-4	Toxic		
Inventory status				
Country(s) or region	Inventory	name	On inventory (yes/no)*	
United States & Puerto Rico	Toxic Sub	stances Control Act (TSCA) Inventory	Yes	
		comply with the inventory requirements administered	by the governing country(s)	

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

AIR WICK® Air Freshener with 100% Natural Propellant - Apple Cinnamon Medley, 8 oz/18oz - 0340663v1.0/0384786v1.0

AIR WICK® Air Freshener with 100% Natural Propellant - Cool Linen & White Lilac, 8 oz - 0299269v2.0

AIR WICK® Air Freshener with 100% Natural Propellant - Fresh Waters, 8 oz/18 oz - 0299265v2.0/0384784v1.0

AIR WICK® Air Freshener with 100% Natural Propellant - Lavender & Chamomile, 8 oz/18 oz - 0299234v2.0/0384781v1.0

AIR WICK® Air Freshener with 100% Natural Propellant - Magnolia & Cherry Blossom, 8 oz - 0299264v2.0

AIR WICK® Air Freshener with 100% Natural Propellant - Rain Garden, 8 oz - 0299218v2.0

AIR WICK® Air Freshener with 100% Natural Propellant - Vanilla Indulgence, 8 oz/18oz - 0299270v2.0/0384783v1.0

AIR WICK® 4-In-1 Air Freshener with 100% Natural Propellant - Apple Cinnamon Medley, 8 oz/18oz - 0340663v1.0/0384786v1.0

AIR WICK® 4-In-1 Air Freshener with 100% Natural Propellant - Cool Linen & White Lilac, 8 oz - 0299269v2.0

AIR WICK® 4-In-1 Air Freshener with 100% Natural Propellant - Fresh Waters, 8 oz/18 oz - 0299265v2.0/0384784v1.0

AIR WICK® 4-In-1 Air Freshener with 100% Natural Propellant - Lavender & Chamomile, 8 oz/18 oz - 0299234v2.0/0384781v1.0

AIR WICK® 4-In-1 Air Freshener with 100% Natural Propellant - Magnolia & Cherry Blossom, 8 oz - 0299264v2.0

AIR WICK & 4-In-1 Air Freshener with 100% Natural Propellant - Rain Garden, 8 oz - 0299218v2.0

AIR WICK® 4-In-1 Air Freshener with 100% Natural Propellant - Vanilla Indulgence, 8 oz/18oz - 0299270v2.0/0384783v1.0

AIR WICK® Air Freshener with 100% Natural Propellant - Pæ æ∰Tropical Sunset (National Parks), 8 oz⊕ì Á: - 0299268v2.0⊞Ì I Ì Ì Í çFÈ

ÀIR WICK® Air Freshener with 100% Natural Propellant - Óæ ^åÁŒ] |^ÂUd ǎ^| (P[{ ^{ aå^

P[|aae),Á18 oz - 0384783v1.0

FÌ -R' |-201H 15-Aug-2012

Effective date Prepared by Other information

Issue date

Reckitt Benckiser Regulatory Department 800-333-3899

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.