

SAFETY DATA SHEET (SDS)

IDENTIFICATION OF PRODUCT (MIXTURE) AND SUPPLIER (1):

Product Name: Pathfinder[®] *Chlamydia trachomatis* Direct Specimen Kit

Product Number: 30704 (50 tests)
 Catalog number(s) for replacement, optional and separately purchased components that can be obtained for use with this kit, and which are covered by this SDS include: **30693, 30702 and 30705** (refer to Section 2).

Intended Use: The Pathfinder[®] Direct Antigen Detection System for *Chlamydia trachomatis* is a direct fluorescent procedure for the identification of *Chlamydia trachomatis* in direct urogenital and rectal specimens from adult patients and ocular and nasopharyngeal specimens from pediatric patients.

Manufactured by: Bio-Rad Laboratories, Inc.

Address: 6565 185th Avenue NE
 Redmond, WA 98052-5039, USA

Website: www.bio-rad.com

Phone Number: 1-800-2-BIORAD (1-800-224-6723); or 1-425-881-8300 (daytime PT)

SDS e-mail contact: ro-sds@bio-rad.com

Technical Information Contacts: Bio-Rad provides a toll free line for technical assistance, available 24 hours a day, 7 days a week. In the United States of America and Puerto Rico, call toll free 1-800-2-BIORAD (1-800-224-6723). Outside the U.S.A., please contact your regional Bio-Rad office for assistance.
Refer to section 16 for non-US local Bio-Rad agent contact information.

Authorized Representative in the European Community: *FRANCE : Bio-Rad Laboratories*
 3 boulevard Raymond Poincaré
 92430 Marnes-la-Coquette
 Phone: +33 (0) 1 47 95 60 00 / Fax: +33 (0) 1 47 41 91 33
[\[fds-msds.fr@bio-rad.com\]](mailto:fds-msds.fr@bio-rad.com)

Emergency Phone Number: **This SDS is listed with CHEMTREC 1-800-424-9300 / 1-703-527-3887.** Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT with this product. *Refer to section 16 for non-US local Bio-Rad agent contact information.*

HAZARDS IDENTIFICATION -- HAZARDOUS COMPONENTS (2):

This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety. Refer to section 16 for the full text of any *Risk (R)* and *Safety (S)* statement provided below.

Component *	Contents
1 <i>Chlamydia trachomatis</i> Direct Specimen Monoclonal Antibody (2.5 mL) <i>Optional Materials Available:</i> Direct Specimen Monoclonal Antibody (4.2 mL) <i>Catalog # 30702</i> WARNING	- Fluorescein-conjugated murine monoclonal antibody to <i>chlamydia trachomatis</i> with Evans blue counterstain, a protein stabilizer (guinea pig and bovine) and an inhibitor of nonspecific staining. - < 0.1% Evans blue stain [C ₃₄ H ₂₄ N ₆ O ₁₄ S ₄ •4Na], CAS# 314-13-6, EC No 206-242-5, [dilution is not subject to GHS and EU 2008/1272/EC Regulation or 1999/45/EC Directive labeling requirements.] - Preserved with 0.1% Sodium azide [NaN ₃], CAS# 26628-22-8 and EC No 247-852-1; [GHS / 2008/1272/EC Classification: WARNING; H303, H313; P312] [EU Classification per 1999/45/EC: Harmful: Xn; R 22; S 24-35-37 (dilution < 1%, but ≥ 0.1%).]
2 Pathfinder[®] Chlamydia Control Slides (2) <i>Catalog # 30705</i>	- Each slide has 2 wells - one containing uninfected McCoy cells and inactivated chlamydial elementary bodies , and the other containing only uninfected McCoy cells. - CAUTION: Handle the slides by the edges. Do not apply pressure to the surface of the foil bag.

Component *	Contents
3 Pathfinder[®] Mounting Medium (2.75 mL) Catalog # 30693 WARNING	- Tris-buffered glycerol (80%) solution with a photobleaching retardant. - Contains < 1% Sodium metabisulfite [Na ₂ S ₂ O ₅], CAS# 7681-57-4, EC No 231-673-0 [$< 1\%$ dilution is not subject to GHS and EU 2008/1272/EC and 1999/45/EC labeling requirements]. - Dilute $\leq 0.2\%$ EDTA, tetrasodium salt, dihydrate [C ₁₀ H ₁₂ N ₂ O ₈ Na ₄ •2H ₂ O], CAS# 10378-23-1, [$< 20\%$ dilution is not subject to GHS and EU 2008/1272/EC Regulation or 1999/45/EC Directive labeling requirements.] - Preserved with 0.1% Sodium azide [NaN ₃], CAS# 26628-22-8 and EC No 247-852-1; [GHS / 2008/1272/EC Classification: WARNING; H303, H313; P312] [EU Classification per 1999/45/EC: Harmful: Xn; R 22; S 24-35-37 (dilution < 1%, but $\geq 0.1\%$)]

* Replacement, optional and separately purchased component catalog numbers are provided in this column where available.

Markings according to the United Nations (UN) Globally Harmonized System (GHS), United States Hazard Communication Standard (HCS) and European Community (EC) 2008/1272/EC guidelines:

This product has been conservatively classified and labeled in accordance with applicable United Nations (UN) GHS, United States Hazard Communication Standard (HCS) and related European Community (EC) 2008/1272/EC guidelines. The following regulated hazardous chemical concentrations are found in product component(s):

[Component 1 and 3] 0.1% sodium azide [NaN₃], CAS# 26628-22-8 and EC No 247-852-1 (dilution < 1%, but $\geq 0.1\%$).

GHS \ 2008/1272/EC Classification: [* denotes precautionary statements included on the product label]:


<u>Label(s):</u>	No Pictogram; none required due to dilution.
<u>Signal Word:</u>	WARNING
<u>Label Hazard Statement:</u>	H303: May be harmful if swallowed. H313: May be harmful in contact with skin.
<u>Supplemental Hazard Statement:</u>	None Specified.
<u>Precautionary Statement – Prevention:</u>	P264: Wash thoroughly after handling.
<u>Precautionary Statement – Response:</u>	P312: Call a POISON CENTER or doctor/physician if you feel unwell. *
<u>Precautionary Statement – Storage:</u>	None Specified
<u>Precautionary Statement – Disposal:</u>	P501: Dispose of contents and container in accordance to local, regional, national and international regulations.

COMPOSITION / INFORMATION ON INGREDIENTS -- HAZARDOUS COMPONENTS (3):

The following information is furnished for those product hazardous constituents that require regulatory control or disclosure at the concentration found in the product. Note that the information here is often based on data from the chemical raw material (LD₅₀, exposure limits, etc.) and that the product contains a significantly diluted concentration in an aqueous solution; thus, the assessment below has taken hazard reduction processing into consideration when possible. The GHS and EU classifications were made according to the latest editions editions and expanded upon from company and literature data. (Refer to the *Key* below.)

Chemical Ingredient	Data / Information
Glycerol [$\leq 80\%$ v/v in 3]	CAS#: 56-81-5 (100%) + EC No: 200-289-5 (100%) + Chemical Formula: C ₃ H ₈ O ₃ (100%) + LD ₅₀ (oral-rat): 12,600 mg/kg (100%) + TLV and PEL: 10 mg/m ³ total mist (100%) + HMIS Codes: H=1, F=0, R=1 ++ GHS / 2008/1272/EC Classification: Not subject to EU 2008/1272/EC and GHS regulatory requirements. ++ Keep glycerol solutions away from strong oxidizing agents, including sodium hypochlorite (bleach) and potassium permanganate, as could potentially form explosive mixtures. Handle appropriately with the requisite Good Laboratory Practices and Universal Precautions. Dispose of this material in accordance with local, regional, national and international regulation. EU Labeling Classification for 100% chemical concentration per Table 3.2 of 2008/1272/EC - from Annex 1 to Directive 67/548/EEC: Not Listed

Chemical Ingredient	Data / Information
<p>Sodium Metabisulfite [< 1% w/v in 3]</p>	<p>CAS#: 7681-57-4 (100%) + EC No: 231-673-0 (100%) + Chemical Formula: Na₂S₂O₅ (100%) + LD₅₀ (oral-rat): 1131 mg/kg (100%) + IATA/DOT ID: UN2693, Class 8 (100% solution) + / IATA/DOT ID: NE (dilution) ++ HMIS Codes: H=1, F=0, R=1 ++ EU Classification per 1999/45/EC: None (due to dilution, ≤ 1%) ++ <i>GHS / 2008/1272/EC Classification: None (due to dilution, < 1%) ++</i></p> <p>Sodium metabisulfite is potentially sensitizing, prolonged or repeated exposure may cause allergic reaction in certain sensitive individuals. Some individuals are said to be dangerously sensitive to minute amounts of sulfites in foods. May be detrimental if swallowed or in contact with skin. Contact with acid may liberate toxic gas. The potential for adverse health effects is unknown for the highly diluted, small volume of sodium metabisulfite in this kit, but is unlikely if handled appropriately with the requisite Good Laboratory Practices and Universal Precautions. Dispose of this material in accordance with local, regional, national and international regulation.</p> <p>EU Labelling Classification for 100% chemical concentration per Table 3.2 of 2008/1272/EC - <i>from Annex I to Directive 67/548/EEC:</i> Harmful: Xn R 22: Harmful if swallowed. R 31: Contact with acids liberates toxic gas. R 41: Risk of serious damage to eyes. S (2-): Keep out of the reach of children. S 17: Keep away from combustible material. S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 39: Wear suitable eye/face protection. S 46: If swallowed, seek medical advice immediately and show this container or label.</p>
<p>Sodium Azide [0.1% w/v in 1 and 3]</p> <p>WARNING</p>	<p>CAS#: 26628-22-8 (100%) + EC No: 247-852-1 (100%) + Chemical Formula: NaN₃ (100%) + LD₅₀ (oral-rat): 27 mg/kg (100%) + PEL/TLV: 0.3 mg/m³ (ceiling) (100%) + IATA/DOT ID: UN1687, Class 6.1 (undiluted, 100%) + / IATA/DOT ID: NE (dilution) ++ HMIS Codes: H=2, F=0, R=1 ++ EU Classification per 1999/45/EC: Harmful: Xn; R 22; S 24-35-37 (< 1% and ≥ 0.1%) ++ <i>GHS / 2008/1272/EC Classification: WARNING;; H303, H313; P312 ++</i></p> <p>Sodium azide, a biocidal preservative, may be harmful if swallowed [H303]; it has been evident to kill at low concentrations, if enough is ingested (more than supplied in kit). May be harmful in contact with skin. [H313]. May cause eye, skin or tissue irritation. May cause long lasting harmful effects to aquatic life. Avoid contact. Wash thoroughly after handling. Call a POISON CENTER or doctor/physician if you feel unwell [P312]. Avoid release to the environment. Avoid contact with metals; sodium azide may react with lead or copper plumbing to form highly explosive metal azides; build-up in metal plumbing has led to laboratory explosions, so flush with copious water when pouring dilute solutions down the drain to prevent such explosive build-up. The potential for these adverse health effects is unknown for the highly diluted, small volume of sodium azide in this kit, but is unlikely if handled appropriately with the requisite Good Laboratory Practices and Universal Precautions. This material and its container must be disposed of in a safe way and in accordance with local, regional, national and international regulations.</p> <p>EU Labeling Classification for 100% chemical concentration per Table 3.2 of 2008/1272/EC - <i>from Annex I to Directive 67/548/EEC:</i> Toxic: T, Environmental Danger: N R 28: Very toxic if swallowed. R 32: Contact with acids liberates very toxic gas. R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S (1/2-): Keep locked up and out of the reach of children. S 28: After contact with skin, wash immediately with plenty of <i>soap and water</i>. S 45: In case of accident or if you feel unwell, seek medical advice immediately. S 60: This material and its container must be disposed of as hazardous waste. S 61: Avoid release to the environment. Refer to special instructions/safety data sheet.</p>

Biological Ingredient	Data / Information
Animal proteins [≤ 10% v/v in 1 and 2]	This material is of animal origin (guinea pig, murine and bovine) and may be a potential contact irritant. Hazard unknown. Handle as though potentially infectious. The chemical, physical and toxicological properties have not been thoroughly investigated. Handle appropriately with the requisite Good Laboratory Practices <i>Standard</i> and <i>Universal Precautions</i> . Dispose of this material in accordance with local, regional, national and international regulations.
Chlamydia Infected Cells [Slide component (human origin)] 	Chlamydia (American Tissue Culture Collection [ATCC] VR-901B, strain 440) infected cells have been solvent fixed and are not considered infectious. Handle as if capable of transmitting infectious disease, in a Biosafety Level 2 lab, applying the guidelines from the current CDC/NIH <i>Biosafety in Microbiological and Biomedical Laboratories</i> or WHO <i>Laboratory Biosafety Manual s</i> . Employ decontamination procedures with appropriate decon agent or disinfectant before discarding any materials utilized or returning equipment used to general use. Dispose of this material in accordance with local, regional, national and international regulations. Handle appropriately with the requisite Good Laboratory Practices <i>Standard</i> and <i>Universal Precautions</i> .
Slides -- replacement, optional and/or separately purchased kit component	These slides consist of 96-100% inert glass with an ~0-4% inert polymer coating, which have been biologically and chemically processed. Because these slides are made of glass, they could potentially pose a slight physical cutting hazard, especially if broken or chipped, so handle carefully, wear suitable gloves and/or other appropriate personal protective equipment and follow Good Laboratory Practices. Do not handle broken slides with unprotected hands. Broken slides contaminated with blood or other human source or potentially infectious material must be handled as Sharps per 29 CFR 1910.1030, OSHA Bloodborne Pathogen and other regulations; however, dispose of this material in accordance with local, regional, national and international regulations.

Key:

- + The Kit Concentration was not tested; the values refer to the solution concentration as tested, designated by Percentage within parentheses.
- ++ The Kit Concentration was tested or the values given were estimated for the general diagnostic laboratory usage of the kit reagent dilution.
- NE: Not Established or Unknown (unable to locate data); typically for concentrate form unless otherwise specified.
- Abbreviations for component HMIS hazard ratings are as follows: H=Health, F=Flammability, R=Reactivity.
- GHS = Globally Harmonized System
- RTECS # - Registry of Toxic Effects of Chemical Substances number
- PEL - Permissible Exposure Limit / Occupational Exposure Limit (OEL)
- TLV/TWA – Threshold Limit Value / Time-Weighted Average
- STEL - Short Term Exposure Limit
- IDLH - Immediately Dangerous to Life or Health

Related product information:

- ◆ Refer to section 2 for the full text of any *GHS* /2008/1272/EC statement coded above.
Refer to section 16 for the full text of any *Risk* (*R*) and *Safety* (*S*) statement provided above.
- ◆ No significant adverse health effects are expected by any route for the following chemical constituents in the kit volumes and concentrations present [dilution not subject to EU or GHS hazard labeling]:
 - < **0.1% Evans Blue Stain** [C₃₄H₂₄N₆O₁₄S₄•4Na], CAS# 314-13-6, EC No 206-242-5. [NOTE: this chemical has been designated by IARC with a carcinogen Classification 3, which indicates that "the Agent is NOT CLASSIFIABLE as Carcinogenic"]. The chemical, physical and toxicological properties have not been thoroughly investigated. [Component 1]
 - < **2% Tris** (TRIZMA BASE) Buffer solution; 2-Amino-2-(hydroxymethyl)-3,1-propanediol, [C₄H₁₁NO₃], CAS# 77-86-1, 25149-07-9; 108195-86-4, EC No 201-064-4 [Component 3]
 - ≤ **0.2% EDTA, Tetrasodium Salt, Dihydrate** [C₁₀H₁₂N₂O₈Na₄•2H₂O], CAS# 10378-23-1, EC No 200-573-9 [Component 3]
 - The miscellaneous salts, buffers, protein-stabilizers, antibodies, conjugates, water, dyes or other non-reactive ingredients.
- ◆ According to the concept of *Universal Precautions* (29 CFR 1910.1030), all human blood and certain human body fluids must be treated as if known to be infectious for HIV, HBV and other bloodborne pathogens. No known test method can offer complete assurance that products derived from human blood will not transmit infection; thus, they should be handled as though they contain infectious agents. Furthermore, individual patient samples being tested represent a heightened, unknown hazard. Aerosolization/inhalation, contact and mucous membrane exposure should be avoided during sample and kit handling. Consider equipment that potentially comes in contact with human source material as contaminated until appropriately decontaminated.
- ◆ Do not eat, drink or smoke when using this product.

- ◆ Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

EMERGENCY FIRST AID MEASURES (4):

Health Effects:	Symptoms of overexposure may include headache, dizziness, congestion and breathing difficulty. May be harmful if swallowed. May be harmful in contact with skin. May cause allergic skin reaction upon repeated exposure; generally at concentrations and volumes that greatly exceed that of this kit.
Eye Contact:	Flush eyes with copious water for at least 15 minutes. Ensure adequate flushing by separating the eyelids with fingers while flushing with water. OBTAIN MEDICAL ATTENTION.
Skin Contact:	Remove contaminated clothing. Flush skin with copious water and wash affected area with soap and water. If blood-to-blood contact occurs or if more severe symptoms develop, consult a physician.
Inhalation:	Remove person from exposure area to fresh air. If breathing becomes difficult, immediately call for emergency medical assistance. Treat symptomatically and supportively. Generally, this aqueous product is not a significant inhalation hazard in the kit volumes and concentrations present.
If Swallowed:	If ingested, rinse out mouth thoroughly with water, provided the person is conscious, and OBTAIN MEDICAL ATTENTION. Call a physician or the local poison control center. Treat symptomatically and supportively. If vomiting occurs, keep head lower than hips to prevent aspiration.
Notes to Physician:	According to the OSHA Bloodborne Pathogens Standard (29 CFR 1910.1030), Universal Precautions apply. Persons handling human blood source samples should be offered hepatitis B vaccination prior to working with human source material.

FIREFIGHTING MEASURES (5):

Extinguishing Media:	Use extinguishing media appropriate for the surrounding fire.
Hazardous Combustion Products:	May release toxic oxides of carbon, nitrogen and sulfur.
Special Firefighting Procedures:	Conventional firefighting full protective equipment (with NIOSH-approved self-contained breathing apparatus) and procedures appropriate for the surrounding fire should be sufficient.

ACCIDENTAL RELEASE MEASURES (6):

- ◆ Avoid direct contact with skin, eyes, mucous membranes and clothing by wearing appropriate lab personal protective equipment (PPE) including gloves, lab coat and eye/face protection.
- ◆ In the event of a hazardous material spill, contain the spill if it is safe to do so and immediately move to a safe area, free from potential aerosols, to decontaminate and/or safely remove any contaminated clothing, as necessary. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Isolate the hazard area and ventilate if appropriate. Ensure that appropriate spill cleanup materials and PPE are available and used.
- ◆ Follow established laboratory policy and applicable CDC/NIH biosafety and/or OSHA/WISHA hazardous material spill and/or NFPA/Fire Code guidelines for appropriate hazardous chemical and/or biological material spill response and cleanup. Avoid release to the environment.
- ◆ Wear appropriate PPE. Immediately, and on-site if possible, decontaminate biohazard/human source material spills, which should always be treated as potentially infectious, including the area, spill materials and any contaminated surfaces or equipment. Utilize an appropriate chemical decon agent or disinfectant that is effective for the known or potential pathogens relative to the samples involved (commonly a 1:10 dilution of bleach, 70-80% ethanol or isopropanol, an iodophor (such as Wescodyne Plus) or a phenolic, etc.).
- ◆ Clean the spill area with water and wipe dry. Spills can also be absorbed with appropriate inert materials (e.g., spill pillows, absorbent pads, etc.), which are secured in an appropriate, labeled, sealed container. Material used to absorb the spill may require hazardous material waste disposal. Infectious, chemical and laboratory wastes must be handled and discarded in accordance with all local, regional, national and international regulations.

- ◆ Broken slides contaminated with blood or other human source or potentially infectious material must be handled as **Sharps** per 29 CFR 1910.1030, OSHA Bloodborne Pathogen and other regulations; however, dispose of this material in accordance with local, regional, national and international regulations.
Slides processed with material that is not of human origin and is not pathogenic to humans, if broken, can typically be handled as normal uncontaminated broken glass labware; however, dispose of this material in accordance with local, regional, national and international regulations.
- ◆ Refer to Sections 8 and 13 for more specifics.

HANDLING AND STORAGE INFORMATION (7):

Handling:	This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Follow proper Good Laboratory Practices and safety guidelines for handling chemical, biological and laboratory hazards. Do not smoke, eat, or drink in areas where patient samples and kit reagents are handled. Wash your hands after use. Wear appropriate personal protective equipment (PPE) including gloves, lab coat or equivalent and eye/face protection. Keep containers tightly closed; avoid splashing, spills and the generation of aerosols. Handle all human source specimens, materials and equipment used to perform the operations as though they were capable of transmitting infectious disease, as per <i>Standard</i> and <i>Universal Precautions</i> . All personal protective equipment should be removed before leaving the work area. Refer to Section 8 for more specifics. Avoid release to the environment. Do not allow undiluted product hazardous chemical ingredient or large quantities of it to reach ground water or water course. Consult with your Environmental Health & Safety Office for assistance.
Storage:	Store according to product and label instructions (generally at 2-8°C).
Caution, consult accompanying documents. Refer to the <i>Instructions For Use</i> and/or <i>Package Insert</i> for additional product information.	
For <i>in vitro</i> diagnostic use.	

EXPOSURE CONTROL / PERSONAL PROTECTION MEASURES (8):

Control Parameters – Component chemicals with limit values that require monitoring at the workplace:

Sodium Azide [CAS# 26628-22-8]:		
REL (United States)	Short-term value: C 0.3** mg/m ³ , C 0.1* ppm	*as HN ₃ vapor; **as NaN ₃ ; Skin
TLV (United States)	Short-term value: C 0.29** mg/m ³ , C 0.11* ppm	*as HN ₃ vapor **as NaN ₃
EL (Canada)	Short-term value: C 0,29* mg/m ³ , C 0,11**ppm	*sodium azide; **hydrazoic acid vapour
IOELV (European Union)	Short-term value: 0,3 mg/m ³ Long-term value: 0,1 mg/m ³	Skin Skin
WEL (United Kingdom)	Short-term value: 0,3 mg/m ³ Long-term value: 0,1 mg/m ³	(as NaN ₃) Sk (as NaN ₃) Sk
NES (AUS)	0.3* mg/m ³ , 0.11 ppm	*Peak limitation
VME (France)	Short-term value: 0,3 mg/m ³ , 0,1 ppm	risque de pénétration percutanée
VL (Belgium, (France)	Short-term value: 0,3 mg/m ³ Long-term value: 0,1 mg/m ³	D, M D, M
AGW (Germany)	0,2 mg/m ³	2(I);DFG
MAK (Austria, (Germany))	Short-term value: 0,3 mg/m ³ Long-term value: 0,1 mg/m ³	
TWA (Italy)	Short-term value: C 0,29 mg/m ³ , C 0,11* ppm A4; sodio azide; *come azido idrazonico, vapore	
MAK (Switzerland, (Germany))	Short-term value: 0,4 e mg/m ³ Long-term value: 0,2 e mg/m ³	
GV (Denmark)	0,1 mg/m ³	EH
MAK (Netherland)	Short-term value: 0,3 mg/m ³ Long-term value: 0,1 mg/m ³	

Sodium Azide [CAS# 26628-22-8]:		
<i>OEL (Sweden)</i>	<i>Short-term value: 0,3 mg/m³</i>	<i>H</i>
	<i>Long-term value: 0,1 mg/m³</i>	<i>H</i>

Glycerol [CAS# 56-81-5]:		
<i>PEL (United States)</i>	<i>15* 5** mg/m³</i>	<i>*total dust **respirable fraction</i>
<i>TLV (United States)</i>	<i>10* ppm</i>	<i>*Mist</i>
<i>EL (Canada)</i>	<i>10* 3** mg/m³</i>	<i>*mist; **mist, resirable</i>
<i>WEL (United Kingdom)</i>	<i>10 mg/m³</i>	
<i>NES (AUS)</i>	<i>10 mg/m³</i>	
<i>VME (France)</i>	<i>10 mg/m³</i>	
<i>VL (Belgium, (France))</i>	<i>10 mg/m³</i>	
<i>MAK (Germany)</i>	<i>50E mg/m³</i>	
<i>TWA (Italy)</i>	<i>10 mg/m³</i>	
<i>MAK (Switzerland, (Germany))</i>	<i>Short-term value: 100 e mg/m³</i>	
	<i>Long-term value: 50 e mg/m³</i>	

Chemical *	CAS-No.	Value	Control parameter	Update	Basis	
Sodium Metabisulphite	7681-57-4	TWA	5 mg/m ³	1996-05-18	US. American Conference of Governmental and Industrial Hygienists Threshold Limit Values for Chemical Substances in the Work Environment; Annual Reports for the Year 2004:Committees on Threshold Limit Values (TLVs) and Biological Exposure Indices (BEIs)	
		Remarks: Refers to Appendix A – Carcinogens. 1996 Adoption.				
		TWA	5 mg/m ³	1989-03-01	US. Department of Labor - Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1000 Z-1-A.	
*Source: Raw Material Vendor Safety Data Sheet						

Additional information: The lists that were valid during the creation were used as basis.

The following personal protective equipment (PPE) is recommended to prevent blood or other potentially infectious or hazardous materials from reaching the user's work or street clothes, skin, mouth, mucous membranes and eyes, and to prevent hazard inhalation, under normal conditions of use and for the time during which the protective equipment is utilized:

- Ventilation:** Adequate lab ventilation is required. It is recommended that users handle potentially infectious human source material or patient samples in a biological safety cabinet (BSC), expressly if aerosols might be generated.
- Eye / Face Protection:** Wear ANSI approved safety glasses, goggles or face shield with safety glasses or goggles. Contact lenses should not be worn when handling lab hazards.
- Protective Gloves:** Suitable gloves must be worn at all times when handling kit reagents or patient samples to provide skin protection from splash and intermittent contact. Synthetic gloves such as nitrile, neoprene and vinyl are recommended because they are sturdy, effective and contain no natural latex ingredients associated with latex glove allergic reactions. Disposable (single use) gloves should be changed often and never reused. Wash hands thoroughly after removing gloves.
- Protective Clothing:** Wear a lab coat, clinic jacket, gown, apron and/or smock. Disposable clothing is strongly recommended when handling biohazardous material. If reusable clothing is used, procedures for handling potentially infectious laundry under the OSHA Bloodborne Pathogens Standard (29 CFR 1910.1030) are required.
- Respiratory Protection:** Do not breathe mist / vapours / spray.

- Other: All personal protective equipment should be removed before leaving the work area and placed in an appropriately designated area or container for storage, processing, decontamination or disposal. Protective coverings such as plastic wrap, aluminum foil, or imperviously backed absorbent pads used to cover equipment and/or surfaces must be removed and replaced if they become overtly contaminated.
- Note: Occupational exposure limit values and health hazard data were given in Section 3. Environmental controls are included in the following sections.

PHYSICAL AND CHEMICAL PROPERTIES (9):

Appearance:	<i>Chlamydia trachomatis</i> Direct Specimen Monoclonal Antibody: Blue aqueous liquid. Pathfinder® <i>Chlamydia</i> Control Slides: Solid Glass Slides. Pathfinder® Mounting Media: Clear aqueous liquid.		
Odour:	Data is not available.	Odour threshold:	Not established.
pH:	Neutral, pH between 6 and 8.		
Boiling point:	Not established.	Melting point:	Not established.
Flash point:	Not applicable. Flammable limits: LEL/LFL is <u>Not applicable</u> ; UEL/UFL is <u>Not applicable</u> .		
Evaporation rate:	Data is not available.		
Fire hazard:	Although the components have not been tested for fire hazard and explosion data, being water-based, they are not expected to be fire hazards, but some of the kit packaging materials may burn under fire conditions.		
Vapor pressure:	Data is not available.		
Vapor density:	Data is not available.		
Relative density:	Not established.		
Solubility:	The liquid chemical components are soluble in water.		
Partition coefficient (n-octanol/water):	Data is not available.		
Auto igniting:	Product is not known to be self-igniting.		
Decomposition temperature:	Data is not available.		
Viscosity:	Data is not available.		
Danger of explosion:	Sodium azide may react with lead or copper plumbing to form highly explosive metal azides; buildup in metal plumbing has led to laboratory explosions, so flush with copious water when pouring dilute solutions down the drain to prevent such explosive buildup. Keep glycerol solutions away from strong oxidizing agents, including sodium hypochlorite (bleach) and potassium permanganate, as these could potentially form explosive mixtures.		
No other standard characteristics are known to be applicable to the identification or hazards of the product components.			

STABILITY AND REACTIVITY INFORMATION (10):

NOTE: Chemical reactions that could result in a hazardous situation (e.g. generation of flammable or toxic chemicals, fire or detonation) are listed here. Although not intended to be complete, an overview of important reactions involving common chemicals is provided to assist in the development of safe work practices.

Chemical Stability / Reactivity:	Stable under ordinary conditions of use and storage.
Conditions and/or Materials to Avoid:	Sodium azide may react with lead or copper plumbing to form highly explosive metal azides; buildup in metal plumbing has led to laboratory explosions, so flush with copious water when pouring dilute solutions down the drain to prevent such explosive buildup.
Materials to Avoid:	Keep glycerol solutions away from strong oxidizing agents, including sodium hypochlorite (bleach) and potassium permanganate, as these could potentially form explosive mixtures.

Hazardous Decomposition Products:	May release toxic oxides of carbon, nitrogen and sulfur.
Hazardous Polymerization:	Has not been reported to occur.

TOXICOLOGICAL INFORMATION -- GENERAL COMPOSITE (11):

Refer to Sections 2 and 3 for the kit component concentrations. The composite toxicological information for this product is:

Acute Health Effects

Toxicity:	May be harmful if swallowed. May be harmful in contact with skin.
Primary Irritant Effect:	May slightly irritate eyes or skin, depending on amount and contact time.
Serious Eye Damage / Irritation:	May slightly irritate eyes depending on amount and contact time.
STOT-Single Exposure:	Data is not available.
STOT-Repeated Exposure:	Data is not available.
Aspiration Hazard:	Data is not available.
Other Acute Health Effects:	Possible risk of irreversible effects.

Biohazard Potential:

Chlamydia (American Tissue Culture Collection (ATCC) VR-901B, strain 440) **infected cells** have been solvent fixed and are not considered infectious. Patient blood samples tested with this kit represent an unknown, heightened hazard. Employ *Standard* and *Universal Precautions*; handle these reagents, all human blood and specimens as if capable of transmitting infectious disease, in a Biosafety Level 2 laboratory, applying the guidelines from the current CDC/NIH *Biosafety in Microbiological and Biomedical Laboratories*, WHO *Laboratory Biosafety Manual* or equivalent. Persons handling blood samples should have the option of receiving hepatitis B vaccination.

Chronic Toxicity

Sensitization:	Contains a small volume of a very dilute, sensitizing chemical (Sodium Metabisulfite); though the potential for an allergic response is greatly reduced by the dilution, sensitization threshold is unknown, thus handle accordingly.
Carcinogenicity:	IARC designates Evans Blue (CAS# 314-13-6) in the carcinogen Group 3, which specifies "the Agent is NOT CLASSIFIABLE as Carcinogenic."
Germ Cell Mutagenicity:	Data is not available.
Reproductive hazard:	No reproductive toxic effect known.

Additional Toxicological Information: To the best of our knowledge, the chemical, physical and toxicological properties have NOT been thoroughly investigated for some of the component chemicals and/or mixtures.

ECOLOGICAL INFORMATION (12):

This product was not tested. The following assessment is based on information for the ingredients.

Toxicity:	<p>100% Sodium Azide [CAS# 26628-22-8] *: Fish LC₅₀ - Lepomis macrochirus - 0.68 mg/l - 96 h Daphnia EC₅₀ - Daphnia pulex (Water flea) - 4.2 mg/l - 48 h</p> <p>Concentrated Sodium Metabisulphite [CAS# 7681-57-4] *: Fish LC₅₀ - Oncorhynchus mykiss (rainbow trout) – 150-200 mg/l – 96 h Daphnia EC₅₀ - Daphnia magna (Water flea) – 89 mg/l – 24 h Algae LC₅₀ - Scenedesmus subspicatus – 48 mg/l – 72 h Bacteria - Pseudomonas putida – 56 mg/l – 17 h</p> <p>* Source: Raw Material Vendor Safety Data Sheet</p>
Persistence and degradability:	No information found.

Bioaccumulation potential:	No information found.
Mobility in soil:	No information found.
PBT and vPvB assessment:	No information found.
Other adverse affects:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Avoid release to the environment.

General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.

DISPOSAL CONSIDERATIONS (13):

Disposal of hazardous and/or laboratory wastes, product or packaging must be conducted in accordance with all applicable local, regional, national and international regulations. This section specifies the general and United States RCRA requirements. Processing, use or contamination of the kit components may change waste management requirements and options. Contact your Environmental Health & Safety Office for your specific disposal procedures.

Recommended Product Disposal:

- **Sodium azide** may react with lead or copper plumbing to form highly explosive metal azides; buildup in metal plumbing has led to laboratory explosions, so flush with copious water when pouring dilute solutions down the drain to prevent such explosive buildup; check your international, national, regional and local ordinances accordingly.
- All human source and other **potentially infectious material** must be appropriately decontaminated or disposed of as infectious material; check your international, national, regional and local ordinances accordingly.
- Broken slides contaminated with blood or other human source or potentially infectious material must be handled as *Sharps* per 29 CFR 1910.1030, OSHA Bloodborne Pathogen and other regulations however, dispose of this material in accordance with local, regional, national and international regulation.

Do not allow undiluted product or large quantities of it to reach ground water or water course.

Recommended Unclean Packaging Disposal: Dispose of in accordance with all applicable local, regional, national and international regulations.

TRANSPORT INFORMATION (14):

Shipping and disposal of product, packaging and waste must be conducted in accordance with all applicable local, regional, national and international regulations. Processing, use or contamination of the kit components may change shipping requirements and options. Contact your Environmental Health & Safety Office for your specific shipping procedures.

Recommended Unused Product Multi-Modal Transportation: According to US DOT, IATA and UN “Model Regulations”, the product must be transported as follows: No known transport restrictions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

REGULATORY INFORMATION (15):

Composite HMIS Rating: Health: 2 Flammability: 0 Reactivity: 1

California Proposition 65: The product does not contain listed substances.

Carcinogenicity Categories:

IARC (International Agency for Research on Cancer): **IARC Group 3**, The Agent is NOT CLASSIFIABLE as Carcinogenic to Humans: **Evans blue**, CAS# 314-13-6.

NTP (National Toxicity Program): The product does not contain listed ingredients.

ACGIH TLV-CAR (Threshold Limit Value established by American Conference of Governmental Industrial Hygienists): The product does not contain listed ingredients.

OSHA Subpart Z (Occupational Health and Safety Administration, U.S. Department of Labor): The product does not contain listed ingredients.

National Regulations:

WHMIS Classification: This SDS contains the required information in accordance with the **Workplace Hazardous Materials Information System (WHMIS) Canadian Standard** for the hazard classification criteria for this product.

Mexican Standard: This SDS contains the required information for preparation in accordance with the **Mexican Standard (NMX-R-019-SCFI-2011) SISTEMA ARMONIZADO DE CLASIFICACIÓN Y COMUNICACIÓN DE PELIGROS DE LOS PRODUCTOS QUÍMICOS GLOBALLY HARMONIZED SYSTEM.**

Australian Code: This SDS contains the required information for preparation according to the *Australian Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals* under Section 274 of the **Work Health and Safety Act**.
Australian Inventory of Chemical Substances: All pertinent ingredients are listed.

Water hazard class: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Markings according to European Community 1999/45/EC, 2001/59/EC, 2001/60/EC, 2006/102/EC guidelines: This product has been classified and labeled in accordance with applicable European Community (EC) Directives (refer to 1999/45/EC, 2001/59/EC, 2001/60/EC and 2006/102/EC).

Hazard Designation of Composite Product: HARMFUL: (Xn);



Hazard Determining substance(s) of Labeling (rated under 1999/45/EC unless otherwise specified):

0.1% Sodium azide [NaN₃], CAS# 26628-22-8, EC No 247-852-1; Harmful: Xn; R 22; S 24-35-37 (< 1% and ≥ 0.1%).

OTHER INFORMATION (16):**Risk Phrases:**

R 22 Harmful if swallowed.
Caution Handle as if capable of transmitting potentially infectious agents (Universal Precautions).

Safety Phrases:

S 24 Avoid contact with skin.
S 35 This material and its container must be disposed of in a safe way.
S 37 Wear suitable gloves.
S 56 Dispose of this material and its container to hazardous or special waste collection point.

This test kit should be handled only by qualified personnel trained in laboratory procedures and familiar with their potential hazards. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety.

For *in vitro* diagnostic use.

Sources of key data used to compile the Safety Data Sheet:

Raw Material Vendor Safety Data Sheets
United Nations (UN) Globally Harmonized System (GHS)
United States OSHA Hazard Communication Standard (HCS)1910.1200
Canadian Workplace Hazardous Materials Information System (WHMIS)
European Community (EC) Regulations 2008/1272/EC, 2010/453/EC, 2006/1907/EC
Mexican Standard NMX-R-019-SCFI-2011
Australian Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Section 274 of the Work Health and Safety Act)
EU Directives 1999/45/EC, 2001/59/EC, 2001/60/EC, 2006/102/EC
Registry of Toxic Effects of Chemical Substances (RTECS)
International Agency for Research on Cancer (IARC)
Threshold Limit Value established by American Conference of Governmental Industrial Hygienists (ACGIH)
Occupational Safety and Health Administration, U.S. Department of Labor (OSHA)

National Toxicity Program (NTP)
National Institute for Occupational Safety and Health (NIOSH)
Australian Inventory of Chemical Substances (ACIS) [7-27-2012]
California Proposition 65

Chemical safety assessment: Mixtures covered in this SDS were classified using the EU Regulation 1272/2008/EC and/or UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Fourth edition unless otherwise specified.

Key / legend to abbreviations and acronyms used in the safety data sheet:

ACGIH – American Conference of Governmental Industrial Hygienists
ACIS – Australian Inventory of Chemical Substances
ANSI – American National Standards Institute
CAS – Chemical Abstracts Service
CDC – Centers for Disease Control, USA
CNS – Central Nervous System
DOT – Department of Transportation
EC₅₀ – half maximal effective concentration
EU – European Union
GHS – Globally Harmonized System
HCS – Hazard Communication Standard, USA
IATA – International Air Transport Association
IARC – International Agency for Research on Cancer
ICAO – International Civil Aviation Organization
IDLH – Immediately Dangerous to Life or Health
IMDG – International Maritime Dangerous Goods
IPCS – International Programme on Chemical Safety
LC₅₀ – median lethal concentration, 50%
LD₅₀ – median lethal dose, 50%
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicity Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
RTECS # – Registry of Toxic Effects of Chemical Substances number
SDS – Safety Data Sheet
STEL – Short Term Exposure Limit
TLV/TWA – Threshold Limit Value / Time-Weighted Average
UN – United Nations
US EPA – United States Environmental Protection Agency
US OSHA – Occupational Safety and Health Administration, U.S. Department of Labor
WHMIS – Workplace Hazardous Materials Information System (Canadian)
WHO – World Health Organization (United Nations)

Additional information: The lists that were valid during the creation were used as basis.

This revision: Updated, reformatted and added new GHS information.

Bio-Rad Laboratories:

Department issuing SDS: Environmental Health and Safety.

Contact for general SDS information: Redmond Operations, Environmental Health & Safety, 6565 185th Ave. NE, Redmond, WA 98052, USA, Phone: 425-881-8300 (8 am to 5 pm PT), ro-sds@bio-rad.com

Customer support contact: Clinical Diagnostics Group, 4000 Alfred Nobel Drive, Hercules, CA 94547, USA
Phone: 1-800-224-6723, www.bio-rad.com/diagnostics

Contact Local Bio-Rad Agents for general information:

Australia, Bio-Rad Laboratories Pty. Ltd., Level 5, 446 Victoria Road, Gladesville NSW 2111 • Phone 61-2-9914-2800 • Telefax 61-2-9914-2888
Austria, Bio-Rad Laboratories Ges.m.b.H., Hummelgasse 88/3-6, A-1130 Vienna • Phone 43-1-877-8901 • Telefax 43-1-876-5629
Belgium, Bio-Rad S.A.-N.V. Begoniastraat 5, B-9810 Nazareth Eke • Phone 3293855511 • Telefax 3293856554
Brazil, Bio-Rad do Brasil, Praia de Botafogo, 440-3rd Floor, Botafogo, RJ CEP 22250-040, Rio de Janeiro • Phone 5521-3237-9400 • Telefax 55 21 2527-3099
Canada, Bio-Rad Laboratories, Ltd., 2403 Guénette Street, Montréal, Québec H4R 2E9 • Phone 1-514-334-4372 or 1-800-361-1808 • Telefax 1-514-334-4415
China, Bio-Rad Laboratories Shanghai Ltd. 3rd Floor, #18 Dong Fang Road, Bldg E, Poly Plaza, Pudong, Shanghai PRC • Phone 86-21-64260808 • Telefax 86-21-64264988

Czech Republic, Bio-Rad spol. s r.o., Nad ostrovem 1119/7, 147 00 Prague 4 • Phone 420-241-430-532 • Telefax 420-241-431-642

Denmark, Bio-Rad Laboratories, Symbion Science Park, Fruebjergvej 3, DK-2100 Copenhagen East • Phone +45 44 52-10 00 • Telefax +45 44 52-10 01

Finland, Bio-Rad Laboratories, Linnanherrankuja 16, FIN-00950 Helsinki • Phone 358-9-804-22-00 • Telefax 3589-7597 5010

France, Bio-Rad Laboratories, 3 boulevard Raymond Poincaré, 92430 Marnes-la-Coquette • Phone +33 (0)1 47 95 60 00 • Telefax +33 (0)1 47 41 91 33

Germany, Bio-Rad Laboratories GmbH, Heidemannstrasse 164, D-80939 Munich • Phone +49-(0)89-318840 • Telefax +49-(0)89-31884100

Greece, Bio-Rad Laboratories M.EPE, 2-4 Mesogeion Street, Fourth Floor 115 27 Athens • Phone 30-210-7774396 • Telefax 30-210-7774376

Hong Kong, Bio-Rad Pacific Ltd., Unit 1101, 11/F DCH Commercial Centre, 25 Westlands Road, Quarry Bay • Phone 852-2789-3300 • Telefax 852 2789-1290

Hungary, Bio-Rad Hungary Ltd., Futó Street 47-53, H-1082 Budapest, Hungary • Phone + 36-1-459-6100 • Telefax + 36-1-459-6101

India, Bio-Rad Laboratories (India) Pvt. Ltd., Bio-Rad House, 86-87, Udyog Vihar, Phase - IV, Gurgaon, Haryana 122 015 • Phone 91-124-4029300 • Telefax 91-124-2398115

Israel, Bio-Rad Laboratories Ltd., 14 Homa Street, New Industrial Area, Rishon Le Zion 75655 • Phone 972-3-9636050 • Telefax 972-3-9514129

Italy, Bio-Rad Laboratories S.r.l., Via Cellini 18/A, 20090 Segrate, Milan • Phone +39-02-216091 • Telefax +39-02-21609-398

Japan, Bio-Rad Laboratories K.K., Tennoz Central Tower 20F, 2-2-24 Higashi-Shinagawa, Shinagawa-ku, Tokyo 140-0002 • Phone 81-3-6361-7070 • Telefax 81-3-5463-8483

Korea, Bio-Rad Korea Ltd., 10th Floor, Hyunjuk Building, 832-41, Gangnam-gu, Seoul 135-080 • Phone 82-2-3473-4460 • Telefax 82-2-3472-7003

Mexico, Bio-Rad, S.A., Avenida Eugenia 197, Piso 10-A, Col. Narvarte, Delegacion Benito Juarez, C.P. 03020 Mexico, D.F. • Phone +52 (55) 5488-7670 • Telefax +52 (55) 1107-7246

The Netherlands, Bio-Rad Laboratories B.V., Fokkerstraat 2-8, 3905 KV Veenendaal • Phone +31-318-540666 • Telefax +31-318542216

New Zealand, Bio-Rad New Zealand, 189 Bush Road Unit B, Albany, Auckland • Phone 6494152280 • Telefax 6494152284

Norway, Bio-Rad Laboratories, Johan Scharffenbergs vei 91, N-0694 Oslo • Phone 4723384130 • Telefax 4723384139

Poland, Bio-Rad Polska Sp. z o.o., Nakielska Str. 3, 01-106 Warsaw • Phone 48-22-3319999 • Telefax 48-22-3319988

Portugal, Bio-Rad Laboratories, Lda., Edificio Prime, Av. Quinta Grande, 53 – Fração 3B Alfragide 26114-521 Amadora • Phone 351-21-472-7700 • Telefax 351-21-472-7777

Russia, Bio-Rad Laboratorii, Business Centre “West Bridge”, Leningradsky pr-t H.37A Bld. 14, 125167 Moscow • Phone 7-495-72114 04 • Telefax 7-495-721-14-12

Singapore, Bio-Rad Laboratories (Singapore) Pte. Ltd., 27 International Business Park, #01-02 iQuest @IBP, Singapore 609924 • Phone 65-6415-3170 • Telefax 656415-3189

South Africa, Bio-Rad Laboratories (Pty) Ltd., 34 Bolton Road, Parkwood, Johannesburg 2193 • Phone 27-11-442-85-08 • Telefax 27-11-442-85-25

Spain, Bio-Rad Laboratories, S.A., C/ Caléndula, 95, Edificio M. Miniparc II, El Soto de la Moraleja, 28109 Madrid • Phone 34-91-590-5200 • Telefax 34-91-590-5211

Sweden, Bio-Rad Laboratories A.B., Vintergatan 1, Box 1097, S-172 22 Sundbyberg • Phone 46-8-555-127-00 • Telefax 46-8-555-127-80

Switzerland, Bio-Rad Laboratories AG, Nenzlingerweg 2, CH-4153 Reinach BL • Phone 41-61-717-95-55 • Telefax 41-61-717-95-50

Thailand, Bio-Rad Laboratories Ltd., 1st & 2nd Floor, Lumpini I Bldg., 239/2 Rajdamri Rd., Lumpini, Pathumwan, Bangkok 10330 • Phone 662-651-8311 • Telefax 662-651-8312

United Kingdom, Bio-Rad Laboratories Ltd., Bio-Rad House, Maxted Road, Hemel Hempstead, Herts HP2 7DX • Phone +44-(0)20-8328-2000 • Telefax +44-(0)20-8328-2550

This document was developed from information obtained from reputable sources, but does not purport to be all-inclusive. The data contained herein, which is based on our present knowledge and is intended for information purposes only, shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Regulatory requirements are subject to change and vary from one location to another; thus, it is the buyer's responsibility to ensure that its activities comply with international, national, regional and local laws and regulations. Bio-Rad Laboratories makes no warranty, expressed or implied, regarding the accuracy or completeness of these data or the results to be obtained from the use thereof. Since the use of this information and the conditions of use of the product are not within the control of Bio-Rad Laboratories, it is the user's obligation to determine the suitability of the information for the intended application and use appropriate safety procedures.