



Printing date 08/21/2015 Reviewed on 07/07/2015

# 1 Identification

- · Product identifier
  - Trade name: Reactif de Kovacs (2 x 15 mL)
    - · Article number: 3555313
  - Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
    - · Application of the substance / the mixture Laboratory reagent or component.
- · Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

Bio-Rad

3, Boulevard Raymond Poincaré

F-92430 Marnes-la-Coquette

Tel.: +33 (0)1 47 95 60 00 Fax: +33 (0)1 47 41 91 33 e-mail: fds-msds.fr@bio-rad.com

- · Information department: Customer support.
- · Emergency telephone number:

See item 16

This SDS is listed with CHEMTREC 1-800-424-9300 / 1-703-527-3887.

Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE,

EXPLOSION or ACCIDENT with this product.

This SDS is listed with CHEMTREC 1-800-424-9300 / 1-510-741-1000.

Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION

or ACCIDENT with this product.

This SDS is listed with CHEMTREC 1-800-424-9300 / 1-510-741-1000.

Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE,

EXPLOSION or ACCIDENT with this product.

#### 2 Hazard(s) identification

#### · Classification of the substance or mixture



**GHS05 Corrosion** 

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
  - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- **Hazard-determining components of labeling:** 3-methylbutan-1-ol

(Contd. on page 2)





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 1)

hydrochloric acid

4-dimethylaminobenzaldehyde

#### · Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

#### · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear eye protection / face protection.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

Specific treatment (see on this label).

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Classification system:

· NFPA ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 0

# · HMIS-ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 0

#### · Other hazards

- · Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
  - · **Description:** Mixture containing hazardous components.

(Contd. on page 3)





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

	(Contd. of page 2)
· Dangerous components:	
123-51-3 3-methylbutan-1-ol      Flam. Liq. 3, H226     Acute Tox. 4, H302	50-100%
7647-01-0 hydrochloric acid Skin Corr. 1B, H314 STOT SE 3, H335	25-50%
100-10-7 4-dimethylaminobenzaldehyde  ♦ Acute Tox. 3, H301	2.5-10%

# 4 First-aid measures

# · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
  - · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - · Protective equipment: No special measures required.

# 6 Accidental release measures

 $\cdot$  Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 3)

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

#### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Follow good laboratory practices.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
  - · Storage:
    - · Requirements to be met by storerooms and receptacles: No special requirements.
    - · Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· C	· Components with limit values that require monitoring at the workplace: 123-51-3 3-methylbutan-1-ol				
123-					
PEL	360 mg/m³, 100 ppm				
REL	Short-term value: 450 mg/m³, 125 ppm Long-term value: 360 mg/m³, 100 ppm				
TLV	Short-term value: 452 mg/m³, 125 ppm Long-term value: 361 mg/m³, 100 ppm				
7647-01-0 hydrochloric acid					
PEL	Short-term value: C 7 mg/m³, C 5 ppm				
REL	Short-term value: C 7 mg/m³, C 5 ppm				
TLV	Short-term value: C 2.98 mg/m³, C 2 ppm				

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

# · Personal protective equipment:

# General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 4)

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Tightly sealed goggles

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties

**General Information** 

· Appearance:

Form: FluidColor: Light yellowOdor: Characteristic

· Change in condition

Melting point/Melting range:
 Boiling point/Boiling range:
 Undetermined.
 Undetermined.

Flash point: Not applicable.
 Ignition temperature: 340 °C (644 °F)

• Auto igniting: Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

• **Lower:** 1.2 Vol %

· Vapor pressure at 20 °C (68 °F): 2.7 hPa (2 mm Hg)

· **Density:** Not determined.

· Solubility in / Miscibility with

• Water: Fully miscible.

· Solvent content:

· Organic solvents: 63.6 % · VOC content: 63.6 %

• Other information No further relevant information available.

# 10 Stability and reactivity

- · Reactivity
  - · Chemical stability
    - · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

JSA





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 5)

# 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:

· LD/LC50 values that are relevant for classification:					
123-51-3 3-methylbutan-1-ol					
Oral	LD50	1300 mg/kg (rat)			
Dermal	LD50	3212 mg/kg (rabbit)			
7647-01-0 hydrochloric acid					
Oral	LD50	900 mg/kg (rabbit)			

- · Primary irritant effect:
  - · on the skin: Caustic effect on skin and mucous membranes.
  - · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
  - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
  - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - · Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
  - · **PBT:** Not applicable.
  - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

USA -





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 6)

# 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
  - · Recommendation: Disposal must be made according to official regulations.

UN-Number	11110004
· DOT	UN3264
· ADR, IMDG, IATA	3264
UN proper shipping name	
· DOT, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC,
	N.O.S. (HYDROCHLORIC ACID)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGAI
	N.O.S. (HYDROCHLORIC ACID)
Transport hazard class(es)	
· DOT	
ES	
CORROSIVE	
•	
· Class	8 Corrosive substances
· Label	8
· ADR	
F	
•	0 (04) 0
· Class	8 (C1) Corrosive substances
· Label	8
· IMDG, IATA	
With the state of	
•	
· Class	8 Corrosive substances
· Label	8
Packing group	
· DOT, ADR, IMDG, IATA	II
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80





Printing date 08/21/2015 Reviewed on 07/07/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 7)

• **EMS Number**: F-A,S-B

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

• UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s.

(Hydrochloric acid), 8, II

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
  - · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

123-51-3 3-methylbutan-1-ol

100-10-7 4-dimethylaminobenzaldehyde

- · Proposition 65
  - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
  - · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

	•	
Class	Share in %	
NK	61.0	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA



Page 9/9

**Safety Data Sheet** 29 CFR Part 1910.1200

Reviewed on 07/07/2015 Printing date 08/21/2015

Trade name: Reactif de Kovacs (2 x 15 mL)

(Contd. of page 8)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

USA - Clinical Diagnostic Group

**Bio-Rad Laboratories** 4000 Alfred Nobel Drive Hercules, California 94547 Phone: +1(510) 724-7000

#### Department issuing SDS:

SDS / FDS Administr.

Bio-Rad

Marnes-la-Coquette, France

· Contact:

**Customer Support** 

Phone: +33 (0)1 47 95 61 85

**Bio-Rad Laboratories** 6565 185th Avenue NE Redmond, WA 98052-5039

Phone Number: 1-800-2BIORAD (1-800-224-6723) or (425) 881-8300 (daytime PST)

· Date of preparation / last revision 08/21/2015 / -

# Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

USA