

Printing date 06/17/2015 Reviewed on 06/11/2015

1 Identification

- · Product identifier
- · Trade name: Opti-4CN™ Substrate
- · Catalog or product number: 9703210
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group

2000 Alfred Nobel Drive Hercules, California 94547

(510)741-1000

· Information department:

Technical services, customer support

lsg_techserv_us@bio-rad.com

· Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapor.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P280 Wear protective gloves / eye protection / face protection.
P240 Ground/bond container and receiving equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Additional information: Contact with acids may cause release of toxic gases
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Printing date 06/17/2015 Reviewed on 06/11/2015

Trade name: Opti-4CN™ Substrate

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.

| · Listing of dangerous and non-hazardous components: | | | |
|--|--------------------------------|----------|--|
| 64-17-5 | ethanol | 50-100% | |
| 67-68-5 | dimethyl sulfoxide | 35-50% | |
| 604-44-4 | 4-chloro-1-naphthol | 1.0-2.5% | |
| 54827-17-7 | 3,3',5,5'-tetramethylbenzidine | 0.1-1.0% | |

Additional information For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

US



Printing date 06/17/2015 Reviewed on 06/11/2015

Trade name: Opti-4CN™ Substrate

(Contd. of page 2)

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL () 1900 mg/m³, 1000 ppm REL () 1900 mg/m³, 1000 ppm

TLV () Short-term value: 1880 mg/m³, 1000 ppm

67-68-5 dimethyl sulfoxide

WEEL () 250 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colored
• Odor: Alcohol-like
• Odour threshold: Not determined.

(Contd. on page 4)



Printing date 06/17/2015 Reviewed on 06/11/2015

Trade name: Opti-4CN™ Substrate

| | (Contd. of page |
|---|---|
| pH-value: | Not determined. |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | undetermined 78 °C |
| Flash point: | ≤21 °C |
| Flammability (solid, gaseous) | Not applicable. |
| Ignition temperature: | 270 ℃ |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures as possible. |
| Explosion limits: Lower: Upper: | 1.8 Vol % 63.0 Vol % |
| Vapor pressure at 20 °C: | 59 hPa |
| Density: Relative density Vapour density Evaporation rate | Not determined Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water: | Fully miscible |
| Partition coefficient (n-octanol/wa | ter): Not determined. |
| · Viscosity: dynamic: kinematic: | Not determined. Not determined. |
| Solvent content: Organic solvents: | 98.0 % |
| Solids content: Other information | 2.0 % No further relevant information available. |

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known



Printing date 06/17/2015 Reviewed on 06/11/2015

Trade name: Opti-4CN™ Substrate

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values for hazardous components per OSHA criteria:

64-17-5 ethanol

 Oral
 LD50
 7060 mg/kg (rat)

 Inhalative
 LC50/4 h
 20000 mg/l (rat)

67-68-5 dimethyl sulfoxide

Oral LD50 14500 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

(Contd. on page 6)



Printing date 06/17/2015 Reviewed on 06/11/2015

Trade name: Opti-4CN™ Substrate

(Contd. of page 5)

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| Transport information | | |
|---|---|--|
| · UN-Number · DOT, ADR, IMDG, IATA | UN1993 | |
| · UN proper shipping name · DOT, IMDG, IATA · ADR | FLAMMABLE LIQUID, N.O.S. (ETHANOL MIXTURE) 1993 FLAMMABLE LIQUID, N.O.S. (vapor pressure at 50 at most 110 kPa) (ETHANOL (ETHYL ALCOHOL)) | |
| · Transport hazard class(es) | | |
| · DOT, ADR, IMDG, IATA · Class · Label | 3 Flammable liquids 3 | |
| · Packing group · DOT, ADR, IMDG, IATA | II . | |
| · Environmental hazards: · Marine pollutant: | No | |
| · Special precautions for user · Danger code (Kemler): · EMS Number: | Warning: Flammable liquids 33 F-E, <u>S-E</u> | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. | | |
| · Transport/Additional information: | | |
| · DOT · Remarks: | ERG 128 | |
| · UN "Model Regulation": | UN1993; FLAMMABLE LIQUID, N.O.S.; 3; II | |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 7)



Printing date 06/17/2015 Reviewed on 06/11/2015

Trade name: Opti-4CN™ Substrate

(Contd. of page 6)

- · California Proposition 65:
- Developmental Toxicity

64-17-5 ethanol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol A3

· MAK (German Maximum Workplace Concentration)

64-17-5 ethanol

5

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

| Class | Share in % |
|-------|------------|
| 1 | 0.1-1.0 |
| NK | 50-100 |

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/17/2015 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

· * Data compared to the previous version altered.