

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 02/27/2006

SDS No : 30-001.8

Date Revised : 03/24/2015

Revision No : 8

Ultradent® LC Block-Out Resin

SECTION 1 : Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product code : BO/10318
Product name : Ultradent® LC Block-Out Resin
Product description : Light cure laboratory block out and model resin

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Dental laboratory resin

1.3. Details of the supplier of the safety data sheet

Manufacturer

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) : (800) 424 - 9300
(INTERNATIONAL) : +1(703) 527 - 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R36/38, R43

Classification according to Regulation (EC) No 1272/2008 [CLP]

Health : Skin Irritation
 Skin Sensitization

2.2. Label elements

Classification according to Directive 1999/45/EC

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36/38: Irritating to eyes and skin.
 R43: May cause sensitization by skin contact.

Classification according to Regulation (EC) No 1272/2008 [CLP]

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 02/27/2006

SDS No : 30-001.8

Date Revised : 03/24/2015

Revision No : 8

Ultradent® LC Block-Out Resin**Hazard pictogram(s)**

:

Exclamation
mark**Signal Word**

: WARNING

Hazard statement(s): H315: Causes skin irritation.
H317: May cause an allergic skin reaction.**Precautionary statement(s)****Prevention**

: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313: Get medical advice/attention.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P332+P313: If skin irritation occurs: Get medical advice/attention.**Storage**

: P103: Read label before use.

Disposal

: P501: Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

2.3. Other hazards**Immediate concerns**

: No other adverse human effects.

SECTION 3: Composition / information on ingredients**3.1. Substances**

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No 1272/2008 [CLP]
Diurethane Dimethacrylate	72869-86-4	276-957-5	< 80	Xi; R36/37/38	H317; H319; H411; H315; H335
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 20	Xi; R43	H317

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 02/27/2006

SDS No : 30-001.8

Date Revised : 03/24/2015

Revision No : 8

Ultradent® LC Block-Out Resin

4.1. Description of first aid measures

- Following eyes** : Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : If swallowed in small quantity the product is harmless, otherwise consult a doctor.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : Contact causes severe eye irritation.
- Skin** : May cause skin irritation and sensitization.
- Ingestion** : None expected for this product.
- Inhalation** : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Not Determined
- Explosion hazards** : Not Determined
- Fire explosion** : Not Determined
- Sensitive to static discharge** : Not Determined
- Sensitivity to impact** : Not Determined

5.3. Advice for firefighters

- Fire fighting procedures** : As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.
- Fire fighting equipment** : Foam, dry chemical, carbon dioxide (CO₂).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 02/27/2006

SDS No : 30-001.8

Date Revised : 03/24/2015

Revision No : 8

Ultradent® LC Block-Out Resin

Water spill : Not Determined

6.3. Methods and material for containment and cleaning up

Small spill : Wipe up with dry cloth and alcohol.

Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

General procedures : Stable when stored and handled under recommended conditions.

Handling : Use suitable protective equipment.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Dental laboratory resin

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection

Skin protection : Wear suitable protective clothing and gloves.

Respiratory protection : Not needed for normal use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gel

Colour : Dark Blue Gel

Odour : Acrylic

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Polymerization occurs when exposed to visible light, ultraviolet light or extreme heat.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 02/27/2006

SDS No : 30-001.8

Date Revised : 03/24/2015

Revision No : 8

Ultradent® LC Block-Out Resin

10.2. Chemical stability

Chemical stability : Sensitive to light.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

Conditions to avoid : Oxidizing materials.

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : Carbon Dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Notes : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : No data available.

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : Not defined

SECTION 13: Disposal considerations

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 02/27/2006

SDS No : 30-001.8

Date Revised : 03/24/2015

Revision No : 8

Ultradent® LC Block-Out Resin

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : Not Dangerous Goods

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Laboratory Item, Not a Medical Device.

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R36/37/38: Irritating to eyes, respiratory system and skin.
R43: May cause sensitization by skin contact.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H411: Toxic to aquatic life with long lasting effects.

Prepared by : Anu Kattoju

Revision summary : This SDS replaces the 01/29/2015 SDS. Revised: **Section 1:**

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued : 02/27/2006
SDS No : 30-001.8
Date Revised : 03/24/2015
Revision No : 8

Ultradent® LC Block-Out Resin

. **Section 2:** . **Section 8:** PERSONAL PROTECTIVE EQUIPMENT - SKIN. **Section 10:** HAZARDOUS POLYMERIZATION, STABLE. **Section 11:** ACUTE (ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat) ACUTE. **Section 15:** COMMENTS, Notes, SECTION 15: Regulatory information.

General statements

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.