



<b>SECTION 1: Identification</b>			
<b>Product Name</b>	Universal Floor Finish	<b>Item Number</b>	UNIVERSAL
<b>Recommended Use</b>	High solids floor finish		
<b>Supplier</b>	M.D. Stetson Company, Inc. 92 York Avenue Randolph, MA 02368 781-986-6161	<b>Emergency Telephone</b>	
		INFOTRAC: 1-800-535-5053	
<b>SECTION 2: Hazard(s) identification</b>			
This product does not contain hazardous ingredients as defined in OSHA 29 CFR 1910.1200		<b>Hazards not otherwise classified or not covered by GHS</b>	
		None	
<b>SECTION 3: Composition/Information on Ingredients</b>			
Chemical identity	Common name, synonyms, etc.		CAS #
2-(2-Ethoxyethoxy)ethanol	Diethylene glycol methyl ether Carbitol Solvent Low Gravity, 2-Beta(ethoxyethoxy)ethanol, DE, Ethyldiglycol, Diglycolmonoethyl ether,		111-90-0
<b>SECTION 4: First Aid Measures</b>			
<b>If medical advice is needed, have product container or label at hand.</b>			
<b>Necessary measures for routes of exposure</b>	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call 911 or emergency medical professional.		
	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical attention.		
	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.		
	IF IN EYES: Rinse carefully with water for several minutes. Remove contact lenses if easy to do. Continue rinsing.		
<b>Most important symptoms/effects, acute and delayed.</b>	Acute exposure may cause minor skin irritation or minor eye irritation.		
<b>Immediate medical attention and special treatment, if necessary</b>	Move victim to fresh air. Call 911 or emergency medical service.		

**SECTION 5: Fire-fighting Measures**

<b>Suitable extinguishing media.</b>	Dry chemical, CO <sub>2</sub> , or water spray
<b>Specific hazards arising from the chemical</b>	None known. Move containers from fire area if you can do so without risk.
<b>Special protective equipment and precautions for fire-fighters.</b>	For containers: Wear positive pressure, self-contained breathing apparatus (SCBA). Wear chemical protective clothing, specifically recommended by the manufacturer, which may provide little or no thermal protection.
<b>Emergency Response Guide Number</b>	No data available.

**SECTION 6: Accidental Release Measures**

<b>Personal precautions, protective equipment and emergency procedures.</b>	Protective gloves and safety eyewear are recommended.
<b>Environmental precautions.</b>	Prevent entry into waterways, sewers, basements or confined areas
<b>Methods and materials for containment and cleaning up.</b>	Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand or other non-combustible absorbent material and transfer to containers.

**SECTION 7: Handling and Storage**

<b>Precautions for safe handling.</b>	Do not eat, drink or smoke in areas where this material is used. After handling, always wash hands thoroughly with soap and water. Use only with adequate ventilation/personal protection. Avoid strong oxidizing agents and acids.
<b>Conditions for safe storage, including any incompatibilities.</b>	Store containers in a cool, dry, ventilated area. Keep containers tightly closed and properly labeled.

**SECTION 8: Exposure Controls/Personal Protection**

Component	CAS #	Value	Exposure	Basis
2-(2-Ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	USA, Workplace Environmental Exposure Levels (WEEL)
<b>Control parameters</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after the workday. Long term exposure could irritate skin and eyes.			
<b>Appropriate engineering controls.</b>	Provide local ventilation. Respiratory equipment is not required. For nuisance exposures use type OV/AG (US) respiratory cartridges.			
<b>Individual protection measures</b>	Handle with gloves which have been inspected prior to use. Avoid eye contact. Protective eyewear is recommended.			

**SECTION 9: Physical and Chemical Properties**

<b>Appearance</b>	Milk White Liquid	<b>Specific Gravity</b>	1.01-1.04
<b>Odor</b>	Slight Aromatic Odor	<b>Boiling Point</b>	Ca 212°F
<b>Odor threshold</b>	No data available	<b>Solubility in Water</b>	Complete
<b>pH</b>	7.8-8.2	<b>Evaporation Rate</b>	Slightly faster than water
		<b>Volatile Organic Compounds</b>	0%

**SECTION 10: Stability and Reactivity**

<b>Reactivity</b>	No data available.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No data available.
<b>Conditions to avoid</b>	No data available.
<b>Incompatible materials</b>	Oxidizers, acids, chlorine.
<b>Hazardous decomposition products</b>	No data available

**SECTION 11: Toxicological Information**

<b>IARC</b>	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.
<b>ACGIH</b>	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by ACGIH
<b>NTP</b>	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by NTP
<b>OSHA</b>	No component of this product is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA

**SECTION 12: Ecological Information**

No data available

**SECTION 13: Disposal Considerations**

Dispose in accordance with local, state and federal regulations. Offer surplus and non-recyclable solutions to a licensed disposal company.

**SECTION 14: Transport Information**

Not US DOT regulated for transport.

**SECTION 15: Regulatory Information**

2-(2-Ethoxyethoxy)ethanol CAS 111-90-0 is subject to reporting levels established by SARA Title III, Section 313:  
2-(2-Ethoxyethoxy)ethanol CAS 111-90-0 Revision 01-01-1995 Sara 311/312 Chronic Health Hazard  
2-(2-Ethoxyethoxy)ethanol CAS 111-90-0 PA, NJ Right-to-Know chemical

No chemicals in this material are subject to the reporting requirements of SARA 302

Californian Prop. 65: This product does not contain any chemical known to State of California to cause cancer, birth defects, or any other reproductive harm.



This product meets Green Seal™ Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.

**SECTION 16: Other Information**

Revision prepared 07/21/2016 by Gene Ricciardelli in accordance with OSHA 29 CFR 1910.1200, for USA use only.  
Previous version dated 01/28/2015.

**DISCLAIMER:** Whereas the use and handling of this product is not within the control of M.D. Stetson Company, Inc., it is the responsibility of the user to determine the suitability of the product for its intended application. The user assumes all risk and liability for the safe use of the product, utilizing the information provided in this document as a guide. M.D. Stetson Company, Inc. accepts no liability for damages or loss incurred from the misuse and mishandling of this product.