



a member of the Roche Group

### Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

**\*\*\* Section 1 - Chemical Product and Company Identification \*\*\***

**Manufacturer Information**

VENTANA MEDICAL SYSTEMS INC.  
1910 E. Innovation Park Drive  
Tucson, AZ 85755  
Phone: (520) 887-2155

EMERGENCY TELEPHONE NUMBER:  
(800) 424-9300 (USA/Canada)  
CHEMTREC: +1 (703) 527-3887 (International)

### Material Name: Quantum Dot 655 Anti-DNP

**Product Number(s)**  
800-4550, 06538207001

**Product Use**  
clinical/research

**\*\*\* Section 2 - Hazards Identification \*\*\***

**NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0**  
Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**Preparation**  
This material is not classified.

**EMERGENCY OVERVIEW**  
**Physical Form:** liquid  
**Major Health Hazards:** No significant target effects reported.

### POTENTIAL HEALTH EFFECTS

**Inhalation**  
**Short Term:** irritation  
**Long Term:** reproductive effects

**Skin**  
**Short Term:** irritation, allergic reactions  
**Long Term:** allergic reactions, reproductive effects

**Eye**  
**Short Term:** irritation  
**Long Term:** irritation

**Ingestion**  
**Short Term:** no information on significant adverse effects  
**Long Term:** reproductive effects

**OSHA Regulatory Status**  
This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**\*\*\* Section 3 - Composition/Information on Ingredients \*\*\***

CAS #	Component / EU Number	Percent	Symbol(s)	Risk Phrase(s)
Not Available	Non-hazardous -	60-100	---	---
Proprietary	Proprietary Component 1	<1	T Xn Xi	R:60-61-22-36-37-38
Proprietary	Proprietary Component 2	<1	T Xi	R:60-61-37-38
Proprietary	Proprietary Component 3	<1	Xi	R:36-38
Proprietary	Proprietary Component 4	<0.1	T+ N	R:28-32-50-53
Proprietary	Proprietary Component 5	<0.01	Xn N	R:20/21/22-50-53

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Borates, tetra, sodium salts, anhydrous, Cadmium compounds.

### \*\*\* Section 4 - First Aid Measures \*\*\*

#### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

#### Skin

Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Get medical attention, if needed.

#### Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

#### Ingestion

If a large amount is swallowed, get medical attention.

### \*\*\* Section 5 - Fire-Fighting Measures \*\*\*

See Section 9 for Flammability Properties

#### Flammable Properties

Slight fire hazard.

#### Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, water

#### Unsuitable Extinguishing Media

None known.

#### Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

#### Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

#### Hazardous Combustion Products

**Thermal decomposition or combustion products:** oxides of boron, oxides of carbon, oxides of sodium

#### Sensitivity to Mechanical Impact

Not sensitive

#### Sensitivity to Static Discharge

Not sensitive

### \*\*\* Section 6 - Accidental Release Measures \*\*\*

#### Occupational Spill/Release

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Keep unnecessary people away, isolate hazard area and deny entry.

### \*\*\* Section 7 - Handling and Storage \*\*\*

#### Handling Procedures

Wash thoroughly after handling.

#### Storage Procedures

Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## \*\*\* Section 8 - Exposure Controls/Personal Protection \*\*\*

### Exposure Limits

#### Proprietary Component 1 (Proprietary)

**ACGIH:** 2 mg/m3 TWA (inhalable fraction)  
6 mg/m3 STEL (inhalable fraction)  
**NIOSH:** 5 mg/m3 TWA  
**OSHA:** 10 mg/m3 TWA  
**Belgium:** 6 mg/m3 STEL (as borate)  
2 mg/m3 TWA (as borate)  
**Denmark:** 2 mg/m3 TWA  
Potential for cutaneous absorption  
**France:** 5 mg/m3 VME  
**Greece:** 10 mg/m3 TWA  
**Ireland:** 5 mg/m3 TWA  
**Portugal:** 2 mg/m3 TWA (inhalable fraction)  
6 mg/m3 STEL (inhalable fraction)  
**Spain:** 5 mg/m3 VLA-ED  
**United Kingdom:** 15 mg/m3 STEL (calculated)  
5 mg/m3 TWA

#### Proprietary Component 2 (Proprietary)

**ACGIH:** 2 mg/m3 TWA (inhalable fraction)  
6 mg/m3 STEL (inhalable fraction)  
**Belgium:** 6 mg/m3 STEL (as borate)  
2 mg/m3 TWA (as borate)  
**Germany:** 0.5 mg/m3 TWA (exposure factor 2)  
10 mg/m3 MAK (inhalable fraction, as B)  
10 mg/m3 Peak (as B, inhalable fraction)  
**Portugal:** 2 mg/m3 TWA (inhalable fraction)  
6 mg/m3 STEL (inhalable fraction)

#### Proprietary Component 3 (Proprietary)

**ACGIH:** 5 mg/m3 TWA  
**Austria:** 1.6 ppm STEL (4 X 15 min); 10 mg/m3 STEL (inhalable fraction, 4 X 15 min)  
0.8 ppm MAK; 5 mg/m3 MAK (inhalable fraction)  
Sensitizer  
**Belgium:** 5 mg/m3 TWA  
**Denmark:** 0.5 ppm TWA; 3.1 mg/m3 TWA  
**Finland:** 5 ppm TWA  
**Germany:** 5 mg/m3 MAK (inhalable fraction)  
20 mg/m3 Peak  
**Ireland:** 5 mg/m3 TWA  
**Portugal:** 5 mg/m3 TWA  
**Spain:** 5 mg/m3 VLA-ED  
**Sweden:** 5 mg/m3 LLV  
10 mg/m3 STV

#### Proprietary Component 4 (Proprietary)

**ACGIH:** 0.29 mg/m3 Ceiling (as NaN3); 0.11 ppm Ceiling (as Hydrazoic acid, vapor)  
**NIOSH:** 0.1 ppm Ceiling (as HN3); 0.3 mg/m3 Ceiling (as NaN3)  
Potential for dermal absorption  
**OSHA:** 0.1 ppm Ceiling (as HN3); 0.3 mg/m3 Ceiling (as NaN3)  
Prevent or reduce skin absorption  
**EEC:** 0.1 mg/m3 TWA  
0.3 mg/m3 STEL  
Possibility of significant uptake through the skin  
**Austria:** 0.3 mg/m3 STEL (4 X 15 min)  
0.1 mg/m3 MAK  
skin notation  
**Belgium:** Skin  
**Denmark:** 0.1 mg/m3 TWA  
Potential for cutaneous absorption

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

- Finland:** 0.3 mg/m3 STEL  
0.1 mg/m3 TWA  
Potential for cutaneous absorption
- France:** 0.3 mg/m3 VLCT (restrictive limit)  
0.1 mg/m3 VME (restrictive limit)  
Risk of cutaneous absorption
- Germany:** 0.2 mg/m3 TWA (exposure factor 2)  
0.2 mg/m3 MAK (inhalable fraction)  
0.4 mg/m3 Peak (inhalable fraction)
- Greece:** 0.1 ppm STEL; 0.3 mg/m3 STEL  
0.1 ppm TWA; 0.3 mg/m3 TWA
- Ireland:** 0.3 mg/m3 STEL (as NaN3)  
0.1 mg/m3 TWA (as NaN3)  
Potential for cutaneous absorption
- Italy:** 0.1 mg/m3 TWA  
skin - potential for cutaneous absorption
- Netherlands:** 0.3 mg/m3 STEL  
0.1 mg/m3 TWA  
skin notation
- Portugal:** 0.29 mg/m3 Ceiling (as NaN3); 0.11 ppm Ceiling (as Hydrazoic acid, vapor)
- Spain:** 0.3 mg/m3 VLA-EC  
0.1 mg/m3 VLA-ED (indicative limit value)  
skin - potential for cutaneous exposure
- Sweden:** 0.1 mg/m3 LLV  
0.3 mg/m3 STV  
Skin notation
- United Kingdom:** 0.3 mg/m3 STEL (as NaN3)  
0.1 mg/m3 TWA (as NaN3)  
Potential for cutaneous absorption
- Proprietary Component 5 (Proprietary)**
- ACGIH:** 0.01 mg/m3 TWA (as Cd); 0.002 mg/m3 TWA (as Cd, respirable fraction)
- NIOSH:** 9 mg/m3 IDLH (as Cd, dust and fume)
- OSHA:** 5 µg/m3 TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease, See 29 CFR 1910.1027, as Cd); 2.5 µg/m3 Action Level (as Cd)
- Belgium:** 0.002 mg/m3 TWA (as Cd, alveolar particulates); 0.01 mg/m3 TWA (as Cd, inhalable particulate)
- Finland:** 0.02 mg/m3 TWA (as Cd)  
Potential for cutaneous absorption
- France:** 0.05 mg/m3 VME (as Cd)
- Greece:** 0.1 mg/m3 STEL (as Cd)  
0.025 mg/m3 TWA (as Cd)
- Ireland:** 0.025 mg/m3 TWA (except Cadmium oxide fume and Cadmium sulphide pigments, as Cd)
- Japan:** 0.05 mg/m3 OEL (as Cd)
- Portugal:** 0.002 mg/m3 TWA (as Cd, respirable fraction)
- Spain:** 0.01 mg/m3 VLA-ED (except Cadmium sulfoselenide and Cadmium sulfide mixed with Zinc or Mercury, inhalable fraction); 0.002 mg/m3 VLA-ED (except Cadmium sulfoselenide and Cadmium sulfide mixed with Zinc or Mercury, respirable fraction)
- United Kingdom:** 0.075 mg/m3 STEL (calculated, except Cadmium oxide, Cadmium sulphide, Cadmium sulphide pigments, as Cd, fume)  
0.025 mg/m3 TWA (as Cd, fume)

## Ventilation

Provide adequate ventilation. Ensure compliance with applicable exposure limits.

## PERSONAL PROTECTIVE EQUIPMENT

### Eyes/Face

Safety glasses or goggles are recommended when there is a potential for eye contact. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## Protective Clothing

Lab coat or apron.

## Glove Recommendations

Wear appropriate chemical resistant gloves.

## Respiratory Protection

No respirator is required under normal conditions of use.

### \*\*\* Section 9 - Physical and Chemical Properties \*\*\*

<b>Physical State:</b>	Liquid	<b>Appearance:</b>	liquid
<b>Physical Form:</b>	liquid	<b>Odor:</b>	Not available
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	8.3
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point:</b>	Not available
<b>Decomposition:</b>	Not available	<b>Flash Point:</b>	not flammable
<b>Evaporation Rate:</b>	Not available	<b>LEL:</b>	Not available
<b>UEL:</b>	Not available	<b>Vapor Pressure:</b>	Not available
<b>Vapor Density (air = 1):</b>	Not available	<b>Density:</b>	Not available
<b>Specific Gravity (water = 1):</b>	Not available	<b>Water Solubility:</b>	miscible
<b>Log KOW:</b>	Not available	<b>Coeff. Water/Oil Dist.:</b>	Not available
<b>Auto Ignition:</b>	Not available	<b>Viscosity:</b>	Not available
<b>Volatility:</b>	Not available		

### \*\*\* Section 10 - Stability and Reactivity \*\*\*

#### Chemical Stability

Stable at normal temperatures and pressure.

#### Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

#### Materials to Avoid

oxidizing materials

#### Decomposition Products

**Thermal decomposition or combustion products:** oxides of boron, oxides of carbon, oxides of sodium

#### Possibility of Hazardous Reactions

Will not polymerize.

### \*\*\* Section 11 - Toxicological Information \*\*\*

#### Acute and Chronic Toxicity

##### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

##### Proprietary Component 1 (Proprietary)

Oral LD50 Rat 2660 mg/kg

##### Proprietary Component 2 (Proprietary)

Oral LD50 Rat 2660 mg/kg; Inhalation LC50 Rat >0.16 mg/L 4 h; Dermal LD50 Rabbit >2000 mg/kg

##### Proprietary Component 3 (Proprietary)

Oral LD50 Rat 4190 mg/kg; Dermal LD50 Rabbit >2000 mg/kg; Dermal LD50 Rat >16 mL/kg

##### Proprietary Component 4 (Proprietary)

Oral LD50 Rat 27 mg/kg; Dermal LD50 Rat 50 mg/kg; Dermal LD50 Rabbit 20 mg/kg

##### Proprietary Component 5 (Proprietary)

Oral LD50 Rat 300 mg/kg

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## RTECS Acute Toxicity (selected)

The components of this material have been reviewed, and RTECS publishes the following endpoints:

### Proprietary Component 1 (Proprietary)

Oral: 2660 mg/kg Oral Rat LD50

### Proprietary Component 2 (Proprietary)

Oral: 2660 mg/kg Oral Rat LD50; 2500 mg/kg Oral Rat LD50

### Proprietary Component 3 (Proprietary)

Oral: 4920 uL/kg Oral Rat LD50; 7.39 gm/kg Oral Rat LD50

Skin: >20 mL/kg Skin Rabbit LD50

## Acute Toxicity Level

### Proprietary Component 1 (Proprietary)

Moderately Toxic: ingestion.

### Proprietary Component 2 (Proprietary)

Moderately Toxic: ingestion.

### Proprietary Component 3 (Proprietary)

Moderately Toxic: ingestion.

### Proprietary Component 4 (Proprietary)

Highly Toxic: inhalation, dermal absorption, ingestion.

### Proprietary Component 5 (Proprietary)

Toxic: ingestion.

## Irritation/Corrosivity

See component data.

## RTECS Irritation

The components of this material have been reviewed, and RTECS publishes the following endpoints:

### Proprietary Component 2 (Proprietary)

15 mg/3 day(s) intermittent Skin Human mild

### Proprietary Component 3 (Proprietary)

15 mg/3 day(s) intermittent Skin Human mild; 50 percent Skin Mouse severe; 10 mg Eyes Rabbit mild; 20 mg Eyes Rabbit severe; 560 mg/24 hour Skin Rabbit mild

## Local Effects

### Proprietary Component 1 (Proprietary)

Irritant: inhalation, skin, eye.

### Proprietary Component 2 (Proprietary)

Irritant: inhalation, skin.

### Proprietary Component 3 (Proprietary)

Irritant: skin, eye.

### Proprietary Component 4 (Proprietary)

Irritant: inhalation, skin, eye.

### Proprietary Component 5 (Proprietary)

Irritant: skin, eye.

## Target Organs

### Proprietary Component 1 (Proprietary)

central nervous system, kidneys.

### Proprietary Component 2 (Proprietary)

central nervous system, kidneys.

### Proprietary Component 3 (Proprietary)

liver, kidneys.

### Proprietary Component 4 (Proprietary)

blood.

### Proprietary Component 5 (Proprietary)

kidneys.

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## Carcinogenicity

### Component Carcinogenicity

#### Proprietary Component 1 (Proprietary)

**ACGIH:** A4 - Not Classifiable as a Human Carcinogen

**Portugal:** A4 - Not Classifiable as a Human Carcinogen

#### Proprietary Component 2 (Proprietary)

**ACGIH:** A4 - Not Classifiable as a Human Carcinogen

**Portugal:** A4 - Not Classifiable as a Human Carcinogen

#### Proprietary Component 3 (Proprietary)

**IARC:** Monograph 77 [2000] (Group 3 (not classifiable))

#### Proprietary Component 4 (Proprietary)

**ACGIH:** A4 - Not Classifiable as a Human Carcinogen

**Portugal:** A4 - Not Classifiable as a Human Carcinogen

#### Proprietary Component 5 (Proprietary)

**ACGIH:** A2 - Suspected Human Carcinogen

**OSHA:** Present

**NIOSH:** potential occupational carcinogen

**NTP:** Known Human Carcinogen

**IARC:** Monograph 100C [in preparation]; Monograph 58 [1993]; Supplement 7 [1987] (evaluated as a group) (Group 1 (carcinogenic to humans))

**Austria:** Group A2 Carcinogen

**France:** Carcinogen categories 1,2,3

**Germany:** Category 2 (bioavailable, as inhalable dust/aerosol)

**Ireland:** Category 2 Carcinogen (except Cadmium oxide fume and Cadmium sulphide pigments, as Cd)

**Portugal:** A2 - Suspected Human Carcinogen

## Mutagenic

No data available for the mixture.

## RTECS Mutagenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

## Reproductive Effects

No data available for the mixture.

## RTECS Reproductive Effects

The components of this material have been reviewed, and RTECS publishes data for one or more components.

## Tumorigenic

No data available for the mixture.

## RTECS Tumorigenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

## Medical Conditions Aggravated by Exposure

None known.

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## \*\*\* Section 12 - Ecological Information \*\*\*

### Component Analysis - Aquatic Toxicity

#### Proprietary Component 1 (Proprietary)

**Fish:** 96 Hr LC50 Limanda limanda: 340 mg/L

**Algae:** 96 Hr EC50 Desmodesmus subspicatus: 158 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 2.6 - 21.8 mg/L [static]

**Invertebrate:** 48 Hr LC50 Daphnia magna: 1085 - 1402 mg/L

#### Proprietary Component 2 (Proprietary)

**Fish:** 72 Hr LC50 Carassius auratus: 1020 mg/L [flow-through]

**Invertebrate:** 48 Hr EC50 Daphnia magna: 115 - 153 mg/L

#### Proprietary Component 3 (Proprietary)

**Fish:** 96 Hr LC50 Pimephales promelas: 10600-13000 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: >1000 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 450-1000 mg/L [static]

**Algae:** 72 Hr EC50 Desmodesmus subspicatus: 216 mg/L; 96 Hr EC50 Desmodesmus subspicatus: 169 mg/L

**Invertebrate:** 24 Hr EC50 Daphnia magna: 1386 mg/L

#### Proprietary Component 4 (Proprietary)

**Fish:** 96 Hr LC50 Oncorhynchus mykiss: 0.8 mg/L; 96 Hr LC50 Lepomis macrochirus: 0.7 mg/L; 96 Hr LC50 Pimephales promelas: 5.46 mg/L [flow-through]

### Mobility

No data available for the mixture.

### Persistence & Degradation

No data available for the mixture.

### Bioaccumulative Potential

No data available for the mixture.

## \*\*\* Section 13 - Disposal Considerations \*\*\*

### Disposal Methods

Dispose in accordance with all applicable regulations.

### Component Waste Numbers

#### Proprietary Component 4 (Proprietary)

RCRA: waste\_number P105

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## \*\*\* Section 14 - Transport Information \*\*\*

### US DOT Information

Not regulated.

### TDG Information

Not regulated.

### ADR Information

Not regulated.

### RID Information

Not regulated.

### IATA Information

Not regulated.

### ICAO Information

Not regulated.

### IMDG Information

Not regulated.

## \*\*\* Section 15 - Regulatory Information \*\*\*

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

#### Proprietary Component 4 (Proprietary)

**SARA 302/304:** 500 lb TPQ (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)  
1000 lb EPCRA RQ

**SARA 313:** 1.0 % de minimis concentration

**CERCLA:** 1000 lb final RQ; 454 kg final RQ

#### Proprietary Component 5 (Proprietary)

**SARA 313:** 0.1 % de minimis concentration (Chemical Category N078)

### SARA 311/312

**Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No**

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component / EC Number	CAS	CA	MA	MN	NJ	PA	RI
Proprietary Component 1	Proprietary	Yes	Yes	Yes	Yes	Yes	Yes
Proprietary Component 3	Proprietary	No	Yes	Yes	Yes	Yes	Yes
Proprietary Component 4	Proprietary	Yes	Yes	Yes	Yes	Yes	Yes
Proprietary Component 5 (related to: Cadmium compounds)	Proprietary	Yes <sup>1</sup>	No	Yes <sup>1</sup>	No	Yes <sup>1</sup>	No

### California Proposition 65

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

**WARNING!** This product contains a chemical known to the state of California to cause cancer.

### Canadian Regulations

#### WHMIS Classification

Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

#### European Regulations

This preparation has been classified for the European Union according to Annex VI Directives 67/548/EEC and 99/45/EC.

#### Germany Water Classification

##### Proprietary Component 1 (Proprietary)

Number 37, hazard class 1 - low hazard to waters

##### Proprietary Component 2 (Proprietary)

Number 315, hazard class 1 - low hazard to waters

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## Proprietary Component 3 (Proprietary)

Number 201, hazard class 1 - low hazard to waters

## Proprietary Component 4 (Proprietary)

Number 636, hazard class 2 - hazard to waters

## Candidate List of Substances Subject to Authorization

The following component(s) are included on the Candidate List of Substances Subject to Authorization (EU-REACH 1907/2006) - Article 59(1).

## Proprietary Component 1 (Proprietary)

Reason\_for\_inclusion: Toxic for reproduction, Article 57c

## Proprietary Component 2 (Proprietary)

Reason\_for\_inclusion: Toxic for reproduction, Article 57c

## EU Marking and Labelling

This material is not classified.

## Japanese Regulations

### Japan Designated Chemical Substances (PRTR Law)

The following components are subject to reporting requirements as specified by the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management" and are included in the "Pollutant Release and Transfer Register (PRTR)" of designated chemicals.

## Proprietary Component 4 (Proprietary)

11

## Proprietary Component 5 (Proprietary)

75 (Designated class 1 substance)

## Japan Poisonous and Deleterious Substances

The following components are specified as poisonous and deleterious substances, and are regulated by Japan under the Poisonous and Deleterious Substances Control Law.

## Proprietary Component 4 (Proprietary)

Poisonous, 0.1

## Proprietary Component 5 (Proprietary)

Deleterious

## Industrial Safety and Health Law - Flammable Materials

The following components are identified in Table 6-2 of the Enforcement Order of the Industrial Safety and Health Law which, if used in the workplace, require designation of an Operations Chief during confined space work and periodic machine inspections.

## Proprietary Component 4 (Proprietary)

Explosive substance

## Industrial Safety and Health Law - Label Disclosure

This list contains those harmful substances present in this product whose names are to be indicated on a container label as specified by Article 18 of the Enforcement Order of the Industrial Safety and Health Law.

## Proprietary Component 5 (Proprietary)

0.1 % weight

## Industrial Safety and Health Law - Organic Solvents

No components of this material are specifically identified in Table 6-2 of the Enforcement Order of the Industrial Safety and Health Law which, if used in the workplace, require designation of an Operations Chief during confined space work and periodic machine inspections.

# Material Safety Data Sheet

Material Name: Quantum Dot 655 Anti-DNP

MSDS ID: VEN-069

## \*\*\* Section 16 - Other Information \*\*\*

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

### Full text of R phrases in Section 3

**R20/21/22** Harmful by inhalation, in contact with skin and if swallowed.  
**R22** Harmful if swallowed.  
**R28** Very toxic if swallowed.  
**R32** Contact with acids liberates very toxic gas.  
**R36** Irritating to eyes.  
**R37** Irritating to respiratory system.  
**R38** Irritating to skin.  
**R50** Very toxic to aquatic organisms.  
**R53** May cause long-term adverse effects in the aquatic environment.  
**R60** May impair fertility.  
**R61** May cause harm to the unborn child.

### Other Information

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date. Ventana Medical Systems, Inc. makes no warranty with respect to the content of this MSDS and disclaims all liability from reliance thereon.

“RTECS®” is a United States trademark owned and licensed under authority of the U.S. Government, by and through Symyx Software, Inc. Portions ©Copyright 2010, U.S. Government. All rights reserved.

**New MSDS:** 10/28/2010

End of Sheet VEN-069