

 Product name:
 VERSOCIT-2 POWDER
 Page:
 1/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: VERSOCIT-2 POWDER

Cat. No. 40200090, 40200089

Container size: 750 g, 3 kg

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> For embedding of materialographic specimens

Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

Chemical.info@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

The product is not classified.

67/548/EEC / 1999/45/EC: -

GHS: -

Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

Contains Dibenzoyl peroxide, Methyl methacrylate. May produce an allergic

reaction.

Safety data sheet available on request. (\*)

NFPA Rating: Health:1 Fire:1 Reactivity:0 Other:-

Other hazards

Fine particles may form explosive vapor/air mixtures. May cause minor irritation on skin contact.

PBT/vPvB: Not relevant.

 Product name:
 VERSOCIT-2 POWDER
 Page:
 2/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Mixtures**

The product contains: resin.

67/548/EEC:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	-	-	-	Methacrylate polymer	-	
<1	94-36-0	202-327-6	-	Dibenzoyl peroxide	E;R3 O;R7 Xi;R36 R43	
<1	80-62-6	201-297-1	-	Methyl 2-methylprop-2-enoate	F;R11 R43 Xi;R37/38	D

GHS:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	-	-	-	Methacrylate polymer	-	
<1	94-36-0	202-327-6	-	Dibenzoyl peroxide	Org. Perox. B;H241 Eye Irrit. 2;H319 Skin Sens. 1;H317	
<1	80-62-6	201-297-1	-	Methyl 2-methylprop-2-enoate	Flam. Liq. 2;H225 STOT SE 3;H335 Skin Irrit. 2;H315 Skin Sens. 1;H317	D

References: The full text for all R-phrases and hazard statements are displayed in section 16.

# **SECTION 4: FIRST AID MEASURES**

# **Description of first aid measures**

<u>Inhalation:</u> Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Continue flushing during

transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

## Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

# Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 VERSOCIT-2 POWDER
 Page:
 3/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

<u>Specific hazards:</u> When heated and in case of fire, harmful vapors/gases may be formed.

Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid inhalation of dust and contact with skin and eyes.

**Environmental precautions** 

<u>Environmental</u> Avoid discharge into drains, water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

Spill Cleanup Methods: Dampen spillage with water. Absorb spillage with suitable absorbent material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Safe handling advice: Avoid inhalation of dust and contact with skin and eyes. Avoid spreading dust.

Observe good chemical hygiene practices.

<u>Technical measures:</u> Work practice should minimize contact.

<u>Technical precautions:</u> Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in closed original container in a dry place.

Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 VERSOCIT-2 POWDER
 Page:
 4/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposur	e limits:	Type:	Notes:	References:
80-62-6	Methyl methacrylate	-	100 ppm	410 mg/m3	TWA	-	OSHA
94-36-0	Benzoyl peroxide	-		5 mg/m3	TWA	-	OSHA
-	Particulates not otherwise regulated (PNOR), total dust	-		15 mg/m3	TWA	-	OSHA
-	Particulates not otherwise regulated (PNOR), respirable fraction	-		5 mg/m3	TWA	-	OSHA
94-36-0	Benzoyl peroxide	-		5 mg/m3	TWA	A4	ACGIH
80-62-6	Methyl methacrylate	-	50 ppm		TWA	SEN; A4	ACGIH
		-	100 ppm		STEL	SEN; A4; 15min	
-	Particles (Insoluble or Poorly Soluble), not Otherwise Specified, respirable particles	-		3 mg/m3	TWA	-	ACGIH
-	Particles (Insoluble or Poorly Soluble), not Otherwise Specified, inhalable particles	-		10 mg/m3	TWA	-	ACGIH
Motoci	CI						

Notes: SEN: Sensitizer.

A4: Not Classifiable as a Human Carcinogen.

**Exposure controls** 

<u>Engineering measures:</u> Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation. Provide easy access to water supply and eye

wash facilities.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory

equipment with combination filter, type A2/P2.

<u>Hand protection:</u> Wear protective gloves. Butyl rubber gloves are recommended. The most

suitable glove must be chosen in consultation with the gloves supplier, who

can inform about the breakthrough time of the glove material.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

<u>Hygiene measures:</u> Wash contaminated clothing before reuse. When using do not eat, drink or

smoke.

Environmental Exposure

Controls:

Not available.

 Product name:
 VERSOCIT-2 POWDER
 Page:
 5/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance: powder

Odor: Odorless.

pH: Not available.

Melting point: 110°C

Boiling point: Not available.

Flash point: >250°C

Explosion limits: Not available.

Relative density: 1,16

Solubility: insoluble in water

Other information

Other data: Volatile Organic Compound (VOC): 0 g/l

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Reactivity: None known.

**Chemical stability** 

Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Heating.

Incompatible materials

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

Hazardous decomposition

When heated and in case of fire, irritating vapors/gases may be formed.

products:

 Product name:
 VERSOCIT-2 POWDER
 Page:
 6/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: May irritate. The product contains a small amount of sensitizing substance which

may provoke an allergic reaction among sensitive individuals after repeated

contact.

Eye contact: Dust may cause irritation.

Ingestion: May irritate and cause malaise.

<u>Specific effects:</u> Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** 

<u>Ecotoxicity:</u> The product is not expected to be hazardous to the environment.

Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

**Bioaccumulative potential** 

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Waste from residues: EWC-code: 16 05 09

 Product name:
 VERSOCIT-2 POWDER
 Page:
 7/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

#### **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

**UN number** 

<u>UN-No:</u> -

UN proper shipping name

Proper Shipping Name: -

Transport hazard class(es)

<u>Class:</u> -

Packing group

PG: -

**Environmental hazards** 

Marine pollutant: -

Environmentally Hazardous

substance:

Special precautions for user

<u>Special precautions:</u> None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> TSCA: Listed. <u>National regulation:</u> Europe/USA:

This Material Safety Data Sheet has been prepared according to the

EU-regulation.

Threshold Limit Values (2014), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

**Chemical Safety Assessment** 

CSA status: Not relevant.

 Product name:
 VERSOCIT-2 POWDER
 Page:
 8/8

 Revision Date:
 2015-02-05
 Print date:
 2015-02-05

 Document No.:
 M0175
 SDS-ID:
 US-EN/7.1

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R7 May cause fire.
R36 Irritating to eyes.

R43 May cause sensitisation by skin contact.

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.