\* \* \* MATERIAL SAFETY DATA SHEET \* \* \*

PARKSIDE PROFESSIONAL PRODUCTSPRODUCT NAME: VESTEC 675HMIS RATINGS:4777 Kent AvenuePRODUCT USE: Drain OpenerHealth3Niagara Falls, Ontario L2H 1J5PRODUCT CODE: FLD675Flammability 0PHONE: (905) 358-8364FAX: (905) 358-9680Reactivity 1

EMERGENCY TELEPHONE NUMBER: CANUTEC (613) 996-6666 Preparation Date: December 1, 2017

**SECTION 1 - Regulatory Information** 

WHMIS Classification: E TDG Classification: Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hydroxide,

Sodium Hypochlorite) Class 8 UN3266 PGIII

**PPE** 

В

SECTION II - Hazardous Ingredients

Wt/Wt% CAS# LD50 (mg/kg Oral/Rat) LC50 (ppm Inhalation/Rat) Chemical Name Sodium Hypochlorite 7681-52-9 1-5 8.910 10,500 mg/m<sup>3</sup> Sodium Hydroxide 7-13 1310-73-2 not available not available 6834-92-0 Sodium Metasilicate 1-5 1,153 not available

SECTION III - Physical Data

Physical State: LiquidSpecific Gravity: 1.11-1.13Vapour Pressure (mm Hg @25°C): Not AvailableViscosity (cps) @ 25°C: Water ThinpH: 12.5-13.5Odour/Appearance: Chlorine/Clear YellowFreezing Point: Not AvailableOdour Threshold: Not AvailableCoefficient of Water/Oil Distribution: Not Available

Vapour Density: Not Available Evaporation Rate: Not Available Boiling Point (°C @ 1 atm): Not Available

**SECTION IV - Fire or Explosion Hazard** 

 Upper Flammable Limit:
 Not Applicable

 Flash Point & Test Method:
 Not Applicable

 Auto-Ignition Temperature:
 None

<u>Conditions of Flammability:</u> Not flammable. However, may Generate flammable hydrogen gas on contact with metals. Hydrogen may collect inside containers to explosive levels.

Sensitivity to Mechanical Impact: Not Sensitive

<u>Means of Extinction</u>: Use extinguishing materials that are appropriate for surrounding burning material, such as carbon dioxide,

foam or dry chemical. If water must be used, use it as a fog.

toxic chlorine gas.

<u>Sensitivity to Static Discharge</u>: Not Sensitive

<u>Special Fire-Fighting Procedures/Equipment</u>: Firefighters should wear appropriate respiratory protection approved by NIOSH/MSHA and protective chemical suits.

Hazardous Combustion Products: Thermal decomposition may

release toxic oxides of phosphorus, sodium of sulphur, as well as

**SECTION V - Reactivity Data** 

Conditions of Chemical Instability: Normally Stable

Hazardous Decomposition Products: Not Applicable

Hazardous Decomposition Products: Not Available

<u>Conditions of Reactivity</u>: Avoid fire conditions, temperatures above 40°C and exposure to sunlight. Corrosive to metal. <u>Incompatible Substances</u>: Strong acids, oxidizers such as hydrogen peroxide, ammonia and urea, most metals.

Storage Requirements: Store in plastic or glass containers in a cool, dry area. Keep away from incompatible materials. Store away from acids. Do not expose to temperatures above 40°C.

SECTION VI - Toxicological Properties

Routes of Entry: Eyes, Skin Contact, Ingestion, Inhalation Irritancy of Product: Hazardous by WHMIS Criteria

Effects of Acute Exposure: Eye Contact – Contact can result in pain, redness & watering, with possible corneal damage or blindness if not promptly treated. Contact with mist or spray may cause irritation, pain or burning.

Skin Contact – Corrosive to skin. Can cause severe local irritation, burns & blisters. Effects may be delayed Inhalation – High concentration of mist or spray will causing burning or irritation to the nose, throat & lungs. Ingestion – Harmful if fatal if swallowed. May burn mouth, throat & stomach.

Effects of Chronic Exposure: Skin – Skin conditions aggravated by exposure.

Carcenogenicity: Non-Hazardous by WHMIS Reproductive Effects: Not Available Sensitization: Not Reported Sensitizat

Eye Contact: IMMEDIATELY flush with running water for at least 20 minutes, keeping eyelids open. Contact a physician immediately.

Skin Contact: Flush with plenty of water for at least 15 minutes, while removing contaminated clothing. Contact a physician

immediately. Wash contaminated clothing before reuse. Discard decontaminates leather goods.

Inhalation: Remove to fresh air. If symptoms persist, contact a physician. If breathing is difficult, give oxygen. If breathing has

stopped, give artificial respiration.

Immediately contact physician or poison control centre. DO NOT induce vomiting. Give several glasses of water or milk.

Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing. If vomiting occurs

naturally, have victim lean forward to avoid aspiration (breathing in) of material.

**SECTION VIII - Protective Equipment** 

**Personal Protective Equipment:** 

Eyes: Chemical goggles recommended. Face shield when working with large amounts.

Gloves: Rubber, butyl rubber or neoprene gloves are recommended if skin contact might occur.

<u>Respiration:</u> Normally not required. If exposure limits are exceeded, or respiratory irritation occurs, use respirator approved for corrosive mists and chlorine.

Other: As required by workplace standards. An eyewash station or other source of flowing water should be in the area. Chemical safety shower is recommended.

<u>Ventilation:</u> General ventilation adequate for small amounts. If large amounts are present (for example, in a spill) or exposure limits are exceeded, use local exhaust.

**SECTION IX - Spill/Leak Procedures** 

<u>Procedures for Leaks or Spills</u>: Wear adequate personal protective equipment (see Sectiion VIII). Wash thoroughly after handling. Area of spill will be slippery. Avoid release of spilled material into waterways such as streams or lakes. Recover as mush of the product as possible. Absorb remainder with inert absorbent, such as vermiculite. Scoop up absorbent and place in corrosion-resistant containers, such as plastic, for disposal. Wash residue with detergent and flush with lots of water. DO NOT use acids to neutralize body of spill.

<u>Waste Disposal</u>: Do not discharge waste material into the environment. Use only licensed waste disposal services. Follow local, provincial or state, and federal regulations.

**SECTION X - Preparation Information** 

Manufacturer/Supplier/Preparer: Parkside Professional Products, 4777 Kent Av, Niagara Falls, ON L2H 1J5 Telephone: (905) 358-8364

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.