

**Material Safety
Data Sheet**

U.S. Department of Labor

**MSDS-0204
Rev: A
11-4-03**

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY <i>(As Used on Label and List)</i> VIDENT DIAMOND RESTORATION POLISH	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section 1

Manufacturer's Name KERSTEN MANUFACTURING/ R&D	Emergency Telephone Number 805-688-9786
Address <i>(Number, Street, City, State, and ZIP Code)</i> 2767 QUAIL VALLEY ROAD	Telephone Number for Information 805-688-9786
SOLVANG, CA 93463-9614	Date Prepared 10/20/03
NA	Signature of Preparer <i>(optional)</i>
Distributed By: VIDENT 3150 E BIRCH ST. Phone: (714) 961-6200 BREA, CA 92821 Fax: (714) 961-6299	Vident Part Number: 55004, 55008

Section 2 - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
DIAMOND (Abrasive Powder) (C) Inert				
FILLER (Proprietary) Inert				
PURE FOOD GRADE MINT OIL				
SEMI-SOLID WATER SOLUBLE BASE (Proprietary)				

Continued on Next Page

Section 3 - Physical/Chemical Characteristics

Boiling Point Not Available	NA	Specific Gravity (H ₂ O = 1) 1.0919	1.0919
Vapor Pressure (mm Hg.) Not Available	NA	Melting Point 44.5°C (112.1°F)	44.5°C 112.1°F
Vapor Density (AIR = 1) Not Available	NA	Evaporation Rate (Butyl Acetate = 1) NONE	NONE
Solubility in Water Easily soluble in cold water, hot water. Soluble in methanol.			
Appearance and Odor: Gray Solid, Mint Odor			

Section 4 - Fire and Explosion Hazard Data

Flash Point (Method Used) Not Available	Flammable Limits Not Available	LEL NA	UEL NA
Extinguishing Media SMALL FIRE: Use DRY chemicals, CO ₂ , water spray or foam. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet			
Special Fire Fighting Procedures No additional remark.			
Products of Combustion: These products are carbon oxides (CO, CO ₂).			
Unusual Fire and Explosion Hazards No additional remark.			

Section 5 - Reactivity Data

Stability	Unstable	NA	Conditions to Avoid Not Available
This product is stable.	<u>Stable</u>	X	<u>Stable</u>
Incompatibility (<i>Materials to Avoid</i>) No specific information is available in our database regarding the reactivity of this material in presence of various other materials			
Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur	NA	Conditions to Avoid Not Available.
NA	<u>Will Not Occur</u>	X	NA

Continued on Next Page

Section 6 - Health Hazard Data

Route(s) of Entry: Ingestion or Skin Contact	Inhalation? None	Skin? Possible	Ingestion? Possible
Health Hazards (<i>Acute and Chronic</i>) No known health hazards.			
Very slightly to slightly dangerous in case of skin contact (irritant), of eye contact (irritant), of ingestion.			
Carcinogenicity: Not Available	NTP? Not Available	IARC Monographs? Not Available	OSHA Regulated? NO
California Proposition 65 Warnings: Warning: This product contains a chemical known to the State of California to cause cancer. Chemical ingredient(s) requiring this warning: <u>NONE</u>			
Signs and Symptoms of Exposure: Possible eye irritation.			
Medical Conditions Generally Aggravated by Exposure: There is no known effect from chronic exposure to this product. Repeated or prolonged exposure is not known to aggravate medical condition.			
Emergency and First Aid Procedures: Eye Contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. COLD water may be used. Skin Contact: Gently and thoroughly wash the skin with running water. COLD water may be used. Ingestion: Have conscious person drink several glasses of water.			

Section 7 - Precautions for Safe Handling and Use


Steps to Be Taken in Case Material is Released or Spilled: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.
Waste Disposal Method: Recycle to process, if possible. Consult your local or regional authorities.
Precautions to Be taken in Handling and Storing: Keep away from heat. Keep away from sources of ignition. Keep container dry. Keep in cool place. Keep container closed. Keep in a cool, well-ventilated place. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.
Other Precautions Not available

Continued on Next Page

Section 8 - Control Measures

Respiratory Protection (<i>Specify Type</i>) None		
Ventilation: Use in well ventilated area.	Local Exhaust Not needed	Special Not Available
	Mechanical (<i>General</i>) Not Available	Other Not Available
Protective Gloves Not needed		Eye Protection: Wear Safety glasses. Lab Coat.
Other Protective Clothing or Equipment No additional remark.		
Work/Hygienic Practices: Wash hands thoroughly after using product.		

Section 9 – Other Regulatory Information

HMIS (U.S.A.) Health Hazard (1) Fire Hazard (1) Reactivity (0) Personal Protection (a)	National Fire Protection Association (U.S.A.) Health		Flammability Reactivity Specific hazard
Other Classifications: WHMIS (Canada) Not controlled under WHMIS (CANADA). DSCL (EEC) R-16- Explosive when mixed with oxidizing substances.			