

Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Version: 1.1

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name

: Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

Recommended use of the chemical and restrictions on use Use of the Substance/Mixture : TRANSMISSION FLUID

Details of the supplier of the safety data sheet	Emergency telephone number 1-800-VALVOLINE
Valvoline LLC 3499 Blazer Parkway Lexington, KY 40509	Regulatory Information Number 1-800-TEAMVAL
United States of America	Product Information
SDS@valvoline.com	1-800-TEAMVAL

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin sensitization	: Category 1
Reproductive toxicity	: Category 2
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
Precautionary Statements	 Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Version: 1.1



Revision Date: 07/31/2016

Print Date: 11/1/2016

SDS Number: R0284085

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:** IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. **Storage:** Store locked up. **Disposal:** Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

- Substance / Mixture : Mixture
- Chemical nature : Defatter

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
C11-C14 BRANCHED ALKYL AMINE PHOSPHATE	80939-62-4	Skin Irrit. 2; H315 Eye Irrit. 2A; H319	4.99
N-PHENYL-1-NAPHTHYLAMINE	90-30-2	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 2; H373	0.99
p-DODECYLPHENOL	27193-86-8	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Repr. 2; H361	0.49

Valvoline.	Page: 3
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0284085
Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID	Version: 1.1
VV706035M	

SECI	SECTION 4. FIRST AID MEASURES		
G	General advice	:	Move out of dangerous area. Call a POISON CENTRE or doctor/physician if exposed or you feel unwell. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If	f inhaled	:	If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
Iı	n case of skin contact	:	Remove contaminated clothing. If irritation develops, get medical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use.
Iı	n case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If	f swallowed	:	Obtain medical attention. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
а	Most important symptoms and effects, both acute and lelayed	:	May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. No symptoms known or expected.
Ν	Notes to physician	:	No hazards which require special first aid measures.

SECTION 4. FIRST AID MEASURES

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet



Revision Date: 07/31/2016

Print Date: 11/1/2016

SDS Number: R0284085

Version: 1.1

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or w courses.	ater
Hazardous combustion products	carbon dioxide and carbon monoxide oxides of sulfur, nitrogen and phosphorus nitrogen oxides (NOx) Oxides of phosphorus	
Specific extinguishing methods		
	Product is compatible with standard fire-fighting agents.	
Further information	Fire residues and contaminated fire extinguishing water be disposed of in accordance with local regulations.	must
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing appara	atus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
Other information	:	Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Do Per alle be e use Cor	not breathe vapours/dust. not smoke. sons susceptible to skin sensitisation problems or asthma, rgies, chronic or recurrent respiratory disease should not employed in any process in which this mixture is being d. tainer hazardous when empty. id exposure - obtain special instructions before use.
---	--

Version: 1.1



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the
application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national
regulations.Conditions for safe storage:Keep container tightly closed in a dry and well-ventilated
place.
Containers which are opened must be carefully resealed and
kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with
the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipmen	t i i i i i i i i i i i i i i i i i i i
Respiratory protection	A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air- purifying respirators is limited. Use a positive pressure, air- supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.
Hand protection Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	Wear as appropriate: impervious clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Valvoline.	Page: 6
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0284085
Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID	Version: 1.1
VV706035M	

Discard gloves that show tears, pinholes, or signs of wear.
Wear resistant gloves (consult your safety equipment
supplier).

Hygiene measures	: Wash hands before breaks and at the end of workday.
	When using do not eat or drink.
	When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Colour	: amber
Odour	: mild
Odour Threshold	: No data available
рН	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 376 °F / > 191 °C Method: Closed Cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.8610 g/cm3 (20 °C)
Solubility(ies) Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Version: 1.1

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No decomposition if stored and applied as directed.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Product will not undergo hazardous polymerization.
Conditions to avoid	None known.
Incompatible materials	Strong acids strong bases Strong oxidizing agents
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Eye Contact Ingestion
Acute toxicity	
Not classified based on available	e information.
Product:	
Acute oral toxicity	: LD 50 (Rat): > 2,000 mg/kg
Components:	
C11-C14 BRANCHED ALKYL A	MINE PHOSPHATE:
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
	GLP: yes
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg



Version: 1.1

Revision Date: 07/31/2016

Print Date: 11/1/2016

SDS Number: R0284085

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Method: OECD Test Guideline 402 Assessment: No adverse effect has been observed in acute dermal toxicity tests.

N-PHENYL-1-NAPHTHYLAMI Acute oral toxicity	NE : : LD 50 (Rat, Male): ca. 1,625 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg
p-DODECYLPHENOL: Acute oral toxicity	: LD50 (Rat): 2,100 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information. <u>Product:</u> Remarks: May cause skin irritation in susceptible persons.

Result: Repeated exposure may cause skin dryness or cracking.

Components:

C11-C14 BRANCHED ALKYL AMINE PHOSPHATE: Species: Rabbit Result: Irritating to skin

N-PHENYL-1-NAPHTHYLAMINE: Species: Rabbit Method: OECD Test Guideline 404 Result: Mildly irritating to skin

p-DODECYLPHENOL: Result: Irritating to skin

Serious eye damage/eye irritation Not classified based on available information. Product: Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

C11-C14 BRANCHED ALKYL AMINE PHOSPHATE: Species: Rabbit Result: Irritating to eyes

N-PHENYL-1-NAPHTHYLAMINE: Result: Mildly irritating to eyes Method: OECD Test Guideline 405

p-DODECYLPHENOL: Result: Irritating to eyes



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Version: 1.1

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information. Components: C11-C14 BRANCHED ALKYL AMINE PHOSPHATE: Test Type: Maximisation Test (GPMT) Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

N-PHENYL-1-NAPHTHYLAMINE: Test Type: Maximisation Test (GPMT) Species: Guinea pig Assessment: May cause sensitisation by skin contact. Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information. <u>Components:</u> C11-C14 BRANCHED ALKYL AMINE PHOSPHATE: Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

: Test species: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

Not classified based on available information. **Reproductive toxicity** Suspected of damaging fertility or the unborn child. <u>Components:</u> p-DODECYLPHENOL: Reproductive toxicity - : Suspected of dama effects on sexual fu experiments

: Suspected of damaging fertility., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information. **STOT - repeated exposure** Not classified based on available information. <u>Components:</u> N-PHENYL-1-NAPHTHYLAMINE: Exposure routes: Ingestion Target Organs: Blood Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Version: 1.1

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

Aspiration toxicity

Not classified based on available information. Further information Product:

Remarks: No data available

Carcinogenicity: IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
No component of this product present at levels greater than or

NTP

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

equal to 0.1% is identified as a carcinogen or potential

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	LC 50 (Fish): 10 - 100 mg/l	
Components: C11-C14 BRANCHED ALKYL		
Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 	
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 	

carcinogen by OSHA.

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l Exposure time: 72 h

Test Type: static test Method: OECD Test Guideline 201 GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Version: 1.1

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

	Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	
N-PHENYL-1-NAPHTHYLAMIN		
Toxicity to fish	LC 50 (Oncorhynchus mykiss (rainbow trout)): 0.44 - 0.74 mg Exposure time: 96 h Test Type: flow-through test	g/l
Toxicity to daphnia and other aquatic invertebrates	EC 50 (Water flea (Daphnia magna)): 0.3 - 0.68 mg/l Exposure time: 48 h Test Type: static test	
p-DODECYLPHENOL:		
Toxicity to fish	LL50 (Pimephales promelas (fathead minnow)): 40 mg/l Exposure time: 96 h Test substance: WAF	
Toxicity to daphnia and other aquatic invertebrates	EC50 (Water flea (Daphnia magna)): 0.037 mg/l Exposure time: 48 h	
Toxicity to algae	EC50 (Desmodesmus subspicatus (green algae)): 0.36 mg/l End point: Growth inhibition Exposure time: 72 h	
M-Factor (Acute aquatic toxicity)	10	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	NOEC (Water flea (Daphnia magna)): 0.002 mg/l Method: OECD Test Guideline 211	
M-Factor (Chronic aquatic toxicity)	10	
Persistence and degradability		
Components:		
C11-C14 BRANCHED ALKYL A	INE PHOSPHATE:	
Biodegradability	Result: Not readily biodegradable. Biodegradation: 13 % Exposure time: 28 d Method: OECD Test Guideline 301B	
N-PHENYL-1-NAPHTHYLAMIN		
Biodegradability	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301C	

	Va	VO	ine.
SAFETY DA	TA SI	HEET	

	line	Page:
Valvo	III I L	
AFETY DATA SHEET		Revision Date: 07/31/20
		Print Date: 11/1/20
Ivoline™ HEAVY DUTY SYNTHE	TIC SAE 50	SDS Number: R02840 Version: 1
NUAL TRANSMISSION FLUID		
706035M		
p-DODECYLPHENOL:		
Biodegradability	: Result: Not re	adily biodegradable.
Bioaccumulative potential		
Components: C11-C14 BRANCHED ALKYL Partition coefficient: n- octanol/water	: log Pow: 1.5 -	
N-PHENYL-1-NAPHTHYLAMI Partition coefficient: n- octanol/water	NE : : log Pow: 4.20	
p-DODECYLPHENOL: Partition coefficient: n- octanol/water	: log Pow: 6.58	
Mobility in soil		
<u>Components:</u> No data available		
Other adverse effects		
No data available		
Product:		
Additional ecological information		ental hazard cannot be excluded in the event of al handling or disposal., Toxic to aquatic life with ifects.
Components:		
ECTION 13. DISPOSAL CONSID	ERATIONS	
Disposal methods		
General advice	: The product s courses or the	hould not be allowed to enter drains, water e soil.

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging	 Empty remaining contents. Dispose of as unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.
	Do not re-use empty containers.

Valvoline.	Page: 13
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0284085
Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID	Version: 1.1
VV706035M	

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods	MARINE
	POLLUTANT:(
	PARA-
	DODECYLPH
	ENOL, N-
	PHENYL-1-
	NAPHTHYLAM
	INE)

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Valvoline	Page: 14
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0284085
Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID	Version: 1.1
VV706035M	

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	yes

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Acute Health Hazard Chronic Health Hazard
SARA 313 Component(s)SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65		Proposition 65 warnings are not required for this product based on the results of a risk assessment.
The components of this produ TSCA		on the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIOC	:	Not in compliance with the inventory
KECL	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory
AUSTR	:	Not in compliance with the inventory
DSL	:	On the inventory, or in compliance with the inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

Valvoline.	Page: 15
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0284085
Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID	Version: 1.1
VV706035M	

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 07/31/2016



NFPA Flammable and Combustible Liquids Classification Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure
	if swallowed.

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-825-8654).

Version: 1.1



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0284085

Valvoline™ HEAVY DUTY SYNTHETIC SAE 50 MANUAL TRANSMISSION FLUID

VV706035M

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System