

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

WellLife 930

Revision Date: 04-Jun-2014

Revision Number: 8

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name WellLife 930

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------|--|
| Recommended Use | Elastomeric Additive |
| Sector of use | SU2 - Mining, (including offshore industries) |
| Product category | PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecified |
| Process categories | PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises |

1.3 Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

| Emergency telephone - §45 - (EC)1272/2008 | |
|---|---|
| Europe | 112 |
| Denmark | Poison Control Hotline (DK): +45 82 12 12 12 |
| France | ORFILA (FR): + 01 45 42 59 59 |
| Germany | Poison Center Berlin (DE): +49 030 30686 790 |
| Italy | Poison Center, Milan (IT): +39 02 6610 1029 |
| Netherlands | National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals) |
| Norway | Poisons Information (NO):+ 47 22 591300 |
| Poland | Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97 |
| Spain | Poison Information Service (ES): +34 91 562 04 20 |
| United Kingdom | NHS Direct (UK): +44 0845 46 47 |

2. Hazards Identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

| | |
|--|----------------------|
| Carcinogenicity | Category 1A - (H350) |
| Specific Target Organ Toxicity - (Repeated Exposure) | Category 1 - (H372) |

Classification according to EU Directives 67/548/EEC or 1999/45/EC
 For the full text of the R-phrases mentioned in this Section, see Section 16

Classification T - Toxic.

Risk Phrases R49 May cause cancer by inhalation.
 R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

2.2 Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H350i - May cause cancer by inhalation

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P314 - Get medical attention/advice if you feel unwell

Contains

Substances

Barium sulfate

Crystalline silica, quartz

CAS Number

7727-43-7

14808-60-7

2.3 Other Hazards

None known

3. Composition/information on Ingredients

| Substances | EINECS | CAS Number | PERCENT (w/w) | EEC Classification | EU - CLP Substance Classification | REACH No. |
|----------------------------|-----------|------------|---------------|--------------------|--------------------------------------|-------------------|
| Barium sulfate | 231-784-4 | 7727-43-7 | 60 - 100% | Not applicable | Not applicable | No data available |
| Crystalline silica, quartz | 238-878-4 | 14808-60-7 | 1 - 5% | T; R49 R48/23 | Carc. 1A (H350i) STOT RE 1 (H372) | No data available |

For the full text of the R-phrases mentioned in this Section, see Section 16

4. First aid measures

4.1 Description of first aid measures

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

| | |
|------------------|--|
| Skin | Wash with soap and water. Get medical attention if irritation persists. |
| Ingestion | Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person. |

4.2 Most Important symptoms and effects, both acute and delayed

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. Firefighting Measures

5.1 Extinguishing media**Suitable Extinguishing Media**

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2 Special hazards arising from the substance or mixture**Special Exposure Hazards**

Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

5.3 Advice for firefighters**Special Protective Equipment for Fire-Fighters**

Not applicable.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. See Section 8 for additional information

6.2 Environmental precautions

None known.

6.3 Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

6.4 Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and Storage

7.1 Precautions for Safe Handling

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2 Conditions for safe storage, including any incompatibilities

Do not reuse empty container. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Store in a well ventilated area. Store locked up. Product has a shelf life of 24 months.

7.3 Specific End Use(s)**Exposure Scenario**

No information available

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters**Exposure Limits**

| Substances | CAS Number | EU | UK OEL | Netherlands | France OEL |
|----------------------------|------------|----------------------------|---|------------------------------|-----------------------|
| Barium sulfate | 7727-43-7 | TWA: 0.5 mg/m ³ | STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ | TWA: 0.5 mg/m ³ | Not applicable |
| Crystalline silica, quartz | 14808-60-7 | Not applicable | STEL: 0.3 mg/m ³ TWA: 0.3 mg/m ³ | TWA: 0.075 mg/m ³ | 0.1 mg/m ³ |

| Substances | CAS Number | Germany MAK/TRK | Spain | Portugal | Finland |
|----------------------------|------------|--|-------------------------------|------------------------------|---|
| Barium sulfate | 7727-43-7 | TWA: 0,5 mg/m ³ MAK: 4 mg/m ³ MAK: 1.5 mg/m ³ | VLA-ED: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 0.5 mg/m ³ |
| Crystalline silica, quartz | 14808-60-7 | 0,15 mg/m ³ | VLA-ED: 0.1 mg/m ³ | TWA: 0.025 mg/m ³ | TWA: 0.05 mg/m ³ TWA: 0.2 mg/m ³ |

| Substances | CAS Number | Austria | Ireland | Switzerland | Norway |
|----------------------------|------------|----------------|----------------|----------------|--|
| Barium sulfate | 7727-43-7 | Not applicable | Not applicable | Not applicable | STEL: 1.5 mg/m ³ TWA: 0.5 mg/m ³ |
| Crystalline silica, quartz | 14808-60-7 | Not applicable | Not applicable | Not applicable | STEL: 0.9 mg/m ³ STEL: 0.3 mg/m ³ TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ |

| Substances | CAS Number | Italy | Poland | Hungary | Czech Republic |
|----------------------------|------------|----------------------------|--|-----------------------------|----------------------------|
| Barium sulfate | 7727-43-7 | TWA: 0.5 mg/m ³ | NDS: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ |
| Crystalline silica, quartz | 14808-60-7 | Not applicable | NDS: 2 mg/m ³ NDS: 0.3 mg/m ³ NDS: 4.0 mg/m ³ NDS: 1.0 mg/m ³ | TWA: 0.15 mg/m ³ | Not applicable |

| Substances | CAS Number | Denmark |
|----------------------------|------------|---|
| Barium sulfate | 7727-43-7 | TWA: 0.5 mg/m ³ |
| Crystalline silica, quartz | 14808-60-7 | TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ |

Derived No Effect Level (DNEL)
Worker

No information available.

General Population

Predicted No Effect Concentration (PNEC)

No information available.

8.2 Exposure controls**Engineering Controls**

Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

Personal protective equipment**Respiratory Protection**

Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or equivalent respirator when using this product.

Hand Protection

Normal work gloves.

Skin Protection

Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.

Eye Protection

Wear safety glasses or goggles to protect against exposure.

Other Precautions

None known.

Environmental Exposure Controls No information available

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| | | | |
|------------------------|----------|------------------------|--------------------------|
| Physical State: | Granules | Color: | Light brown |
| Odor: | Odorless | Odor Threshold: | No information available |

| <u>Property</u> <u>Remarks/ - Method</u> | <u>Values</u> |
|---|--------------------------|
| pH: | No data available |
| Freezing Point/Range | No data available |
| Melting Point/Range | No data available |
| Boiling Point/Range | No data available |
| Flash Point | No data available |
| Evaporation rate | No data available |
| Vapor Pressure | No data available |
| Vapor Density | No data available |
| Specific Gravity | 2 |
| Water Solubility | Insoluble in water |
| Solubility in other solvents | No data available |
| Partition coefficient: n-octanol/water | No data available |
| Autoignition Temperature | No data available |
| Decomposition Temperature | No data available |
| Viscosity | No data available |
| Explosive Properties | No information available |
| Oxidizing Properties | No information available |
| 9.2 Other information | |
| VOC Content (%) | No data available |

10. Stability and Reactivity

10.1 Reactivity

Not applicable

10.2 Chemical Stability

Stable

10.3 Possibility of Hazardous Reactions

Will Not Occur

10.4 Conditions to Avoid

None anticipated

10.5 Incompatible Materials

Strong acids. Strong oxidizers.

10.6 Hazardous Decomposition Products

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C). Oxides of sulfur. Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on Toxicological Effects

Acute Toxicity

Inhalation

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

Eye Contact

May cause mild eye irritation.

Skin Contact

Prolonged or repeated contact may cause skin irritation.

Ingestion

May produce nervous system effects such as feeling of weakness, unsteady walk, and dilation of blood vessels. May affect the heart and cardiovascular system.

Chronic Effects/Carcinogenicity

Prolonged inhalation of fine barium sulfate dusts form harmless nodular granules in lung, an affliction called baritosis. Baritosis produces no symptoms of bronchitis or emphysema, and lung functioning is not affected although dyspnea, upon exertion, may occur. The nodulation disappears if exposure is stopped. Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Toxicology data for the components

| Substances | CAS Number | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------------------|------------|--|------------------------|-------------------|
| Barium sulfate | 7727-43-7 | > 307,000 mg/kg (Rat) > 2000mg/kg (Rat) (similar substance - barium dichloride) | > 2,000 mg/kg (Rabbit) | No data available |
| Crystalline silica, quartz | 14808-60-7 | > 5000 mg/kg (Rat) | No data available | No data available |

| Substances | CAS Number | Skin corrosion/irritation |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | Non-irritating to the skin (similar substances) (rabbit) |
| Crystalline silica, quartz | 14808-60-7 | Non-irritating to the skin |

| Substances | CAS Number | Eye damage/irritation |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | Non-irritating to the eye (rabbit) |
| Crystalline silica, quartz | 14808-60-7 | Mechanical irritation of the eyes is possible. |

| Substances | CAS Number | Skin Sensitization |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | Did not cause sensitization on laboratory animals (mouse) (similar substances) |
| Crystalline silica, quartz | 14808-60-7 | Did not cause sensitization on laboratory animals |

| Substances | CAS Number | Respiratory Sensitization |
|----------------------------|------------|---------------------------|
| Barium sulfate | 7727-43-7 | No information available |
| Crystalline silica, quartz | 14808-60-7 | No information available |

| Substances | CAS Number | Mutagenic Effects |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | In vitro tests did not show mutagenic effects (similar substances) |
| Crystalline silica, quartz | 14808-60-7 | Not regarded as mutagenic. |

| Substances | CAS Number | Carcinogenic Effects |
|----------------|------------|--|
| Barium sulfate | 7727-43-7 | Did not show carcinogenic effects in animal experiments (similar substances) |

| | | |
|----------------------------|------------|---|
| Crystalline silica, quartz | 14808-60-7 | Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure. |
|----------------------------|------------|---|

| Substances | CAS Number | Reproductive toxicity |
|----------------------------|------------|--------------------------|
| Barium sulfate | 7727-43-7 | No information available |
| Crystalline silica, quartz | 14808-60-7 | No information available |

| Substances | CAS Number | STOT - single exposure |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | No significant toxicity observed in animal studies at concentration requiring classification. (similar substances) |
| Crystalline silica, quartz | 14808-60-7 | No significant toxicity observed in animal studies at concentration requiring classification. |

| Substances | CAS Number | STOT - repeated exposure |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | No significant toxicity observed in animal studies at concentration requiring classification. (similar substances) |
| Crystalline silica, quartz | 14808-60-7 | Causes damage to organs through prolonged or repeated exposure if inhaled Lungs |

| Substances | CAS Number | Aspiration hazard |
|----------------------------|------------|-------------------|
| Barium sulfate | 7727-43-7 | Not applicable |
| Crystalline silica, quartz | 14808-60-7 | Not applicable |

12. Ecological Information

12.1 Toxicity Ecotoxicity Effects

| Substances | CAS Number | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Toxicity to Invertebrates |
|----------------------------|------------|--|---|--|--|
| Barium sulfate | 7727-43-7 | EC50(72h): (growth rate) > 61.1 mg/L (Pseudokirchnerella subcapitata) EC50(72h): > 34.31 mg/L (Pseudokirchnerella subcapitata) (elemental Barium) | TLM96: 7500 ppm (Oncorhynchus mykiss) LC50(96h): > 174 mg/L (Danio rerio) LC50(96h): > 97.5 mg/L (Danio rerio) (elemental Barium) LC50(28d): 42700 ug/L (Oncorhynchus mykiss) (elemental Barium) | EC50(3h): (respiration rate) >1000 mg/L (activated sludge) | TLM96: > 1,000,000 ppm (Mysidopsis bahia) LC50(48h): 14500 ug/L (Daphnia magna) (elemental Barium) EC16(3wk): 5800 ug/L (Daphnia magna) (elemental Barium) EC16(3wk): 4800 ug/L (Daphnia magna) |
| Crystalline silica, quartz | 14808-60-7 | No information available | LL0(96h): 10000 mg/L (Danio rerio) (similar substance) | No information available | LL50(24h): > 10000 mg/L (Daphnia magna) (similar substance) |

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

| Substances | CAS Number | Persistence and Degradability |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | The methods for determining biodegradability are not applicable to inorganic substances. |
| Crystalline silica, quartz | 14808-60-7 | The methods for determining biodegradability are not applicable to inorganic substances. |

12.3 Bioaccumulative potential

Does not bioaccumulate

| Substances | CAS Number | Log Pow |
|----------------------------|------------|--|
| Barium sulfate | 7727-43-7 | BCF: 1.2 - 74.4 L/kg (Lepomis macrochirus) |
| Crystalline silica, quartz | 14808-60-7 | No information available |

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

| Substances | PBT and vPvB assessment |
|----------------------------|-------------------------|
| Crystalline silica, quartz | Not PBT/vPvB |

12.6 Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations**13.1 Waste treatment methods****Disposal Method****Contaminated Packaging**

Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

14. Transport Information**IMDG/IMO**

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

RID

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

ADR

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

15. Regulatory Information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories****EINECS Inventory****US TSCA Inventory****Canadian DSL Inventory**

This product, and all its components, complies with EINECS
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

