HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

WellLock H2

Revision Date: 22-Sep-2015 **Revision Number:** 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name WellLock H2
Internal ID Code HM007348

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Curing Agent
Sector of use SU2 - Mining, (including offshore industries)
Product category PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

www.halliburton.com

For further information, please contact
E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §45 - (EC)1272/2008	
Europe	**112**
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 1 C - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318

Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Chronic Aquatic Toxicity	Chronic 2 - H411

2.2. Label Elements

Hazard Pictograms

Signal Word **Danger**

Hazard Statements
H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)
P280 - Wear protective gloves/eye protection/face protection
P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

Contains

Substances	**CAS Number**
Polyoxypropylene Diamine	9046-10-0

2.3. Other Hazards
This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Polyoxypropylene Diamine	Not applicable	9046-10-0	60 - 100%	Skin Corr. 1C (H314) Eye Corr. 1 (H318) STOT SE 3 (H335) Aquatic Chronic 2 (H411)	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes Check for and remove contact lenses if present. Immediately flush eyes with large amounts of water for at least 30 minutes. Seek prompt medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 30 minutes and remove contaminated clothing, shoes and leather goods immediately. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

4.2. Most Important symptoms and effects, both acute and delayed
Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed
Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media
Suitable Extinguishing Media
Dry chemical. Sand.
Extinguishing media which must not be used for safety reasons
Do not use water.

5.2. Special hazards arising from the substance or mixture
Special Exposure Hazards
Closed containers may explode in fire.

5.3. Advice for firefighters
Special Protective Equipment for Fire-Fighters
Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation. Evacuate all persons from the area.
See Section 8 for additional information

6.2. Environmental precautions
Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up
Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections
See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling
Wash hands after use. Launder contaminated clothing before reuse. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing mist. Ensure adequate ventilation. Use appropriate protective equipment.
Hygiene Measures
Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities
Store away from acids. Store in a cool well ventilated area. Keep container closed when not in use. Store locked up. Do not reuse empty container. Store away from direct sunlight. Product has a shelf life of 24 months.

7.3. Specific End Use(s)
Exposure Scenario No information available
Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters
Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Polyoxypropylene Diamine	9046-10-0	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland

Polyoxypropylene Diamine	9046-10-0	Not applicable	Not applicable	Not applicable	Not applicable

Substances	**CAS Number**	**Austria**	**Ireland**	**Switzerland**	**Norway**
Polyoxypropylene Diamine	9046-10-0	Not applicable	Not applicable	Not applicable	Not applicable

Substances	**CAS Number**	**Italy**	**Poland**	**Hungary**	**Czech Republic**
Polyoxypropylene Diamine	9046-10-0	Not applicable	Not applicable	Not applicable	Not applicable

Substances	**CAS Number**	**Denmark**	**Romania**	**Croatia**	**Cyprus**
Polyoxypropylene Diamine	9046-10-0	Not applicable	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL) No information available.

Worker

General Population

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Use in a well ventilated area.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Organic vapor respirator.

Hand Protection Impervious rubber gloves.
Skin Protection Rubber apron.
Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid **Color:** Yellowish
Odor: Ammonia **Odor Threshold:** No information available

Property Remarks/ - Method	Values
pH:	11.7
Freezing Point/Range	No data available
Melting Point/Range	No data available
Boiling Point/Range	No data available
Flash Point	121 °C / 249.8 °F PMCC
Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	> 1
Specific Gravity	0.95
Water Solubility	Miscible with water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available

Oxidizing Properties No information available

9.2. Other information
VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity
Not expected to be reactive.
10.2. Chemical Stability
Stable
10.3. Possibility of Hazardous Reactions
Will Not Occur
10.4. Conditions to Avoid
None anticipated
10.5. Incompatible Materials
Strong acids.
10.6. Hazardous Decomposition Products
Carbon monoxide and carbon dioxide. Oxides of nitrogen.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects
Acute Toxicity

Inhalation	May cause respiratory irritation.
Eye Contact	Causes severe eye irritation. Causes eye burns.
Skin Contact	Causes severe skin irritation. Causes burns.
Ingestion	Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Polyoxypropylene Diamine	9046-10-0	242 mg/kg (Rat)	360 mg/kg (Rabbit)	No data available

Substances	CAS Number	Skin corrosion/irritation
Polyoxypropylene Diamine	9046-10-0	Corrosive to skin (Rabbit)

Substances	CAS Number	Eye damage/irritation
Polyoxypropylene Diamine	9046-10-0	Corrosive to eyes (Rabbit)

Substances	CAS Number	Skin Sensitization
Polyoxypropylene Diamine	9046-10-0	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Polyoxypropylene Diamine	9046-10-0	No information available

Substances	CAS Number	Mutagenic Effects
Polyoxypropylene Diamine	9046-10-0	Not regarded as mutagenic.

Substances	CAS Number	Carcinogenic Effects
Polyoxypropylene Diamine	9046-10-0	No information available.

Substances	CAS Number	Reproductive toxicity
Polyoxypropylene Diamine	9046-10-0	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - single exposure

Polyoxypropylene Diamine	9046-10-0	May cause disorder and damage to the Respiratory system.

Substances	CAS Number	STOT - repeated exposure
Polyoxypropylene Diamine	9046-10-0	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Polyoxypropylene Diamine	9046-10-0	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity

Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Polyoxypropylene Diamine	9046-10-0	EC50 (72h) 135 mg/L (scenedesmus subspicatus)	LC50 (96h) > 100 mg/L (Oncorhynchus mykiss)	No information available	EC50 (48h) 48 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Polyoxypropylene Diamine	9046-10-0	(0-14% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Polyoxypropylene Diamine	9046-10-0	2.8

12.4. Mobility in soil

Substances	CAS Number	Mobility
Polyoxypropylene Diamine	9046-10-0	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Polyoxypropylene Diamine	Not PBT/vPvB

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state, and local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

Contaminated Packaging Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN2735

UN Proper Shipping Name:	Polyamines, Liquid, Corrosive, N.O.S. (Polyoxypropylenediamine)
Transport Hazard Class(es):	8
Packing Group:	III
Environmental Hazards:	Marine Pollutant

RID

UN Number:	UN2735
UN Proper Shipping Name:	Polyamines, Liquid, Corrosive, N.O.S. (Polyoxypropylenediamine)
Transport Hazard Class(es):	8
Packing Group:	III
Environmental Hazards:	Marine Pollutant

ADR

UN Number:	UN2735
UN Proper Shipping Name:	Polyamines, Liquid, Corrosive, N.O.S. (Polyoxypropylenediamine)
Transport Hazard Class(es):	8
Packing Group:	III
Environmental Hazards:	Marine Pollutant

IATA/ICAO

UN Number:	UN2735
UN Proper Shipping Name:	Polyamines, Liquid, Corrosive, N.O.S. (Polyoxypropylenediamine)
Transport Hazard Class(es):	8
Packing Group:	III
Environmental Hazards:	Marine Pollutant

14.1. UN Number: UN2735

14.2. UN Proper Shipping Name: Polyamines, Liquid, Corrosive, N.O.S. (Polyoxypropylenediamine)

14.3. Transport Hazard Class(es): 8

14.4. Packing Group: III

14.5. Environmental Hazards: Marine Pollutant

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory	This product, and all its components, complies with EINECS
US TSCA Inventory	All components listed on inventory or are exempt.
Canadian DSL Inventory	All components listed on inventory or are exempt.

Legend
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK) WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment
No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H411 - Toxic to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms
bw – body weight
CAS – Chemical Abstracts Service
CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures
EC – European Commission
EC10 – Effective Concentration 10%
EC50 – Effective Concentration 50%
EEC – European Economic Community
ErC50 – Effective Concentration growth rate 50%
IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL0 – Lethal Loading 0%
LL50 – Lethal Loading 50%
MARPOL – International Convention for the Prevention of Pollution from Ships
mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NOEC – No Observed Effect Concentration
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PBT – Persistent Bioaccumulative and Toxic
PC – Chemical Product category
PEL – Permissible Exposure Limit
ppm – parts per million
PROC – Process category
REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL – Short Term Exposure Limit
SU – Sector of Use category

Key literature references and sources for data
www.ChemADVISOR.com/
NZ CCID

Revision Date: 22-Sep-2015
Revision Note
SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement
This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet