according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE

Print Date 03/04/2011 Version 1.0

Revision Date 11/10/2008 MSDS Number 350000004520

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

: WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE Trade name

Use of the

Substance/Preparation

Company

: S.C. Johnson & Son, Inc.

1525 Howe Street

: Hard Surface Cleaner

Racine WI 53403-2236

Emergency telephone 24 Hour Transport & Medical Emergency Phone (866) 231-

24 Hour International Emergency Phone (952) 852-4647

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : green / liquid / characteristic

Immediate Concerns : Avoid contact with skin, eyes and clothing.

Potential Health Effects

Routes of exposure : Eye, Skin, Inhalation, Ingestion.

Eyes None known.

Skin None known.

Inhalation None known.

Ingestion None known.

Aggravated Medical None known.

Condition

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight %
Water	7732-18-5	60.00 - 100.00
Isopropanol	67-63-0	1.00 - 5.00
Vinegar	64-19-7	0.01 - 1.00

4. FIRST AID MEASURES

Eye contact Rinse with plenty of water. Get medical attention if irritation

develops and persists.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE

Version 1.0 Print Date 03/04/2011

Revision Date 11/10/2008 MSDS Number 350000004520

Skin contact : Wash off with soap and water.

Inhalation : Remove to fresh air.

Ingestion : Drink 1 or 2 glasses of water. Never give anything by mouth to

an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Alcohol foam, carbon dioxide, dry chemical, water fog

Specific hazards during fire

fighting

Container may melt and leak in heat of fire.

Further information : Although this product has a flash point below 200 Deg F, it is

an aqueous solution containing an alcohol and does not sustain combustion. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-

contained breathing apparatus.

Flash point : 134 °F

Method: Tag Closed Cup (TCC)

Flash point : 56.6 °C

Method: Tag Closed Cup (TCC)

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Methods for cleaning up : Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Dike large spills.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : KEEP OUT OF REACH OF CHILDREN AND PETS.

Use only as directed.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE

Version 1.0 Print Date 03/04/2011

Revision Date 11/10/2008 MSDS Number 350000004520

Storage

Requirements for storage areas and containers

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Basis
Isopropanol	67-63-0	-	400 ppm	ACGIH STEL
Isopropanol	67-63-0	-	200 ppm	ACGIH TWA
Isopropanol	67-63-0	980 mg/m3	400 ppm	OSHA TWA

Personal protective equipment

Respiratory protection

Industrial setting : No personal respiratory protective equipment normally

required.

Household setting : No personal respiratory protective equipment normally

required.

Hand protection

Industrial setting : not required under normal use

Household setting : not required under normal use

Eye protection

Industrial setting : No special requirements.

Household setting : No special requirements.

Hygiene measures : Use only with adequate ventilation. Wash thoroughly after

handling. Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE

Version 1.0 Print Date 03/04/2011

Revision Date 11/10/2008 MSDS Number 350000004520

Color : green

Odor : characteristic

pH : 10.0 - 11.0

Melting point : no data available

Boiling point : no data available

Freezing point : no data available

Flash point : 134 °F

Method: Tag Closed Cup (TCC)

Flash point : 56.6 °C

Method: Tag Closed Cup (TCC)

Evaporation rate : no data available

Autoignition temperature : no data available

Lower explosion limit : no data available

Upper explosion limit : no data available

Vapour pressure : similar to water

Water solubility : completely soluble

Partition coefficient: n-

octanol/water no data available

Specific Gravity : 1.00 estimated

10. STABILITY AND REACTIVITY

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : Do not mix with oxidizing agents.

Do not mix with bleach or any other household cleaners.

Hazardous decomposition

products

When exposed to fire, produces normal products of

combustion.

Hazardous reactions : Stable

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE

Version 1.0 Print Date 03/04/2011

Revision Date 11/10/2008 MSDS Number 350000004520

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 rat

Dose: > 5,000 mg/kg

Acute inhalation toxicity : LC50 rat

Dose: 2.58 mg/l

Acute dermal toxicity : LD50 rabbit

Dose: > 5,000 mg/kg

Chronic effects

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Not known to be a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : Not Available

13. DISPOSAL CONSIDERATIONS

Industrial setting : Observe all applicable Federal, Provincial and State

regulations and Local/Municipal ordinances regarding

disposal.

Household setting : Consumer may discard empty container in trash, or recycle

where facilities exist.

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

NA number 1993

Proper shipping name Combustible Liquid, N.O.S.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® AUTO GLASS & INTERIOR - AMMONIA FREE

Version 1.0 Print Date 03/04/2011

Revision Date 11/10/2008 MSDS Number 350000004520

Class: Combustible liquid

Packaging group: III

Note: SC Johnson ships this product as "Non-Regulated" per DOT

exception for Combustible Liquids. (49 CFR 173.150)

Sea transport

IMDG:

UN-Number: None. Packaging group: None.

Proper shipping name not regulated

Class: None.

Air transport

ICAO/IATA:

Class: None. Packaging group: None.

Proper shipping name not regulated

UN/ID No.: None.

15. REGULATORY INFORMATION

Global Chemical Inventories

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

: All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

: This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS

contains all the information required by the Controlled Products

Regulations.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



vision Date 11/10/2008 OTHER INFORMATION HMIS Ratings Health	MSDS Number 350	0000004520
HMIS Ratings		
HMIS Ratings		
_		
Hoalth		
neami	0	
Flammability	2	
Reactivity	0	
NFPA Ratings		
Health	0	
Fire	2	
Reactivity	0	
Special		
Further information		
It does not constitute a contained herein. Actua evaluate all available in	n prepared using data from sources considered to be warranty, expressed or implied, as to the accuracy of tall conditions of use are beyond the seller's control. Use formation when using product for any particular use ar all and Local laws and regulations.	the information er is responsible to
Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)	