



MATERIAL SAFETY DATA SHEET

SECTION 1 -- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME | Austin Wipe Away Ammoniated Glass and Window Cleaner

PRODUCT CODE | 630 THRU 770

ISSUE DATE | March 19, 2003

EMERGENCY TELEPHONE NUMBERS

Medical Information: 1-866-359-5662
Transportation: 1-800-424-9300*
* For spill, leak, fire or transport accident emergencies.
Product Information: 724-625-1535

MANUFACTURER | James Austin Co
STREET ADDRESS | 115 Downieville Road
CITY, STATE, ZIP | Mars, PA 16046

SECTION 2 -- COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENT	CAS No.	% by wt.	EXPOSURE LIMITS		
			OSHA PEL	ACGIH TLV	NIOSH REL
Isopropyl alcohol	67-63-0	7.3	400 ppm TWA 500 ppm STEL	400 ppm TWA 500 ppm STEL	400 ppm TWA 500 ppm STEL
Ammonium hydroxide	1336-21-6	0.21	35 ppm STEL (as Ammonia)	25 ppm TWA 35 ppm STEL	25 ppm TWA 35 ppm STEL

SECTION 3 -- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	Can cause eye and skin irritation. Harmful if swallowed. Irritating to respiratory tract.
--------------------	---

POTENTIAL HEALTH EFFECTS	
INGESTION	Can cause irritation, nausea, stomach distress, vomiting and diarrhea.
INHALATION	May cause mild irritation of nose, throat and respiratory tract. High concentrations may result in headache, drowsiness, CNS depression.
EYE CONTACT	Causes eye irritation. Severe exposure may produce corneal injury.
SKIN CONTACT	Prolonged or repeated contact may cause skin irritation.

SECTION 4 -- FIRST AID MEASURES

INGESTION	If swallowed, DO NOT induce vomiting. Immediately drink a large quantity of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.
INHALATION	Remove to fresh air and provide oxygen if breathing is difficult. Get medical attention.
EYE CONTACT	Immediately flush eye with plenty of cool, running water. Remove contact lenses if applicable, and continue flushing for at least 15 minutes. Get medical attention immediately.
SKIN CONTACT	Wash with soap and water. If irritation develops or persists, get medical attention.
NOTE TO PHYSICIAN	There is no specific ingestion antidote; gastric lavage may be indicated. Information relative to ingestion toxicity and treatment can be found in <u>Clinical Toxicology of Commercial Products</u> authored by Gosselin, Smith and Hodge and published by Williams & Wilkins, Baltimore, Md. See listing for Isopropyl Alcohol in Therapeutics Index, Section III.

SECTION 5 -- FIRE FIGHTING MEASURES

FLASH POINT / METHOD	110 deg F / Closed cup	FLAMMABLE LIMITS	N/A
EXTINGUISHING MEDIA	Use water fog, alcohol foam, dry chemical or carbon dioxide.		
SPECIAL FIRE FIGHTING PROCEDURES	Clear fire area of unprotected personnel. Do not enter confined fire space without full bunker gear, including positive pressure self-contained breathing apparatus. Cool fire-exposed containers with water to prevent vapor pressure buildup.		
FIRE AND EXPLOSION HAZARDS	Vapors from this product may travel or be moved by air currents and ignited at locations distant from handling point.		

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Small spills: Flush to sanitary sewer. Mop up residue and rinse area thoroughly with water. Large spills: Dike or dam spill. Pump to containers or soak up on inert absorbent. Remove all ignition sources before beginning cleanup; use personal protective equipment.
--------------------	--

SECTION 7 -- HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store upright in a cool dry place.

SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION

HYGIENIC PRACTICES	Normal procedures for good hygiene.
ENGINEERING CONTROLS	Good general ventilation should be sufficient to control airborne levels. Facilities using this product must be equipped with an eyewash station.

PERSONAL PROTECTIVE EQUIPMENT

X	RESPIRATOR	Recommended for use in confined areas with poor ventilation when exposure exceeds PEL of TLV limits
X	GOGGLES / FACE SHIELD	Recommended that goggles should be used when transferring product into spray or applicator bottles
	APRON	Not necessary
	GLOVES	Not necessary
	BOOTS	Not necessary

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear blue liquid	BOILING POINT	160 deg F
ODOR	Alcohol and ammonia	FREEZING POINT	Not established
pH	10.6 (100% concentrate)	VAPOR PRESSURE	Not applicable
SPECIFIC GRAVITY	0.990	VAPOR DENSITY	Not applicable
SOLUBILITY IN WATER	Complete	EVAPORATION RATE	Not determined

SECTION 10 -- STABILITY AND REACTIVITY

CHEMICAL STABILITY		STABLE	X		UNSTABLE	
CONDITIONS TO AVOID	No special precautions beyond standard safe industrial practices.					
INCOMPATIBILITY	Avoid contact with strong mineral acids and strong oxidizers, including chlorine bleach.					
HAZARDOUS PRODUCTS OF DECOMPOSITION	Carbon monoxide may be formed during combustion. Ammonia vapors can be released if product is subjected to heat.					
POLYMERIZATION		WILL NOT OCCUR	X		MAY OCCUR	
CONDITIONS TO AVOID	Not applicable					

SECTION 11 -- TOXICOLOGICAL INFORMATION**CARCINOGENICITY**

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910, Z

OTHER EFFECTS

ACUTE	Not determined
CHRONIC	Not determined

SECTION 12 -- ECOLOGICAL INFORMATION

BIODEGRADABILITY	<input type="checkbox"/>	CONSIDERED BIODEGRADABLE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NOT BIODEGRADABLE	<input type="checkbox"/>
BOD / COD VALUE	Not established					
ECOTOXICITY	No data available					

SECTION 13 -- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD	Product that cannot be used according to the label must be disposed of as a hazardous waste at an approved hazardous waste management facility. Empty containers may be triple rinsed, then offered for recycling or reconditioning; or puncture and dispose of in a sanitary landfill.								
RCRA CLASSIFICATION	Hazardous, ignitable D001								
RECYCLE CONTAINER	<input type="checkbox"/>	YES	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CODE	2 - HDPE	<input type="checkbox"/>	NO	<input type="checkbox"/>

SECTION 14 -- TRANSPORT INFORMATION

DOT CLASSIFICATION	<input type="checkbox"/>	HAZARDOUS	<input type="checkbox"/>	<input type="checkbox"/>	NOT HAZARDOUS	<input checked="" type="checkbox"/>
DOT Proper Shipping Name	Compounds, cleaning liquid					
Hazard Class	3					
Identification Number	NA1993					
Packing Group	III					
Label/Placard	Flammable					
EXCEPTIONS	Consumer Commodity, ORM-D. Exempted by DOT for containers of 1 gallon or less					

SECTION 15 -- REGULATORY INFORMATION

REGULATORY STATUS

<input type="checkbox"/>	EPA REGISTERED (UNDER FIFRA)	<input type="checkbox"/>
<input type="checkbox"/>	FDA REGULATED	<input type="checkbox"/>
<input type="checkbox"/>	KOSHER	<input type="checkbox"/>
<input type="checkbox"/>	SARA TITLE III MATERIAL	<input type="checkbox"/>
<input type="checkbox"/>	USDA AUTHORIZED	<input type="checkbox"/>

SECTION 16 -- OTHER INFORMATION

NFPA CLASSIFICATION

1	BLUE	HEALTH HAZARD
2	RED	FLAMMABILITY
0	YELLOW	REACTIVITY
--	WHITE	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by James Austin Company in connection with the use of this information.