FANTASY FILES, INC. 557 Jessie Street San Fernando, CA 91340

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

SDS Revision Date: 05/27/2015

Page 1 of 6

SECTION 1	PRODUCT IDENTIFICATION		
Product Name: Cuticle F	Product Name: Cuticle Remover		
Chemical Name: Aqueous Solution of Dilute			
Potassium Hydroxide	Trade No.: 106, 116, 132		
Synonyms: Cuticle Softener			
Trade Name: Blue Cross Cuticle Remover			
Product Use: Cosmetic Use Only			
Manufacturer's Name & Address: Fantasy Files, Inc., 557 Jessie Street, San Fernando, CA 91340			
Business Phone: 818-361-5200			

SECTION 2

HAZARDS IDENTIFICATION

HAZARD IDENTIFICATION:

This product is NOT CLASSIFIED as a hazardous substance and as dangerous goods according to the classification criteria of (NOHSC: 1088 (2004) and ADG Code (Australia).

Hazard Statements (H): DANGER! CAUSES SERIOUS EYE IRRITATION. MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

Emergency Phone: CHEMTREC + 1 (800) 424-9300 / International: CHEMTREC + 1 (703) 527-3887

Precautionary Statements (P): (Category 2A) Avoid contact with eyes, skin and clothing. Harmful if swallowed. If in eyes: rinse cautiously with water for several minutes. (Category 1-Aspiration Hazard) If swallowed, do not induce vomiting. After handling, always wash hands thoroughly with soap and water. If you feel unwell, seek medical attention. Keep out of reach of children.

Prevention Statement: Wash thoroughly after handling. Wear eye/face protection.

Response: If in eyes, rinse cautiously with water for fifteen minutes. Remove contact lenses if present and can easily be removed - continue rinsing. If eye irritation persists. Get medical advice/attention. If swallowed: immediately call a poison center/doctor. DO NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema. Storage: Store locked up. Store in a dry place and/or in a closed container. Store in accordance with all local, regional, national and international regulations.

Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulations.

 $\label{eq:hnoc} \mbox{HNOC (Hazards not otherwise classified): None known, Not classified.}$



GHSO8 HEALTH HAZARD



EFFECTS OF EXPOSURE:

Ingestion: If product is swallowed, may cause lung damage if swallowed.

Eye Contact: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Skin Contact: May be irritating to skin in some sensitive individuals, especially after repeated and prolonged contact.

Inhalation: Inhalation is unlikely; however, vapors of products may be slightly irritating to some individuals. Move to fresh air.

SYMPTOMS OF OVEREXPOSURE: Symptoms of skin exposure on individuals may include itching, irritation and redness.

ACUTE HEALTH EFFECTS: Mild or moderate irritation to eyes. Irritation on skin at the site of contact for some sensitive individuals.

<u>CHRONIC HEALTH EFFECTS</u>: None known, although symptoms and discomfort may occur for several days following overexposure following ingestion. Fragrance in very small quantities in this product may be mild allergens to some sensitive individuals.

TARGET ORGANS: Skin, Eyes and respiratory system.

FANTASY FILES, INC. 557 Jessie Street San Fernando, CA 91340

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards Page 2 of 6 **SECTION 3 COMPOSITION & INGREDIENT INFORMATION** EXPOSURE LIMITS IN AIR (mg/m³) / ppm **ACGIH** NOHSC OSHA Chemical Names(s) CAS No. EINECS No. RTECS No. OTHER % PEAK TLV STEL TWA STEL PEL STEL IDLH 7732-ZC01100 95 NE NE WATER 215-185-NE NE NE NE NE NE 18-5 5 00 215-181-TT21000 NE C NE NE Eye Category **POTASSIUM** 1310-2 NE 2M NE 2A, **HYDROXIDE** 58-3 3 00 2M G/ Μ Aspiration G/ G/ M3 hazard 1 М3 М3 Eye Category **MINERAL** 8012-232-384-PY80300 15 200 150 200 NF 200 200 170 2A, 95-1 (PARAFFINUM 2 0 0 0 Aspiration LIQUIDUM) OIL hazard 1 8039-09-Allergen LANOLIN PEG-232-348-OE32010 <1 NE NE NE NE NE NE NE NE 6 75 6 00 9000-07-**CARRAGEENAN** 232-524-FI070300 <1 NE NE NE NE NE NE NE NE 1 2 0

FANTASY FILES, INC. 557 Jessie Street San Fernando, CA 91340

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 3 of 6

SECTION 4

FIRST AID MEASURES

FIRST AID:

Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If vomiting, continue to offer water or milk, never give liquid to an unconscious person. Contact the Poison Control Center or local emergency number. Provide information regarding quantity ingested and estimated time in which the material was ingested.

Eye Contact: If the material gets in the eyes, flush with plenty and sufficient amount of lukewarm water for at least 15 minutes. If irritation persists, contact a physician or local emergency number.

Skin Contact: If redness, dryness other signs of irritation to the skin develops, wash affected skin area with plenty of warm water and soap. If irritation persists, contact a physician.

Inhalation: Remove person to fresh air at once.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

None known. however this material may be irritating to sensitive individuals with pre-existing dermatitis, or other skin conditions. Symptoms following exposure: Aqueous solution is essentially nontoxic. Contact with eyes and prolonged contact with skin can cause severe irritation.

0	HEALTH	
1	FLAMMABILITY	
0	PHYSICAL HAZARDS	
Α	PERSONAL PROTECTION	

SECTION 5

FIREFIGHTING MEASURES


FIRE & EXPLOSION HAZARDS:

This material **IS NOT** flammable however it may be combustible at high temperatures. Auto-ignition temperature -NA. - Flash Point : >540°F/ 282°C (closed cup)

Extinguishing Method: - Dry Chemical, Foam or carbon dioxide.

Firefighting Procedures: This material is a Class 2G liquid. Use extinguishing agent suitable for surrounding fire. Isolate the scene by removing al persons from the vicinity if there is a fire. No action to be taken by personel without suitable training. With fire exposure, this material may smoke and may emit irritating vapors, possible that these vapors may be irritating to eyes, respiratory nasal passages. First responders should wear appropriate eye protective equipment and self-contaminated breathing apparatus (SCBA) with a full face-piece and full protective equipment. Low fire hazard. Material must be heated before ignition will occur. Fire-fighters to cool fire-exposed containers using blanketing effect. Use a water spray or fog to reduce direct vapors.

Hazardous Identification Number: NF / HazChem Code: NF



SECTION 6

ACCIDENTAL RELEASE MEASURES

SPILLS:

Appropriate personal protective equipment must be worn before and individual(s) involved in a spill cleanup can proceed.

Small Spills (< 1 gallon): Appropriate personal protective equipment for small spill falls under caption rating - B (goggles and gloves).

Maximize the ventilation by opening doors and windows. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

Large Spills (≥ 1 gallon): Appropriate personal protective equipment for large spil falls under caption rating - H (goggles, gloves, apron,

vapor mask). Do not allow unprotected individuals to assist and/or in the immediate vicinity area of spill. Dike and contain the spill with inert non-combustible material such as diatomaceous earth, sand or vermiculite. Use only non-sparking tools for cleanup. Transfer liquid to containers for disposal. Gather all dike material for disposal and place in appropriate disposal containers. Dispose properly in accordance to local, state and federal regulations. Wash all spill affected areas. Remove any contaminated clothing and wash thoroughly before reuse. If applicable wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of the municipal sewers and open bodies (streams, lakes, etc) water.

FANTASY FILES, INC. 557 Jessie Street San Fernando, CA 91340

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 4 of 6

SECTION 7

HANDLING AND STORAGE INFORMATION

WORK PRACTICES:

Use in a well ventilated location with appropriate exhaust ventilation and/or fans. Avoid eye contact or prolonged contact and breathing vapors of material. After use, wash hands and exposed skin with soap and water. Do not drink, eat or smoke while handling material.

STORAGE & HANDLING:

Keep material away from heat and sparks. Open containers slowly on a secure level surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of material, therefore empty containers should be handled with safety. Store containers in a cool, dry location, away from direct sunlight, other light sources and intense heat. Store away from incompatible materials (described in section 10)

SPECIAL PRECAUTIONS:

Open containers slowly on a secure level surface. Spilled material may present a slipping hazard, clean all spills promptly. Keep container closed tightly when not in use. Empty containers may contain residual amounts of material, therefore empty containers should be handled with safety and disposed of properly with local, state and federal regulations Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil).

SECTION 8

EXPOSURE CONTROLS AND PERSONAL PROTECTION

VENTILATION & ENGINEERING CONTROLS:

General mechanical (fans) or natural ventilation is sufficient with this material. Ensure that an eyewash station, washbasin or sink is available in the event of exposure to eyes.

RESPIRATORY PROTECTION: No special respiratory protection is required under typical handling of this material. No special respiratory protection is required under typical handling of material. In circumstances where vapors or sprays of this material

are generated and respiratory protection is required under typical nandling of material. In circumstances where vapors or sprays of this material are generated and respiratory protection is required, use only personal protection authorized by 29 CFR € 1910.134, applicable U.S. State regulations or the Canadian CAS Standard Z94.4-03 and applicable standards of Canadian Provinces, EC member States, or Australia.

29 CFR€ 1910.134

EYE PROTECTION:

Wear protective eyewear (safety glasses with side-shield) at all times when handling this material. Always use protective eyewear when cleaning spills. Contact lenses pose a hazard; soft contact lenses may absorb and concentrate irritants.



HAND PROTECTION:

Wear protective gloves if repeated or prolonged skin contact is anticipated during handling of the material. If handling for routine industrial use, it is necessary to refer to U.S. OSHA 29 CFR €1910.138 for the appropriate standards of Canada, of the EC member states.



BODY ROTECTION:

No special body protection is required under typical handling of this material. If required, refer to appropriate standards for U.S. OSHA, Canada, & EC member states.

SECTION 9	PHYSICAL & CHEMICAL PROPERTIES
APPEARANCE	Watery liquid, milky white in color
ODOR	Light nutty odor
ODOR THRESHOLD	Not listed
PH	+/-7
MELTING/FREEZE POINT	32°F = 0°C
BOILING POINT RANGE	212°F = 100°C
FLASHPOINT	NA NA
UPPER/LOWER	
FLAMMABILITY LIMITS	NA NA
VAPOR PRESSURE (50°C)	NA NA
VAPOR DENSITY	ND
RELATIVE DENSITY	1.0000 @ 77F° = 25° (USCG, 1999)
WATER SOLUBILITY	NA NA
VISCOSITY	0.89 cps
SOLID CONTENT	NA NA
SOLVENT SOLUBILITY	NA NA

FANTASY FILES, INC. 557 Jessie Street San Fernando, CA 91340

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

SECTION 10

Page 5 of 6

STABILITY & REACTIVITY

STABILITY:

Stable under ambient temperatures when stored properly (See Section 7).

HAZARDOUS DECOMPOSITION-CONDITIONS/MATERIALS:

Exposure to carbon dioxide and carbon monoxide, various hydrocarbons. If exposed to extremely high temperatures the effects of thermal decomposition may include irritating vapors.

HAZARDOUS POLYMERIZATION:

May occur if exposed to extremely high temperatures. Thickens and becomes rancid on prolonged exposure to air.

CONDITIONS TO AVOID:

High temperatures, direct sunlight, sources of heat and incompatible materials.

INCOMPATIBLE SUBSTANCES:

This material is incompatible strong oxidizing agents. Exposure of carbon dioxide and carbon monoxide, various hydrocarbons

SECTION 11	TOXICOLOGICAL INFORMATION		
ROUTES OF ENTRY	Inhalation - YES	Ingestion: YES	Absorption: YES
TOXICITY DATA	This material has NOT been to literature for this material is property.	ested on animals t obtain toxicology data. Toxicology da resented below.	ta available and found in scientific
TOXICITY-ACUTE	See section 2		
TOXICITY-CHRONIC	See section 2		

SECTION 12	ECOLOGICAL INFORMATION
RECOMMENDATIONS-PHYSICIAN	Treat symptomatically. Flush eyes with water at least 15 minutes.
BIOLOGICAL EXPOSURE INDICES	NA NA
MATERIAL-IRRITANCY	See section 2
TOXICITY-TERATOGENICITY	This material is not reported to cause teratogenic effects in humans.
EMBRYOTOXICITY	This material is not reported to produce embryo toxic effects in humans.
TOXICITY- MUTAGENICITY	This material is not reported to produce mutagenic effects in humans.
TOXICITY-REPRODUCTIVE	This material is not reported to cause reproductive toxicity in humans.
	confirmed human carcinogen by IARC.
CARCINOGEN-SUSPECTED	No component of this material presents at levels greater than or equal to 0.1% is identified as probable, possible or

ENVIRONMENTAL STABILITY:

No known significant effects or critical hazards, however, avoid runoffs out of municipal sewers and open bodies of water. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil).

EFFECTS ON PLANTS & ANIMALS:

There are no specific data available for this product.

EFFECTS ON AQUATIC LIFE:

There are no specific data available for this product, however extremely large releases of this material may be harmful or fatal to overexposed aquatic life.

SECTION 13 DISPOSAL INFORMATION	
---------------------------------	--

WASTE DISPOSAL:

Waste disposal must be in accordance with appropriate Federal, State and local regulations.

SPECIAL CONSIDERATIONS:

U.S. EPA AEGL: not listed / RCRA Waste No. -not listed / EPA FWPCA List: not listed / NFPA Hazard Classification: not listed/49 CRF: not listed

FANTASY FILES, INC. 557 Jessie Street San Fernando, CA 91340

SAFETY DATA SHEET

San Fernando, CA 9	91340	OAFLIT DATA SHLLT		
Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards		Page 6 of 6		
SECTION 14		TRANSPORTATI	ION INFORMATION	
The description (ID number, proper shipping name, hazard class, division & packaging group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/CAO, IMDG and CTDGR.				
49 CFR (GND)	UN N	o. None. Not classified as hazardous - Not a DOT controlled m	naterial (United States)	
IATA (AIR)	UN N	o. None. Not classified as hazardous- Not a DOT controlled ma	naterial (United States)	
IMDG (OCN)	UN N	UN No. None. Not classified as hazardous		
TDGR (Canadian GND)	UN N	lo. None. Not classified as hazardous- Not controlled under WH	HMIS (Canada)	
ADR/RID (EU)	UN No. None. Not classified hazardous- This product is not classified according to EU regulations			
SCT (MEXICO)	UN No. None. Not classified as hazardous			
ADGR (AUSTRLIA)	UN No. None. Not classified as hazardous			
SECTION 15			Y INFORMATION	
SARA Reporting Requirements Not regulated. Components listed a		Not regulated. Components listed are exempted.	·	·

SECTION 15	REGULATORY INFORMATION
SARA Reporting Requirements	Not regulated. Components listed are exempted.
SARA Threshold Planning	Not regulated. Components listed are exempted. There are no specific Threshold Planning Quantities for the components of
Quantity	this product.
TSCA Inventory Status	Not regulated. Components listed are exempted.
CERCLA Reportable Quantity	Not regulated. Components listed are exempted.
(RQ)	

	T		
Other Federal Requirements	Not regulated. Components listed are exempted.		
Other Canadian Regulations	Not controlled under WHMIS (Canada). The components of this product are listed on the DSL/NDSL.		
State Regulatory Information	Not regulated. Components listed are exempted.		
Other Requirements	The primary components of this material are not listed in Annex I of EU Directive 67/548/EEC Benzyl Benzoate: Xn: Risk Phrases (R): 22 KEEP OUT OF REACH OF CHILDREN. Keep container in a well ventilated area. Keep container tightly closed. Avoid contact with eyes. In case of contact with eyes, rinse immediately with sufficient water and seek medical attention or advice.		
SECTION 16	OTHER INFORMATION		
Other Information	MAY CAUSE EYE IRRITATION. Avoid eye contact. IF IN EYES: Rinse continuously with lukewarm water for several minutes. Remove contact lenses if present and can easily be removed - continue rinsing. IF ON SKIN: Wash thoroughly with soap and water If skin irritation or rash occurs - Get medical advice or attention. Store in a well-ventilated place. Keep in a cool area. Use only as directed. KEEP OUT OF REACH OF CHILDREN		
Definitions & Terms	SEE Final (Separate) SDS Page -Following the Safety Data Sheet		
DISCLAIMER	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard; 29 CFR € 1910,1200. Other government regulations must be reviewed for applicably of the material. To the best of Fantasy Files Inc.'s knowledge the information contained herein is accurate as of this date; however accuracy, representation, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied are provided to purchaser's intended purpose or for consequences of its use The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials all component properties must be considered. Use these materials only as directed. If you have any questions regarding the proper interpretation of these sheets or the meaning of any terms used, we strongly urge you to speak with your physician.		