

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

**Recommended use** : Drain Cleaner

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Acute toxicity	Category 4	Harmful if inhaled.
Skin corrosion	Category 1A	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

**Labelling**

**Hazard symbols**

Corrosion  
Exclamation mark

**Signal word**

Danger

**Hazard statements**

Harmful if swallowed or if inhaled  
Causes severe skin burns and eye damage.

**Precautionary statements**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Immediately call a POISON CENTER or doctor/ physician.  
Specific treatment (see supplemental first aid instructions on this label).  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/ container to an approved incineration plant.  
Wear protective gloves.  
Do not breathe dust or mist.  
Avoid breathing spray.  
Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
**Other hazards** : None identified

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No.	Weight percent
Sodium hydroxide	1310-73-2	30.00 - 60.00
Sodium nitrate	7631-99-4	30.00 - 60.00
Sodium chloride	7647-14-5	10.00 - 30.00
Aluminum	7429-90-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

**4. FIRST AID MEASURES**

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

physician. Get medical attention immediately.

- Skin contact** : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/ physician. IF exposed or concerned: Get medical advice/ attention.
  
- Inhalation** : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
  
- Ingestion** : IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Carbon dioxide (CO2), Dry chemical
- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Extinguishing media which shall not be used for safety reasons** : Water
- Further information** : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Wear personal protective equipment. Wash thoroughly after handling. Obtain special instructions before use.
- Environmental** : Outside of normal use, avoid release to the environment.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

**precautions**

**Methods and materials for containment and cleaning up** : Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.

---

**7. HANDLING AND STORAGE**

**Handling**

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. **KEEP OUT OF REACH OF CHILDREN AND PETS.** Avoid breathing vapours, mist or gas. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling.

**Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

**Storage**

**Requirements for storage areas and containers** : Store locked up.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	OSHA TWA
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	ACGIH Ceiling
Aluminum	7429-90-5	15 mg/m3	-	-	OSHA TWA
Aluminum	7429-90-5	5 mg/m3	-	-	OSHA TWA
Aluminum	7429-90-5	1 mg/m3	-	-	ACGIH TWA

**Personal protective equipment**

- Respiratory protection** : Use only with adequate ventilation. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
- Hand protection** : Rubber gloves
- Eye protection** : Wear splash-resistant Chemical goggles.
- Skin and body protection** : Protective footwear.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Form** : chips  
solid

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

- Color** : silver Aqua
- Odor** : odourless
- Odour Threshold** : No data available
- pH** : > 12.5
- Melting point/freezing point** : Not applicable
- Initial boiling point and boiling range** : Not applicable
- Flash point** : Not applicable
- Evaporation rate** : Not applicable
- Flammability (solid, gas)** : No data available
- Upper/lower flammability or explosive limits** : No data available
- Vapour pressure** : Not applicable
- Vapour density** : No data available
- Relative density** : 2.016 g/cm<sup>3</sup> estimated
- Solubility(ies)** : partly soluble
- Partition coefficient: n-octanol/water** : Not applicable

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

- Auto-ignition temperature** : No data available
- Decomposition temperature** : No data available
- Viscosity, dynamic** : Not applicable
- Viscosity, kinematic** : Not applicable
- Oxidizing properties** : No data available
- Volatile Organic Compounds Total VOC (wt. %)\*** : 0.2 % - additional exemptions may apply  
\*as defined by US Federal and State Consumer Product Regulations
- Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

- Possibility of hazardous reactions** : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : Do not mix with bleach or any other household cleaners. Strong bases
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

---

**11. TOXICOLOGICAL INFORMATION**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

- Emergency Overview** : Danger
- Acute oral toxicity** : Harmful or fatal if swallowed.
- Acute inhalation toxicity** : No data available
- Acute dermal toxicity** : No data available

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	Category 4	Inhalation - Dust and Mist
Skin corrosion	Category 1A	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



## DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Sodium hydroxide	LC50	Fish	35 - 189 mg/l	96 h
Sodium nitrate	static test LC50	Oncorhynchus mykiss (rainbow trout)	994.4 - 1,107 mg/l	96 h
Sodium chloride	flow-through test LC50	Lepomis macrochirus	5,840 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	252 mg/l	33 d
Aluminum	No data available			

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Sodium hydroxide	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
Sodium nitrate	EC50	Daphnia magna (Water flea)	8,609 mg/l	24 h

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

		flea)		
Sodium chloride	static test EC50	Daphnia magna (Water flea)	340.7 - 469.2 mg/l	48 h
	NOEC	Daphnia pulex	314 mg/l	21 d
Aluminum	No data available			

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Sodium hydroxide	No data available			
Sodium nitrate	No data available			
Sodium chloride	IC50	Algae	3,014 mg/l	72 h
Aluminum	No data available			

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Sodium hydroxide	No data available		
Sodium nitrate	No data available		
Sodium chloride	No data available		
Aluminum	No data available		

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Sodium hydroxide	0.89 estimated	-1.38

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

Sodium nitrate	No data available	No data available
Sodium chloride	1.09 QSAR	0.54
Aluminum	No data available	No data available

**Mobility**

Component	End point	Value
Sodium hydroxide	No data available	
Sodium nitrate	No data available	
Sodium chloride	No data available	
Aluminum	No data available	

**PBT and vPvB assessment**

Component	Results
Sodium hydroxide	Not fulfilling PBT and vPvB criteria
Sodium chloride	Not fulfilling PBT and vPvB criteria
Aluminum	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

---

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

**SCJ product category** : SC: Solid Caustic

---

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

	<b>Land transport</b>	<b>Sea transport</b>	<b>Air transport</b>
<b>UN number</b>	1759	1759	1759
<b>UN proper shipping name</b>	UN 1759 Corrosive Solid, n.o.s. (Sodium hydroxide), 8, II, Ltd. Qty.	UN 1759 Corrosive Solid, n.o.s. (Sodium hydroxide), 8, II, Ltd. Qty.	UN 1759 Corrosive Solid, n.o.s. (Sodium hydroxide), 8, II, Ltd. Qty.
<b>Transport hazard class(es)</b>	8	8	8
<b>Packing group</b>	II	II	II
<b>Environmental hazards</b>	-	-	-
<b>Special precautions for user</b>	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	3
<b>Flammability</b>	0
<b>Reactivity</b>	1

**NFPA Ratings**

<b>Health</b>	3
<b>Fire</b>	0
<b>Reactivity</b>	1
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG  
REMOVER**

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 350000004279