

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issue Date 09-Jul-2015

Revision Date 12-Aug-2015

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1. Product identifier**

Product Code MS-156
Product Name Quantum 156

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Adhesives
Uses advised against None known

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Hernon Manufacturing Inc.
121 Tech Drive
Sanford, FL 32771
800-527-0004

For further information, please contact

Contact Point customerservice@hernon.com

1.4. Emergency telephone number

Emergency Telephone Chemtel 800-255-3924

Emergency Telephone - §45 - (EC)1272/2008

Europe 112

Section 2: HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture**

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

2.2. Label elements

Product identifier

**Signal word**

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

Contains HYDROQUINONE

EUH208 - May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P280 - Wear protective gloves and eye/face protection

2.3. Other hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
HYDROQUINONE	204-617-8	123-31-9	0.1-0.2	Xn; R22 Carc.Cat.3; R40 Xi; R41 R43 N; R50 Muta.Cat.3; R68	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400)	No data available
Ethyl cyanoacrylate	230-391-5	7085-85-0	80-100	Xi; R36/37/38	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	No data available

Full text of R-phrases: see section 16**Full text of H- and EUH-phrases: see section 16****Section 4: FIRST AID MEASURES****4.1. Description of first aid measures****Inhalation**

Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.

Skin contact

No attempt should be made to remove material from skin or to remove contaminated clothing, as bonded skin can be easily torn. Wash with large volumes of soap and water while flexing bonded skin parts. This procedure will slowly release bonded areas. DO NOT

attempt to pull skin apart forcibly.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with eyes and skin. Use personal protective equipment as required.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Following product recovery, flush area with water.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling.

General Hygiene Considerations

Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

store refrigerated.

Incompatible materials

Water. Alcohols. Amines. Alkali.

7.3. Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
HYDROQUINONE 123-31-9	-	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	-
Ethyl cyanoacrylate 7085-85-0	-	STEL: 0.3 ppm STEL: 1.5 mg/m ³	-	TWA: 0.2 ppm	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
HYDROQUINONE 123-31-9	-	TWA: 2 mg/m ³	-	TWA: 0.5 mg/m ³ STEL: 2 mg/m ³	Ceiling: 2 mg/m ³
Ethyl cyanoacrylate 7085-85-0	-	TWA: 0.2 ppm	-	TWA: 0.2 ppm TWA: 1 mg/m ³	TWA: 2 ppm TWA: 10 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
HYDROQUINONE 123-31-9	TWA: 2 mg/m ³ STEL 4 mg/m ³	TWA: 2 mg/m ³ STEL: 2 mg/m ³ H*	STEL: 2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³
Ethyl cyanoacrylate 7085-85-0	TWA: 2 ppm TWA: 9 mg/m ³	TWA: 2 ppm TWA: 9 mg/m ³	STEL: 2 mg/m ³ TWA: 1 mg/m ³	-	TWA: 0.2 ppm STEL: 0.6 ppm

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Suitable protective clothing.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Odor	Pungent
Appearance	No information available	Odor threshold	No information available
Color	clear yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Does Not Apply	
Melting point / freezing point		No information available
Boiling point / boiling range	> 149 °C / 300 °F	
Flash point	> 66 °C / 150 °F	
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limit in Air		
Upper flammability limit:		No information available
Lower flammability limit:		No information available
Vapor pressure	<1 pa @ 25 °C	
Vapor density	<= 3	
Relative density	1.06	
Water solubility	Polymerization can occur	
Solubility(ies)		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Kinematic viscosity		No information available
Dynamic viscosity		No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY**10.1. Reactivity**

No data available.

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

10.3. Possibility of hazardous reactions**Possibility of Hazardous Reactions**

None under normal processing.

10.4. Conditions to avoid

Storage near to reactive materials.

10.5. Incompatible materials

Water. Alcohols. Amines. Alkali.

10.6. Hazardous decomposition products

None known.

Section 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Acute toxicity****Product Information**

Harmful if swallowed. Harmful by skin contact. Harmful by inhalation.

Inhalation	Harmful by inhalation.
Eye contact	Avoid contact with eyes.
Skin contact	Harmful in contact with skin.
Ingestion	May be harmful if swallowed.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,544.43

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROQUINONE	= 298 mg/kg (Rat)	= 74800 mg/kg (Rabbit)	
Ethyl cyanoacrylate	> 5 mL/kg (Rat)		

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Chemical Name	European Union
HYDROQUINONE	Carc. 2

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: ECOLOGICAL INFORMATION**12.1. Toxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROQUINONE	0.335: 72 h Pseudokirchneriella subcapitata mg/L EC50 13.5: 120 h Desmodesmus subspicatus mg/L EC50	0.044: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.044: 96 h Pimephales promelas mg/L LC50 flow-through 0.1 - 0.18: 96 h Pimephales promelas mg/L LC50 static 0.17: 96 h Brachydanio rerio mg/L LC50	0.29: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
HYDROQUINONE	0.5

12.4. Mobility in soil**Mobility in soil**

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID no.	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN/ID no.	Not regulated
14.2 Proper shipping name	Not regulated

14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

ADR

14.1 UN/ID no.	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

IATA

14.1 UN/ID no.	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

DOT

UN/ID no.	Not regulated
Proper shipping name	none
Hazard Class	Not regulated
Packing Group	none

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
HYDROQUINONE 123-31-9	RG 65	-
Ethyl cyanoacrylate 7085-85-0	RG 66	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies

PICCS Complies
AICS Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

No information available

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed
H318 - Causes serious eye damage
H317 - May cause an allergic skin reaction
H341 - Suspected of causing genetic defects if swallowed
H351 - Suspected of causing cancer if swallowed
H400 - Very toxic to aquatic life
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Prepared By SDS coordinator

Issue Date 09-Jul-2015

Revision Date 12-Aug-2015

Revision Note Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet